

V-GUARD 



**V-GUARD
FANS** : **STYLISH AND ENERGY EFFICIENT.
TO BEAT THE HEAT.**

PLASTIC WASTE EPR REGISTRATION
NUMBER: BO-13-000-07-AAACV5492Q-22



CONSISTENT PERFORMANCE

For over four decades, V-Guard has lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. And now we are taking our next quantum leap. Harnessing the learnings, insights and experiences of four decades, it will be our endeavour to understand human lives and their relationship with the tools and appliances that they use. And then to evolve a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

V-Guard offers a range of Ceiling Fans, Table Fans, Pedestal Fans, Wall Fans, Ventilating Fans, Cabin Fans, Multipurpose Fans, Personal Fans and Tower Fans. All the fans deliver exceptional performance and come with features such as energy saving, aesthetic design, smooth functioning, high efficiency and so much more! They are available in a range of exciting colours and contemporary designs that can complement the decor in your homes or offices.



RANGES



CEILING FAN

V-Guard Ceiling Fans will elevate your interiors and at the same time will beat the heat efficiently!



VENTILATING FAN

Seamlessly vent out unpleasant odors and excess air for a fresh and comfortable space. Engineered for commercial and industrial use, they offer superior performance and durability.



PEDESTAL FAN

Although compact in size, V-Guard Pedestal Fans give you efficient cooling as per your desire.



INDUSTRIAL FAN

Made of premium quality materials, V-Guard industrial exhaust fans efficiently combat indoor humidity and hot air.



WALL FAN

V-Guard Wall Fans are a nicely designed combination of attractive features and performance. They possess a strong build that ranks high on durability.



METAL EXHAUST FAN

Remove stale air and moisture with V-Guard metal exhaust fans. Made of premium quality metals, they're strong and sturdy, perfect choice for a fresher home.



TABLE FAN

Efficient and compact, our Table Fans keep you cool and comfortable.



REGULATOR


Crafted from premium-quality materials, the V-Guard regulator ensures smooth and precise speed control for enhanced comfort and reliable performance.

STATE-OF-THE-ART BLDC TECHNOLOGY


V-Guard BLDC fans not only consume less electricity but also contribute to the reduction of CO₂ emissions. No wonder how, because in a decade, we can save up to 2686 kWh of electricity, thus reducing the amount of coal burned and subsequently decreasing CO₂ emissions.

This way, we are bringing home an energy efficient tomorrow!

Bringing Home an
Energy Efficient Tomorrow



Lower Coal Consumption
= Lower CO₂ Emission



49

YEARS ENRICHING
LIVES TO BRING
HOME A BETTER TOMORROW



Strong R&D wing designing the
most reliable PCBA motors



Stringent quality check ensuring highest
quality and optimum output



Superior designs
to decorate your home



Leading Indian electrical and home
appliances manufacturer

HOW STAR RATING IS DETERMINED IN FANS?

THE HIGHER THE SERVICE VALUE, THE HIGHER THE STAR RATING.

SERVICE
VALUE

AIR DELIVERY
@230 V
INPUT POWER
@230 V

TABLE A

STAR LEVEL	RATED SERVICE VALUE
1 STAR*	≥ 2.0 to < 2.5
2 STAR**	≥ 2.5 to < 3.0
3 STAR***	≥ 3.0 to < 3.5
4 STAR****	≥ 3.5 to < 4.0
5 STAR*****	≥ 4.0

FOR CEILING FANS OF SWEEP SIZE GREATER THAN OR EQUAL TO 600 mm AND LESS THAN 750 mm, THE STAR LEVEL SHALL BE DETERMINED USING TABLE A

TABLE B

STAR LEVEL	RATED SERVICE VALUE
1 STAR*	≥ 3.6 to < 4.1
2 STAR**	≥ 4.1 to < 4.6
3 STAR***	≥ 4.6 to < 5.1
4 STAR****	≥ 5.1 to < 5.6
5 STAR*****	≥ 5.6

FOR CEILING FANS OF SWEEP SIZE GREATER THAN OR EQUAL TO 750 mm AND LESS THAN OR EQUAL TO 1050 mm, THE STAR LEVEL SHALL BE DETERMINED USING TABLE B

TABLE C

STAR LEVEL	RATED SERVICE VALUE
1 STAR*	≥ 4.5 to < 5.0
2 STAR**	≥ 5.0 to < 5.5
3 STAR***	≥ 5.5 to < 6.0
4 STAR****	≥ 6.0 to < 6.5
5 STAR*****	≥ 6.5

FOR CEILING FANS OF SWEEP SIZE GREATER THAN OR EQUAL TO 1050 mm AND LESS THAN OR EQUAL TO 1500 mm, THE STAR LEVEL SHALL BE DETERMINED USING TABLE C

KEY FEATURES



QUALITY ASSURANCE

The manufacturing facility is equipped with an in-house SST chamber to check paint life and a strong team of well-qualified and trained professionals to check the quality of the final product. The product undergoes 3 stages of quality checks – IQC/ PQC & OQC, as per defined SOPs of respective sections. Stringent quality control measures have been implemented at every level at V-Guard, ensuring that products and processes are of the highest quality, superior design and optimum output. From the procurement of raw materials and components to the final rollout of products V-Guard adheres to international standards.

A WORLD-CLASS MANUFACTURING FOR FANS

Being India's leading consumer electrical and electronics brand, V-Guard is fully committed to its relentless pursuit of innovation, driven by a single-minded purpose - customer delight. As a result, a world-class manufacturing unit for fans was established in Roorkee in 2018 and began commercial production in 2020. Set in a vast area, this state-of-the-art manufacturing unit obtained ISO certification in 2021.



APHONIC SMART

PREMIUM DECORATIVE NOISELESS FAN



APHONIC SMART

PREMIUM DECORATIVE NOISELESS FAN



CARAMEL BROWN



TEAK WOOD



STARRY BLACK



BLOSSOM WHITE



Worry-free purchase with 5-year warranty



Fine speed control



Double-shielded ball bearings



Noiseless and vibrationless operation



Effective dust repellent coating technology*



Reverse rotation



Mobile connectivity



Works with Amazon Alexa



Works with Google Assistant

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

APHONIC SMART

1.2 m

40 W

310 RPM

245 m³/min

6.1

4

VG-HUSHER BLDC

PREMIUM DECORATIVE NOISELESS BLDC FAN



VG-HUSHER BLDC

PREMIUM DECORATIVE NOISELESS BLDC FAN



RIBAND BLUE MATTE

STARRY BLACK

CARAMEL BROWN SILVER

BLOSSOM WHITE SILVER



Worry-free purchase
with 5-year warranty



Smooth and
noiseless operation



Effective dust repellent
coating technology*



Multi-timer with
2h, 4h, 6h & 8h options



4-mode
wind selection



With remote
control



Reverse
rotation



Wider working voltage
range 90V - 300V

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

VG-HUSHER BLDC

1.3 m

34 W

245 RPM

250 m³/min

7.4

5

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

AIRWIZ LIGHT

PREMIUM BLDC UNDERLIGHT FAN



AIRWIZ LIGHT

PREMIUM BLDC UNDERLIGHT FAN



Worry-free purchase
with 3-year warranty



Effective dust repellent
coating technology*



With point
anywhere remote



Glossy and
matte finishes



Fine speed
control



Premium
underlight



Multi-timer
with 4h & 8h options

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

AIRWIZ LIGHT

1.2 m

34 W

370 RPM

225 m³/min

6.6

5

*Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

INSIGHT-X*

PREMIUM HIGH-SPEED BLDC SMART FAN



*Non smart variant is also available.

INSIGHT-X*

PREMIUM HIGH-SPEED BLDC SMART FAN



ELEGANCE BROWN MATTE IMPERIAL GOLD CHOCO GOLD WOOD BLOSSOM WHITE MATTE CHOCO BROWN GLO RIBAND BLUE MATTE



EMERALD GREEN NOBLE IVORY CARAMEL BROWN ROSE GLOW ALPS BLUE TITANIUM CHROME



Worry-free purchase with 5-year warranty



Effective dust repellent coating technology**



4-mode wind selection



12 unique & vibrant colour options



60V - 310V
Wider working voltage range



iOS app on app store



Works with Amazon Alexa



Works with Google Assistant

MODEL NAME

INSIGHT-X

SWEEP

1.2 m

RATED POWER

35 W

RATED SPEED

370 RPM

RATED AIR DELIVERY

235 m³/min

SERVICE VALUE

6.7

STAR RATED

5

**Non smart variant is also available. | **Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

AIRWIZ PRIME

PREMIUM HIGH-SPEED BLDC FAN



AIRWIZ PRIME

PREMIUM HIGH-SPEED BLDC FAN



Worry-free purchase with 3-year warranty		Effective dust repellent coating technology*		UI LED		Fine speed control		With point anywhere remote		4-mode wind selection	
MODEL NAME	SWEEP	RATED POWER		RATED SPEED		RATED AIR DELIVERY		SERVICE VALUE		STAR RATED	
AIRWIZ PRIME 48	1.2 m	34 W		370 RPM		225 m ³ /min		6.6		5	
AIRWIZ PRIME 36	0.9 m	35 W		480 RPM		165 m ³ /min		4.7		3	

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

ROMANZA SMART

PREMIUM DECORATIVE BLDC FAN



ROMANZA SMART

PREMIUM DECORATIVE BLDC FAN



IMPERIAL GOLD
INDIAN ART



ELEGANCE BROWN MATTE
FLORAL ART



ELEGANCE BROWN MATTE
INDIAN ART



ORO IMPACT
INDIAN ART



PEARL WHITE MATTE
FLORAL ART



RIBAND BLUE MATTE
INDIAN ART



STARRY BLACK MATTE
INDIAN ART



Worry-free purchase
with 5-year warranty



With remote
control



Double-shielded
ball bearings



Inbuilt timer



Unique & vibrant colour
options



Reverse
rotation



iOS app on
app store



Works with
Amazon Alexa



Works with
Google Assistant

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

ROMANZA SMART

1.2 m

34 W

350 RPM

230 m³/min

6.8

5

GLADO PRIME BLDC-RE

HIGH-SPEED DUST REPELLENT BLDC FAN



GLADO PRIME BLDC-RE

HIGH-SPEED DUST REPELLENT BLDC FAN



Worry-free purchase
with 5-year warranty



Effective dust repellent
coating technology*



Anti-stain &
anti-fade coating**



Compatible with wall
mounted regulator



Advanced MMD
technology



With remote
control

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
GLADO PRIME BLDC-RE	1.2 m	38 W	400 RPM	240 m ³ /min	6.4	4

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.
** Under standard test conditions.

GYRIS PRIME

PREMIUM HIGH-SPEED BLDC FAN



GYRIS PRIME

PREMIUM HIGH-SPEED BLDC FAN



Worry-free purchase
with 3-year warranty



With remote
control



Double-shielded
ball bearings



Inbuilt timer



Unique & vibrant colour
options



Reverse
rotation



UI LED
Indication

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

GYRIS PRIME

1.2 m

34 W

370 RPM

225 m³/min

6.6

5

AIRWIZ PLUS

HIGH-SPEED BLDC FAN



AIRWIZ PLUS

HIGH-SPEED BLDC FAN




Worry-free purchase
with 3-year warranty



Fine speed
control



Double-shielded
ball bearings



Superior air delivery
225m³/min



With point
anywhere remote



Reverse
rotation



Efficient BLDC
34 watts motor

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
AIRWIZ PLUS 48	1.2 m	34 W	370 RPM	225 m ³ /min	6.6	5
AIRWIZ PLUS 36	0.9 m	35 W	480 RPM	165 m ³ /min	4.7	3

ENVIRO PRIME 32

REGULAR PREMIUM BLDC FAN



ENVIRO PRIME 32

REGULAR PREMIUM BLDC FAN



Worry-free purchase
with 3-year warranty



Smooth and
noiseless operation



Effective dust repellent
coating technology*



Multi-timer with
(2h, 4h, 6h & 8h options)



4-mode
wind selection



With remote
control



Reverse
rotation



Wider working voltage
range 90V - 300V

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

ENVIRO PRIME 32

1.2 m

32 W

350 RPM

230 m³/min

7

5

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

ENVIRO PLUS-SE

STANDARD BLDC FAN



ENVIRO PLUS-SE

STANDARD BLDC FAN



MATTE BROWN



WHITE



JET GREY



ADMIRAL BLUE



IVORY



Worry-free purchase
with 3-year warranty



Fine speed
control



Advanced MMD
technology



Multi-timer with
4h & 8h options



4-mode
wind selection



With remote
control



Reverse
rotation



Compatible with wall
mounted regulator

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

ENVIRO PLUS-SE

1.2 m

34 W

400 RPM

225 m³/min

6.6

5

AIRHEW BLDC-RE

STANDARD BLDC FAN



AIRHEW BLDC-RE

STANDARD BLDC FAN



Worry-free purchase
with 3-year warranty



Advanced MMD
technology



Multi-timer with
4h & 8h options



Efficient BLDC
32 Watts motor



Double-shielded
ball bearings



With remote
control



Aluminium alloy blades
for seamless airflow

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
AIRHEW BLDC-RE	1.2 m	32 W	350 RPM	220 m ³ /min	6.9	5

ENVIRO NEO

STANDARD BLDC FAN



ENVIRO NEO

STANDARD BLDC FAN



MATTE BROWN



WHITE



IVORY



ADMIRAL BLUE




Worry-free purchase
with 3-year warranty




Advanced MMD
technology



Compatible with wall
mounted regulator



Supremely smooth and
powerful air delivery



Wider blades made of
special aluminium alloy

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
ENVIRO NEO	1.2 m	32 W	350 RPM	220 m ³ /min	6.8	5


GLADO PRIME ES

PREMIUM DECORATIVE HIGH-SPEED FAN



GLADO PRIME ES

PREMIUM DECORATIVE HIGH-SPEED FAN



Worry-free purchase
with 3-year warranty



Effective dust repellent
coating technology*



Supremely smooth
and powerful air delivery



Superior gloss and
matte surface finish



10 unique &
vibrant colour options



Wider blades made of
special aluminium alloy




Seamless & integrated
decorative design

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
GLADO PRIME ES 48	1.2 m	52 W	370 RPM	235 m ³ /min	4.5	1
GLADO PRIME ES 36	90 cm	44 W	440 RPM	170 m ³ /min	3.8	1
GLADO PRIME ES 24	60 cm	60 W	860 RPM	120 m ³ /min	2	1

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

ENLACE ES

PREMIUM DECORATIVE HIGH-SPEED FAN



ENLACE ES

PREMIUM DECORATIVE HIGH-SPEED FAN



TITANIUM CHROME



BLOSSOM WHITE MATTE



ELEGANCE BROWN MATTE



NOBLE IVORY



ORO IMPACT



ROSE GLOW



METALLIC GREY



CHOCO BROWN GLO



CARAMEL BRONZE



EMERALD GREEN



Worry-free purchase with 30-month warranty



Effective dust repellent coating technology*




Superior gloss and matte surface finish



Seamless & integrated decorative design



Supremely smooth and powerful air delivery



Wider blades made of special aluminium alloy

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

ENLACE ES

1.2 m

50 W

370 RPM

225 m³/min

4.5

1

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions. | Not applicable for Snow White Blue & Snow White Rose colour variants.

VAJRA DX ES

PREMIUM ELECTROPLATED FAN



VAJRA DX ES

PREMIUM ELECTROPLATED FAN



ANTIQUE COPPER



POLISHED STEEL




ANTIQUE BRASS



Worry-free purchase
with 2-year warranty*



Best-in-class
speed-350 RPM



Supremely smooth
and powerful air delivery



Double-shielded
ball bearings



Sturdy and strong
construction

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
VAJRA DX ES	1.2 m	50 W	350 RPM	225 m ³ /min	4.5	1

*Warranty shall not be applicable on electroplated finish/coating.

HAIZE PRIME ES

STANDARD DECORATIVE HIGH-SPEED FAN



HAIZE PRIME ES

STANDARD DECORATIVE HIGH-SPEED FAN



ELEGANCE
BROWN MATTE



CHOCO BROWN
GLO



PEARL WHITE



ROYAL BLUE



TITANIUM




ROSE GLOW



Worry-free purchase
with 2-year warranty



Best-in-class
speed-370 RPM



Supremely smooth and
powerful air delivery



Unique & vibrant
colour options



High-speed motor with
powerful performance



Superior quality laminations
for higher efficiency

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

HAIZE PRIME ES

1.2 m

48 W

370 RPM

220 m³/min

4.5

1

GLADO ES

REGULAR PREMIUM HIGH-SPEED FAN



GLADO ES


REGULAR PREMIUM HIGH-SPEED FAN




Worry-free purchase with 2-year warranty



Best-in-class speed-400 RPM



Supremely smooth and powerful air delivery



Wider blades made of special aluminium alloy



Superior gloss and matte surface finish



Superior quality laminations for higher efficiency



8 unique & vibrant colour options

MODEL NAME

GLADO ES 48

SWEEP

1.2 m

RATED POWER

50 W

RATED SPEED

400 RPM

RATED AIR DELIVERY

220 m³/min

SERVICE VALUE

4.5

STAR RATED

1

TUFFMO ES

REGULAR HIGH-SPEED FAN



TUFFMO ES

REGULAR HIGH-SPEED FAN




MATTE BROWN



IVORY



WHITE



MISTAL ES

STANDARD DECORATIVE HIGH-SPEED FAN



MISTAL ES

STANDARD DECORATIVE HIGH-SPEED FAN



MATTE BROWN



IVORY



HAVELOCK BLUE MATTE



WHITE



CHERRY BROWN



Worry-free purchase with 2-year warranty



Best-in-class speed-400 RPM



Supremely smooth and powerful air delivery



5 unique & vibrant colour options



High-speed motor with powerful performance



Superior quality laminations for higher efficiency

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
MISTAL ES 48	1.2 m	46 W	400 RPM	215 m ³ /min	4.6	1
MISTAL ES 36	90 cm	36 W	440 RPM	135 m ³ /min	3.7	1

ROTAIR DX ES

STANDARD DECORATIVE HIGH-SPEED FAN



ROTAIR DX ES

STANDARD DECORATIVE HIGH-SPEED FAN



CHERRY BROWN



IVORY



MATTE BROWN




WHITE



Worry-free purchase with
2-year warranty



Best-in-class
speed-370 RPM



Air delivery
215 m³/min



47 Watts
motor

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
ROTAIR DX ES	1.2 m	47 W	370 RPM	215 m ³ /min	4.5	1

HAIZE PRO ES

STANDARD DECORATIVE HIGH-SPEED FAN



HAIZE PRO ES

STANDARD DECORATIVE HIGH-SPEED FAN



CASPIAN BLUE



IVORY



MATTE BROWN



WHITE



Worry-free purchase
with 2-year warranty



47 Watts motor



Superior air delivery
215 m³/min



Best-in-class
speed-370 RPM




Double-shielded
ball bearings

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
HAIZE PRO ES	1.2 m	47 W	370 RPM	215 m ³ /min	4.5	1


STURDEE PLUS ES

STANDARD DECORATIVE HIGH-SPEED FAN



STURDEE PLUS ES

STANDARD DECORATIVE HIGH-SPEED FAN



IVORY



CHERRY BROWN




WHITE



Worry-free purchase
with 2-year warranty



Aluminium alloy blades
for seamless airflow



Supremely smooth and
powerful air delivery



3 unique & vibrant
colour options



High-speed motor for
superior performance

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
STURDEE PLUS ES	1.2 m	47 W	380 RPM	215 m ³ /min	4.5	1

HAIZE PLUS ES

STANDARD HIGH SPEED FAN



HAIZE PLUS ES

STANDARD HIGH SPEED FAN



MATTE BROWN



IVORY



CHERRY BROWN



WHITE




Worry-free purchase with 30-month warranty



Double-shielded ball bearings



4 unique & vibrant colour options



Supremely smooth and powerful air delivery



Aluminium alloy blades for seamless airflow

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
HAIZE PLUS ES	1.2 m	48 W	370 RPM	220 m ³ /min	4.6	1

STURDEE ES

STANDARD HIGH-SPEED FAN



STURDEE ES


STANDARD HIGH-SPEED FAN



Worry-free purchase
with 2-year warranty



Aluminium alloy blades
for seamless airflow



Supremely smooth and
powerful air delivery



3 unique & vibrant
colour options



High-speed motor for
superior performance

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
STURDEE ES	1.2 m	47 W	380 RPM	215 m ³ /min	4.5	1

HAIZE NEO ES

STANDARD HIGH-SPEED FAN



HAIZE NEO ES

STANDARD HIGH-SPEED FAN



MATTE BROWN



WHITE



CHERRY BROWN



IVORY



Worry-free purchase
with 2-year warranty



Double-shielded ball
bearings ensure
operational reliability



Supremely smooth and
powerful air delivery



4 unique & vibrant
colour options

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
HAIZE NEO ES 48	1.2 m	47 W	370 RPM	215 m ³ /min	4.5	1
HAIZE NEO ES 56	1.4 m	54 W	300 RPM	245 m ³ /min	4.5	1
HAIZE NEO ES 36	90 cm	38 W	440 RPM	140 m ³ /min	3.7	1
HAIZE NEO ES 24	60 cm	55 W	830 RPM	112 m ³ /min	2.0	1

LILTO NEO ES

STANDARD HIGH-SPEED FAN



LILTO NEO ES

STANDARD-HIGH-SPEED FAN



MATTE BROWN



HAVELOCK
BLUE MATTE



CHERRY
BROWN



IVORY




WHITE



Worry-free purchase
with 2-year warranty



Best-in-class
speed-400 RPM



Supremely smooth
and powerful air delivery



5 unique & vibrant
colour options



High-speed motor with
powerful performance



Superior quality laminations
for higher efficiency

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

LILTO NEO ES

1.2 m

46 W

400 RPM

215 m³/min

4.6

1

COOLWIZ ES

STANDARD HIGH-SPEED FAN



COOLWIZ ES

STANDARD HIGH-SPEED FAN



MATTE BROWN



CHERRY BROWN



WHITE




IVORY



Worry-free purchase
with 2-year warranty



Double-shielded ball
bearings ensure
operational reliability



Supremely smooth
and powerful
air delivery



4 unique & vibrant
colour options

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
COOLWIZ ES	1.2 m	47 W	380 RPM	215 m ³ /min	4.5	1

LILTO ES

STANDARD HIGH-SPEED FAN



LILTO ES

STANDARD HIGH-SPEED FAN



MATTE BROWN



WHITE



CHERRY BROWN



IVORY



Worry-free purchase
with 2-year warranty



Double-shielded ball
bearings ensure
operational reliability



Superior high-speed
performance



4 unique & vibrant
colour options

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
LILTO ES	1.2 m	47 W	380 RPM	215 m ³ /min	4.5	1

WHIZAIR ES

STANDARD HIGH-SPEED FAN



WHIZAIR ES

STANDARD HIGH-SPEED FAN




MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	SERVICE VALUE	STAR RATED
WHIZAIR ES	1.2 m	46 W	380 RPM	215 m ³ /min	4.6	1



Worry-free purchase with 2-year warranty



Best-in-class speed-380 RPM



Supremely smooth and powerful air delivery



5 unique & vibrant colour options



High-speed motor with powerful performance

WILO ES

STANDARD HIGH-SPEED FAN



WILO ES

STANDARD HIGH-SPEED FAN



MATTE BROWN



WHITE



CHERRY BROWN



IVORY



Worry-free purchase
with 2-year warranty



Double-shielded ball
bearings ensure
operational reliability



Superior speed



4 unique & vibrant
colour options



Aluminium body
construction

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

WILO ES

1.2 m

47 W

370 RPM

215 m³/min

4.5

1

FANZA NEO ES

STANDARD HIGH-SPEED FAN



FANZA NEO ES

STANDARD HIGH-SPEED FAN



IVORY



MATTE BROWN



WHITE



Worry-free purchase
with 2-year warranty



Best-in-class
speed-380 RPM



Supremely smooth and
powerful air delivery



3 unique & vibrant
colour options



High-speed motor for
superior performance

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

FANZA NEO ES

1.2 m

46 W

380 RPM

215 m³/min

4.6

1


INSIGHT-G 24

PREMIUM HIGH-SPEED BLDC FAN



INSIGHT-G 24

PREMIUM HIGH-SPEED BLDC FAN



* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

AIRWIZ PRIME 24

PREMIUM DECORATIVE HIGH-SPEED BLDC FAN



AIRWIZ PRIME 24

PREMIUM DECORATIVE HIGH-SPEED BLDC FAN



STARRY BLACK MATTE



CHOCO BROWN GLO



TITANIUM CHROME



CHOCO TEAK WOOD



ELEGANCE BROWN MATTE



IMPERIAL GOLD



ALPS BLUE



NOBLE IVORY



WHITE




RIBAND BLUE MATTE



Worry-free purchase
with 3-year warranty



Effective dust repellent
coating technology*




Supremely smooth
and powerful air delivery



Superior gloss and
matte surface finish



10 unique &
vibrant colour options



Wider blades made of
special aluminium alloy



Double-shielded
ball bearings

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

AIRWIZ PRIME 24

60 cm

34 W

840 RPM

110 m³/min

3.2

3

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

AIRWIZ PLUS 24

HIGH-SPEED BLDC FAN



AIRWIZ PLUS 24

HIGH-SPEED BLDC FAN



MATTE BROWN



SAPPHIRE BLUE



ESTEEM BROWN MATTE



WHITE



SPACE BLACK



IVORY



SNOW WHITE MATTE



CHOCO TEAK WOOD



PINE WOOD BLACK



Worry-free purchase
with 3-year warranty



Fine speed
control



Double-shielded
ball bearings



Supremely smooth and
powerful air delivery



With point
anywhere remote



Reverse
rotation



Efficient BLDC
34 watts motor

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

AIRWIZ PLUS 24

60 cm

34 W

840 RPM

110 m³/min

3.2

3

GLADO PRIME ES 24

PREMIUM DECORATIVE DUST REPELLENT HIGH-SPEED FAN



GLADO PRIME ES 24

PREMIUM DECORATIVE DUST REPELLENT HIGH-SPEED FAN



Worry-free purchase with 3-year warranty



Effective dust repellent technology*




Supremely smooth and powerful air delivery



Superior glass and matte surface finish



10 unique & vibrant colour options



Wider blades made of special aluminium alloy



Superior coating technology for corrosion-free working



Seamless & integrated decorative design

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

GLADO PRIME ES 24

60 cm

60 W

860 RPM

120 m³/min

2

1

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

HAIZE NEO ES 24

STANDARD HIGH-SPEED FAN



HAIZE NEO ES 24

STANDARD HIGH-SPEED FAN



IVORY



WHITE



CHERRY BROWN



Worry-free purchase
with 2-year warranty



3 unique & vibrant
colour options



Supremely smooth
and powerful air delivery



High-speed motor with
powerful performance



Superior quality laminations
for higher efficiency

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

HAIZE NEO ES 24

60 cm

55 W

830 RPM

112 m³/min

2.0

1

COOLWIZ ES 24

STANDARD HIGH-SPEED FAN



BA

COOLWIZ ES 24

STANDARD HIGH-SPEED FAN



IVORY



WHITE




CHERRY BROWN



Worry-free purchase
with 2-year warranty



3 unique & vibrant
colour options



Supremely smooth
and powerful air delivery



High-speed motor with
powerful performance



Superior quality laminations
for higher efficiency

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SERVICE VALUE

STAR RATED

COOLWIZ ES 24

60 cm

55 W

830 RPM

112 m³/min

2.0

1



TABLE FAN

Enjoy the luxury of uniform airflow with V-Guard Table Fans. Compact and lightweight, these fans can fit comfortably anywhere. Available in a variety of vibrant colors and designs with supreme technical features to ensure optimal performance, these are the perfect addition to your home.

FINESTA TF PRIME II

NORMAL SPEED HIGH VELOCITY TABLE FAN



FINESTA TF PRIME II

NORMAL SPEED HIGH VELOCITY TABLE FAN



WHITE BLUE



WHITE RED



Worry-free
purchase with
2-year warranty



Super enameled high
purity copper used in
the motor winding




Triangular base for
better stability



Superior lamination
for optimum power
consumption & durability



Built-in overheat/
overload protection



High air velocity



Jerk-free and
smooth oscillation

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FINESTA TF PRIME II

40 cm

60 W

1350 RPM

70 m³/min

GLADO TF

TABLE FAN



GLADO TF


TABLE FAN



WHITE RED



WHITE



WHITE BLUE



Worry-free purchase
with 2-year warranty



In-built TDP for motor
winding protection



Aerodynamically Designed &
Balanced blades



Powerful and energy
efficient 55W motor



Stylish round base for
superior stability

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

GLADO TF

40 cm


55 W

1330 RPM

72 m³/min

FINESTA TF NEO II

TABLE FAN



FINESTA TF NEO II

TABLE FAN



WHITE BLUE



WHITE RED



WHITE



WHITE GREEN



Worry-free purchase with 2-year warranty



Super enamelled high purity copper used in the motor winding



Triangular base for better stability



Superior lamination for optimum power consumption & durability



Inbuilt overheat/overload protection



Aerodynamically designed blades



Jerk-free and smooth oscillation

MODEL NAME

FINESTA TF NEO II

SWEEP

40 cm

RATED POWER

58 W

RATED SPEED

1350 RPM

RATED AIR DELIVERY

68 m³/min

WILO TF

TABLE FAN




WILO TF

TABLE FAN



WHITE



WHITE BLUE



WHITE RED



Worry-free purchase
with 2-year warranty



Inbuilt overheat/
overload protection




Aerodynamically balanced
blades made of superior
grade engineered polymer



Superior lamination
for optimum power
consumption & durability



3 unique & vibrant
colour options



Stylish round base for
better stability

MODEL NAME

WILO TF

SWEEP

40 cm

RATED POWER

58 W

RATED SPEED

1330 RPM

RATED AIR DELIVERY

65 m³/min

FINESTA NEO HST

HIGH-SPEED TABLE FAN



FINESTA NEO HST

HIGH-SPEED TABLE FAN



BLACK



ORANGE BLACK



WHITE BLUE



Worry-free
purchase with
2-year warranty



High-speed motor
for unmatched
performance



Triangular base for
better stability



Powerful and energy
efficient motor



Inbuilt overheat/
overload protection



Aerodynamically
balanced blades made
of superior grade
engineered polymer



Super enamelled high purity
copper used in
the motor winding




3 unique & vibrant
colour options

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
FINESTA NEO HST	40 cm	120 W	2100 RPM	85 m ³ /min

GLADO HST

HIGH-SPEED TABLE FAN



GLADO HST


HIGH-SPEED TABLE FAN



BLACK



WHITE



WHITE BLUE



Worry-free
purchase with
2-year warranty



High-speed motor
for unmatched
performance



Stylish round base for
better stability



CRNO lamination
for optimum power
consumption & durability



Inbuilt overheat/
overload protection



Aerodynamically
balanced blades made
of superior grade
engineered polymer



Super enamelled high purity
copper used in
the motor winding



3 unique & vibrant
colour options

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

GLADO HST

40 cm

110 W

2200 RPM

85 m³/min



PEDESTAL FANS

Relish the robust breeze from V-Guard Pedestal Fans. These feature-packed fans, with their elegant designs, offer enhanced air velocity and add charm to your living space. Available in a range of colors and designs, our pedestal fans are sure to elevate your interior decor.

FINESTA STS PRIME II

NORMAL SPEED HIGH VELOCITY PEDESTAL FAN



FINESTA STS PRIME II

NORMAL SPEED HIGH VELOCITY PEDESTAL FAN



ORANGE BLACK



WHITE BLUE



WHITE RED



Worry-free purchase
with 2-year warranty



Powerful and energy
efficient motor



Super enameled high purity
copper used in the motor winding



Superior lamination for optimum
power consumption & durability



Inbuilt overheat/
overload protection



Unique & vibrant
colour options



ABS body
construction

MODEL NAME

FINESTA STS PRIME II

SWEEP

40 cm

RATED POWER

60 W

RATED SPEED


1350 RPM

RATED AIR DELIVERY

70 m³/min


FINESTA STS NEO II

2-IN-1 CONVERTIBLE FAN



FINESTA STS NEO II


2-IN-1 CONVERTIBLE FAN



Worry-free purchase
with 2-year warranty



Inbuilt overheat/
overload protection



Supremely smooth
and powerful air delivery



Aerodynamically
designed & balanced blades



Unique & vibrant
colour options



Super enameled high purity
copper used in
the motor winding




2-in-1
convertible fan

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
FINESTA STS NEO II	40 cm	58 W	1350 RPM	68 m ³ /min

GLADO STS

PEDESTAL FAN



GLADO STS

PEDESTAL FAN



WHITE



WHITE BLUE



BLACK



ORANGE BLACK



WHITE RED



Worry-free purchase
with 2-year warranty



Inbuilt overheat/
overload protection



Jerk-free and
smooth oscillation



Corrosion-resistant
glossy powder-coated
metal guard



Powerful and energy
efficient motor



Aerodynamically designed &
balanced blades



Unique & vibrant
colour options



Super enameled high purity
copper used in
the motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

GLADO STS

40 cm

55 W

1330 RPM

72 m³/min

WILO STS

2-IN-1 CONVERTIBLE FAN



WILO STS

2-IN-1 CONVERTIBLE FAN



Worry-free purchase
with 2-year warranty



Inbuilt overheat/
overload protection



Supremely smooth and
powerful air delivery



Aerodynamically
designed &
balanced blades



Unique & vibrant
colour options



Super enameled high
purity copper used in
the motor winding



2-in-1
convertible fan

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

WILO STS

40 cm


59 W

1350 RPM

65 m³/min

COOLWIZ STS

PEDESTAL FAN



COOLWIZ STS

PEDESTAL FAN



WHITE



WHITE BLUE



BLACK



YELLOW BLACK



BLUE BLACK



Worry-free purchase with 2-year warranty



Telescopic height adjustable metal stand



Superior lamination for optimum power consumption & durability



Corrosion-resistant glossy powder-coated metal guard



Powerful and energy efficient motor



Inbuilt overheat/overload protection



Unique & vibrant colour options



Super enamelled high purity copper used in the motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

COOLWIZ STS

40 cm

58 W

1330 RPM

65 m³/min

DREAMS STS

PEDESTAL FAN



DREAMS STS

PEDESTAL FAN



ORANGE BLACK



Worry-free purchase
with 2-year warranty



Inbuilt overheat/
overload protection



Jerk-free and
smooth oscillation



Telescopic height
adjustable metal stand



Tilt angle
adjustment



Super enamelled high purity
copper used in the motor winding



Aerodynamically balanced blades
for superior air delivery

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

DREAMS STS

40 cm

62 W

1350 RPM

72 m³/min

ENVIRO PF BLDC

ENERGY EFFICIENT BLDC PEDESTAL FAN



ENVIRO PF BLDC

ENERGY EFFICIENT BLDC PEDESTAL FAN



BLACK



YELLOW BLACK



Worry-free purchase
with 2-year warranty



CRNO lamination for
optimum power
consumption & durability



Advanced MMD
technology



2-in-1
convertible fan



Remote control
with LED indication



Multi-timer with (1h,
2h, 3h, 4h, 5h, 6h, 7h,
8h & 9h options)



Energy efficient
BLDC motor



Double-shielded
ball bearings

MODEL NAME

ENVIRO PF BLDC

SWEEP

40 cm

RATED POWER

32 W

RATED SPEED

1350 RPM

RATED AIR DELIVERY

65 m³/min

FINESTA REMOTE NEO

REMOTE PEDESTAL FAN



FINESTA REMOTE NEO

REMOTE PEDESTAL FAN



WHITE BLUE



YELLOW BLACK



Worry-free purchase
with 2-year warranty



Multi-timer with
(1h, 2h, 4h & 8h options)



CRNO lamination for optimum
power consumption & durability



Synchronous motor-driven
jerk-free and smooth oscillation



Memory backup
function



Aerodynamically
designed & balanced blades

MODEL NAME

FINESTA REMOTE NEO

SWEEP

40 cm

RATED POWER

55 W

RATED SPEED


1300 RPM

RATED AIR DELIVERY

65 m³/min

FINESTA HSP PRO

HIGH SPEED PEDESTAL FAN



FINESTA HSP PRO

HIGH SPEED PEDESTAL FAN



WHITE BLUE



WHITE



BLACK



ORANGE BLACK



Worry-free purchase
with 2-year warranty



Powerful and energy
efficient motor



Super enameled high purity
copper used in the motor winding



Superior lamination for optimum
power consumption & durability



Inbuilt overheat/
overload protection



4 unique & vibrant
colour options



ABS body
construction



Double-shielded
ball bearings

MODEL NAME

FINESTA HSP PRO

SWEEP

40 cm

RATED POWER

120 W

RATED SPEED


2150 RPM

RATED AIR DELIVERY

90 m³/min

GLADO HSP

HIGH-SPEED PEDESTAL FAN



GLADO HSP

HIGH-SPEED PEDESTAL FAN



WHITE BLUE



ORANGE BLACK



YELLOW BLACK



WHITE



BLACK



Worry-free purchase
with 2-year warranty



Aerodynamically designed
and balanced blades



High-speed motor for
unmatched performance



Powerful and energy
efficient motor



Inbuilt overheat/
overload protection



5 unique & vibrant
colour options



Super enamelled high purity copper
used in the motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

GLADO HSP

40 cm

110 W

2200 RPM

85 m³/min

FINESTA NEO HSP

HIGH-SPEED PEDESTAL FAN



FINESTA NEO HSP

HIGH-SPEED PEDESTAL FAN



ORANGE BLACK



BLACK



WHITE BLUE



WHITE



Worry-free purchase
with 2-year warranty



ABS body
construction



Specially designed metal
blades for high air velocity



High-speed motor for
unmatched performance



Powerful and energy
efficient motor



Inbuilt overheat/
overload protection



4 unique & vibrant
colour options



Super enamelled high purity
copper used in the motor winding

MODEL NAME

FINESTA NEO HSP

SWEEP

40 cm

RATED POWER

120 W

RATED SPEED

2100 RPM

RATED AIR DELIVERY

85 m³/min

NOTUS CLASSIC NEO

OSCILLATING METAL PEDESTAL FAN



NOTUS CLASSIC NEO

OSCILLATING METAL PEDESTAL FAN



STEEL BLACK



BLACK GOLD



Worry-free purchase
with 2-year warranty



Telescopic height
adjustable metal stand




Specially designed metal
blades for high air velocity



Inbuilt overheat/
overload protection



Large base for
better stability



High air velocity



Superior lamination for optimum
power consumption & durability



Tilt angle adjustment

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

NOTUS CLASSIC NEO

40 cm

68 W

1350 RPM

70 m³/min

SOLID DELIGHT

PREMIUM METAL BLADE PEDESTAL FAN



SOLID DELIGHT

PREMIUM METAL BLADE PEDESTAL FAN



ANTIQUE COPPER



Worry-free purchase
with 2-year warranty



85 Watts
motor



Best-in-class
speed - 1350 RPM



Telescopic height
adjustable metal stand



Tilt angle
adjustment



Large base for
better stability



Inbuilt overheat/
overload protection

MODEL NAME

SOLID DELIGHT

SWEEP

45 cm

RATED POWER

85 W

RATED SPEED

1350 RPM

RATED AIR DELIVERY

100 m³/min

FANZA MPF PRO

OSCILLATING METAL PEDESTAL FAN



FANZA MPF PRO

OSCILLATING METAL PEDESTAL FAN



STEEL BLACK

Worry-free purchase with 2-year warranty	Double-shielded ball bearings ensure operational reliability	Inbuilt overheat/overload protection	Large base for better stability	Strong and rigid metal construction	Aluminium alloy blades for superior lasting	Jerk-free and smooth oscillation
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY		
FANZA MPF PRO	45 cm	100 W	1350 RPM	100 m ³ /min		

FANZA MPF PLUS

OSCILLATING METAL PEDESTAL FAN



FANZA MPF PLUS

OSCILLATING METAL PEDESTAL FAN



STEEL BLACK



Worry-free purchase
with 2-year warranty



Telescopic height
adjustable metal stand



Strong and rigid metal
construction



Aluminium alloy blades for
superior lasting



Large base for
better stability



Inbuilt overheat/
overload protection



Corrosion-resistant gloss &
matte powder-coated metal parts

MODEL NAME

FANZA MPF PLUS

SWEEP

45 cm

RATED POWER

98 W

RATED SPEED

1350 RPM

RATED AIR DELIVERY

100 m³/min

FANZA MPF DELIGHT NEO

OSCILLATING METAL PEDESTAL FAN



FANZA MPF DELIGHT NEO

OSCILLATING METAL PEDESTAL FAN



STEEL BLACK



MATTE GOLD




SILVER BLACK



Worry-free purchase
with 2-year warranty



Telescopic height
adjustable metal stand



Supremely smooth and
powerful air delivery



Aluminium alloy blades for
superior lasting



Large base for
better stability



Inbuilt overheat/
overload protection



Corrosion-resistant gloss &
matte powder-coated metal parts

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FANZA MPF DELIGHT NEO

45 cm

95 W

1350 RPM

100 m³/min

STURDEE FT

METAL PEDESTAL FAN



STURDEE FT

METAL PEDESTAL FAN



SILVER GREY BLACK



Worry-free purchase
with 2-year warranty



Specially designed metal blades
for high air velocity



Best-in-class
speed - 1400 RPM



High-quality metal
construction

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

STURDEE FT

50 cm

140 W

1400 RPM

155 m³/min

SOLID FT

METAL PEDESTAL FAN




SOLID FT

METAL PEDESTAL FAN



BLACK SILVER



MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SOLID FT

50 cm

145 W

1350 RPM

150 m³/min

FANZA PRIME

METAL PEDESTAL FAN



FANZA PRIME

METAL PEDESTAL FAN



BLACK SILVER



Worry-free purchase
with 2-year warranty



140 Watts
motor



Best-in-class
speed - 1400 RPM



Telescopic height
adjustable metal stand



Jerk-free and
smooth oscillation

MODEL NAME

FANZA PRIME

SWEEP

50 cm

RATED POWER

140 W

RATED SPEED

1400 RPM

RATED AIR DELIVERY

155 m³/min

FANZA FT PRIME

METAL PEDESTAL FAN



FANZA FT PRIME

METAL PEDESTAL FAN



BLACK SILVER



Worry-free purchase
with 2-year warranty



Specially designed metal blades
for high air velocity



Best-in-class
speed - 1400 RPM



High-quality metal
construction



Super enamelled high purity
copper used in the motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FANZA FT PRIME

50 cm

140 W

1400 RPM

155 m³/min

FANZA FT NEO

METAL PEDESTAL FAN



FANZA FT NEO

METAL PEDESTAL FAN



BLACK SILVER



Worry-free purchase
with 2-year warranty



Large base for
better stability



Best-in-class
speed - 1400 RPM



High-quality metal
construction



Super enamelled high purity
copper used in the motor winding



Corrosion-resistant
powder-coated metal parts

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
FANZA FT NEO	50 cm	145 W	1400 RPM	155 m ³ /min



WALL FANS

Crafted to suit your modern-day needs, V-Guard Wall Fans are the best option for you, with their attractive features and excellent performance. Choose from a broad range of compact, lightweight, and robust wall fans that are ideal for small apartments or office spaces. Adorn your beautiful walls with V-Guard wall fans and enjoy unparalleled performance.

FINESTA STD PRIME II

NORMAL SPEED HIGH VELOCITY WALL FAN



FINESTA STD PRIME II

NORMAL SPEED HIGH VELOCITY WALL FAN



WHITE BLUE



WHITE RED



WHITE



BLACK



Worry-free purchase with 2-year warranty



Pull cord for speed regulation and oscillation control



ABS body construction



Superior lamination for optimum power consumption & durability




Inbuilt overheat/overload protection



Synchronous motor-driven Jerk-free and smooth oscillation



Super enamelled high purity copper used in the motor winding



High air velocity

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FINESTA STD PRIME II

40 cm


60 W

1350 RPM

70 m³/min

GLADO STD

WALL FAN



GLADO STD

WALL FAN



BLACK



WHITE RED



ORANGE BLACK



WHITE



WHITE BLUE



Worry-free purchase
with 2-year warranty



Pull cord for speed
regulation and
oscillation control



3 speed choices



Superior lamination for
optimum power
consumption & durability



Inbuilt overheat/
overload protection



Synchronous motor-driven
jerk-free and smooth oscillation



Super enamelled high
purity copper used in
the motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

GLADO STD

40 cm


55 W

1330 RPM

72 m³/min

FINESTA STD NEO II

WALL FAN



FINESTA STD NEO II

WALL FAN



BLACK




WHITE GREEN



WHITE



WHITE BLUE



WHITE RED



Worry-free purchase
with 2-year warranty



Pull cord for speed
regulation and
oscillation control



Inbuilt overheating/
overload protection



Synchronous motor-driven
jerk-free and smooth oscillation



Super enameled high
purity copper used in
the motor winding



ABS body
construction



Corrosion-resistant
powder-coated metal parts

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FINESTA STD NEO II

40 cm


58 W

1350 RPM

68 m³/min


WILO STD

WALL FAN



WILO STD

WALL FAN



WHITE RED



WHITE BLUE



WHITE



Worry-free purchase
with 2-year warranty



Elegant and attractive
body design



Superior lamination for optimum
power consumption & durability



In-built TDP for motor
winding protection



Tilt angle
adjustment



Pull cord for speed and
oscillation control

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

WILO STD

40 cm


59 W

1350 RPM

65 m³/min

FINESTA RW NEO

REMOTE WALL FAN




FINESTA RW NEO

REMOTE WALL FAN



YELLOW BLACK



WHITE BLUE



Worry-free purchase
with 2-year warranty



CRNO lamination for optimum
power consumption & durability



Synchronous motor-driven
jerk-free and smooth oscillation



Remote control
with LED indication



ABS
body construction

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FINESTA RW NEO

40 cm

55 W

1300 RPM

65 m³/min

ENVIRO WF BLDC

ENERGY EFFICIENT BLDC WALL FAN



ENVIRO WF BLDC

ENERGY EFFICIENT BLDC WALL FAN



BLACK



ORANGE BLACK



WHITE



Worry-free purchase
with 2-year warranty



Efficient 32 W
BLDC motor



CRNO lamination for optimum
power consumption & durability



Advanced MMD
technology



Corrosion-resistant glossy
powder-coated metal guard

MODEL NAME

ENVIRO WF BLDC

SWEEP

40 cm

RATED POWER

32 W

RATED SPEED


1350 RPM

RATED AIR DELIVERY

65 m³/min


FINESTA NEO HSW

HIGH-SPEED WALL FAN




FINESTA NEO HSW

HIGH-SPEED WALL FAN




ORANGE BLACK



BLACK



WHITE



BLUE BLACK



Worry-free purchase with 2-year warranty



Pull cord for speed regulation and oscillation control



ABS body construction



Superior lamination for optimum power consumption and durability



Inbuilt overheat/overload protection



Corrosion-resistant glossy powder-coated metal guard



Super enamelled high purity copper used in the motor winding



Jerk-free and smooth oscillation

MODEL NAME

FINESTA NEO HSW 12
FINESTA NEO HSW 16

SWEEP

30 cm
40 cm

RATED POWER

90 W
120 W

RATED SPEED

2100 RPM
2100 RPM

RATED AIR DELIVERY

60 m³/min
85 m³/min

GLADO HSW

WALL FAN



GLADO HSW

WALL FAN



WHITE BLUE



ORANGE BLACK



WHITE



YELLOW BLACK



BLACK



Worry-free purchase
with 2-year warranty



Pull cord for speed regulation
and oscillation control



High-speed motor
for unmatched
performance



Superior lamination
for optimum power
consumption & durability



Inbuilt overheat/
overload protection



Synchronous
motor-driven jerk-free
and smooth oscillation



Super enamelled high
purity copper used in
the motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

GLADO HSW

40 cm

110 W

2200 RPM

85 m³/min

FANZA MWF PRO

OSCILLATING METAL WALL FAN



FANZA MWF PRO

OSCILLATING METAL WALL FAN



STEEL BLACK



Worry-free purchase
with 2-year warranty



Pull cord for speed
regulation and
oscillation control



Aluminium
alloy blades



Strong and sturdy
metal construction



Inbuilt overheat/
overload protection



Corrosion-resistant
glossy powder-coated
metal guard



Super enameled high
purity copper used in
the motor winding



Jerk-free and
smooth oscillation



3 speed
choices

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FANZA MWF PRO

45 cm

100 W

1350 RPM

100 m³/min

FANZA MWF PLUS

OSCILLATING METAL WALL FAN



FANZA MWF PLUS

OSCILLATING METAL WALL FAN



STEEL BLACK



Worry-free purchase
with 2-year warranty



Pull cord for
speed regulation



Aluminium
alloy blades



Superior lamination for optimum
power consumption & durability



Inbuilt overheat/
overload protection



Super enamelled high
purity copper used in
the motor winding



Strong and sturdy
metal construction




3 speed choices

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
FANZA MWF PLUS	45 cm	98 W	1350 RPM	100 m ³ /min

FANZA MWF DELIGHT NEO

OSCILLATING METAL WALL FAN




FANZA MWF DELIGHT NEO

OSCILLATING METAL WALL FAN



STEEL BLACK



MATTE GOLD



SILVER BLACK



Worry-free purchase
with 2-year warranty



Pull cord for speed
regulation and
oscillation control



Aluminium
alloy blades



CRNO lamination for
optimum power
consumption & durability



Inbuilt overheat/
overload protection



Corrosion-resistant
powder-coated
metal guard



Strong and sturdy
metal construction



3 speed choices

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

FANZA MWF DELIGHT NEO

45 cm

95 W

1350 RPM

100 m³/min

SELFEE DUO

2-IN-1 CONVERTIBLE FAN



SELFEE DUO

2-IN-1 CONVERTIBLE FAN



WHITE



ORANGE BLACK



WHITE BLUE



BLACK



Worry-free purchase
with 2-year warranty



High-speed
2500 RPM



2-in-1
convertible fan



3 speed choices



Inbuilt overheat/
overload protection



Super enamelled high purity copper
used in the motor winding



Corrosion-resistant glossy
powder-coated metal guard

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SELFEE DUO

23 cm

50 W

2500 RPM

30 m³/min

SELFEE

2-IN-1 CONVERTIBLE FAN



SELFEE

2-IN-1 CONVERTIBLE FAN



YELLOW BLACK



Worry-free purchase
with 2-year warranty




High-speed
2600 RPM



ABS blades



Multi-utility fan which
can be mounted on
table and wall



360-degree
movement enabled



Super enameled high
purity copper used in the
motor winding



Corrosion-resistant
glossy powder-coated
metal guard

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

SELFEE

23 cm

45 W

2600 RPM

38 m³/min

* Suitable for low-height ceiling mounting.

ZESTEE

PERSONAL FAN



ZESTEE

PERSONAL FAN



YELLOW BLACK



GREY BLACK




ABS body construction



3 speed choices



Multi-utility clip



360-degree adjustment



USB charging



Rechargeable battery

MODEL NAME

ZESTEE

SWEEP

10 cm

RATED POWER

3 W

RATED SPEED

3400 RPM

VEEMAGIK NEO

SPECIAL PURPOSE FAN



VEEMAGIK NEO

SPECIAL PURPOSE FAN



GREY WHITE



WHITE



ORANGE BLACK



18-month
warranty



Oscillation function
for better air coverage



3 speed
choices



3 wind direction
adjustment



Inbuilt thermal
overload protection

MODEL NAME

VEEMAGIK NEO

SWEEP

43.5 cm

RATED POWER

185 W

RATED SPEED

1330 RPM

RATED AIR DELIVERY

68 m³/min



EXHAUST FANS

Remove unwanted odours seamlessly with V-Guard Exhaust Fans. Engineered for commercial and industrial applications, V-Guard exhaust fans vent out excess air, keeping your room fresh and comfortable. With superior performance, splendid elegance, and amazing durability, the V-Guard range of exhaust fans is the perfect choice for you.

WHIZAIR PRIME VFR

PREMIUM HIGH-SPEED VENTILATING FAN



WHIZAIR PRIME VFR

PREMIUM HIGH-SPEED VENTILATING FAN



SNOW WHITE



STONE GREY



TEAK WOOD



Worry-free purchase
with 2-year warranty



ABS body
and blade construction



High-speed



Noiseless and
vibrationless operation



Inbuilt overheat/
overload protection



Super enameled high
purity copper used in the
motor winding



Inbuilt shutter

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

WHIZAIR PRIME VFR 6

15 cm

19 W

2150 RPM

65 m³/h

COOLWIZ VFR

HIGH-SPEED SHUTTER VENTILATING FAN



COOLWIZ VFR

HIGH-SPEED SHUTTER VENTILATING FAN



SNOW WHITE



BLACK



Worry-free purchase
with 2-year warranty



ABS body and
blade construction



Inbuilt thermal
overheat/overload
protection



Noiseless and
vibrationless operation



Inbuilt shutter,
suitable for domestic
applications



High-speed



Super enamelled
copper wire used for
motor winding

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
COOLWIZ VFR 6	15 cm	15 W	2250 RPM	185 m ³ /h
COOLWIZ VFR 8	20 cm	22 W	2000 RPM	300 m ³ /h

NOTUS VFR BLDC

ENERGY SAVING BLDC SHUTTER VENTILATING FAN



NOTUS VFR BLDC

ENERGY SAVING BLDC SHUTTER VENTILATING FAN



WHITE



BLACK



Worry-free purchase
with 2-year warranty



ABS body and
blade construction



CRNO lamination
for optimum power
consumption & durability



Noiseless and
vibrationless operation



Inbuilt shutter,
for preventing entry
for foreign objects



Advanced MMD
technology



High-speed



Super enamelled
copper wire used for
motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

NOTUS VFR BLDC

15 cm

5 W

2100 RPM

185 m³/h

WHIZAIR VFR

HIGH-SPEED SHUTTER VENTILATING FAN



WHIZAIR VFR

HIGH-SPEED SHUTTER VENTILATING FAN



SNOW WHITE



BLACK



Worry-free
purchase with
2-year warranty



ABS body and
blade construction



High-speed



Inbuilt shutter



Super enameled high purity
copper used in
the motor winding



Superior grade lamination
for optimum power
consumption and durability



Noiseless and
vibrationless operation



Inbuilt overheat/
overload protection

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
WHIZAIR VFR 4	10 cm	18 W	2500 RPM	95 m ³ /h
WHIZAIR VFR 6	15 cm	22 W	2200 RPM	220 m ³ /h
WHIZAIR VFR 8	20 cm	23 W	2100 RPM	360 m ³ /h

* ABS body is not applicable for Whizair VFR 6 inch. | * Shutter is not applicable for Whizair VFR 4 inch.

ENLACE NEO

HIGH-SPEED VENTILATING FAN



ENLACE NEO

HIGH-SPEED VENTILATING FAN



WHITE



BLACK



Worry-free purchase
with 2-year warranty



High-speed



ABS body
and blade construction



CRNO lamination for optimum
power consumption and durability



Noiseless and
vibrationless operation



Inbuilt overheat/
overload protection



Inbuilt shutter*

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
ENLACE NEO 8	20 cm	25 W	2200 RPM	340 m ³ /h
ENLACE NEO 4	10 cm	18 W	2200 RPM	90 m ³ /h
ENLACE NEO 6	15 cm	24 W	1900 RPM	240 m ³ /h

*Available in 20cm

TIDALAIR HS

HIGH-SPEED SHUTTER VENTILATING FAN



TIDALAIR HS

HIGH-SPEED SHUTTER VENTILATING FAN



WHITE



BLACK



Worry-free purchase
with 2-year warranty



Inbuilt thermal
overheat/overload protection



Superior grade lamination
for energy saving and durability



Inbuilt shutter, suitable
for domestic applications



High-speed



Super enameled copper wire
used for motor winding



Factory set
lubrication

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
TIDALAIR HS 6	15 cm	40 W	2400 RPM	510 m ³ /h
TIDALAIR HS 8	20 cm	65 W	2000 RPM	900 m ³ /h

TIDALAIR

SHUTTER VENTILATING FAN



TIDALAIR

SHUTTER VENTILATING FAN



WHITE



BLACK



Worry-free purchase
with 2-year warranty



Factory set
lubrication



Super enameled copper wire
used for motor winding



Inbuilt shutter, suitable
for domestic applications



Superior grade lamination
for energy saving and durability



Inbuilt overheat/
overload protection

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
TIDALAIR 6	15 cm	32 W	1350 RPM	330 m ³ /h
TIDALAIR 8	20 cm	35 W	1300 RPM	520 m ³ /h
TIDALAIR 10	25 cm	37 W	1250 RPM	900 m ³ /h

TIDALAIR SP 6

SHUTTER VENTILATING FAN



TIDALAIR SP 6

SHUTTER VENTILATING FAN



WHITE



BLACK



Worry-free purchase
with 2-year warranty



Superior lamination for
energy saving and durability



Inbuilt shutter



Super enamelled
copper wound motor



Factory set
lubrication

MODEL NAME

TIDALAIR SP 6

SWEEP

15 cm

RATED POWER

35 W

RATED SPEED

1400 RPM

RATED AIR DELIVERY

330 m³/h



NOTUS PRO CVF

CEILING VENTILATING FAN



NOTUS PRO CVF

CEILING VENTILATING FAN



WHITE



Worry-free purchase with 2-year warranty



Elegantly designed fan built with ABS material



Inbuilt thermal overheating/overload protection



Noiseless and vibrationless operation



Inbuilt shutter, suitable for domestic applications



CRNO lamination for energy saving and durability



Super enameled copper wire used for motor winding

MODEL NAME

SWEEP

RATED POWER

RATED SPEED

RATED AIR DELIVERY

NOTUS PRO CVF

20 cm

32 W

1330 RPM

185 m³/h


SHOVAIR H6/H9

HIGH-SPEED METAL EXHAUST FAN



SHOVAIR H6/H9

HIGH-SPEED METAL EXHAUST FAN



SHOVAIR H6 (STEEL GREY)



SHOVAIR H9 (MISTY GREY)



Worry-free
purchase with
2-year warranty



High-speed



Inbuilt thermal
overload protection



Super enamelled high purity
copper used in the motor winding



Worry-free
purchase with
2-year warranty



High-speed



Inbuilt thermal
overload protection



Strong metal
blades for better
performance

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
SHOVAIR H6	15 cm	40 W	2650 RPM	520 m ³ /h
SHOVAIR H9	22.5 cm	60 W	2650 RPM	1350 m ³ /h

SHOVAIR S9/S12

LIGHT DUTY METAL EXHAUST FAN



SHOVAIR S9/S12

LIGHT DUTY METAL EXHAUST FAN



MISTY GREY



Worry-free purchase
with 2-year warranty



Inbuilt thermal
overload protection



Super enameled high purity
copper used in the motor winding



Worry-free purchase
with 2-year warranty



High-speed



Super enameled high purity
copper used in the motor winding



Strong metal blades
for better performance

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
SHOVAIR S9	22.5 cm	40 W	1350 RPM	600 m ³ /h
SHOVAIR S12	30 cm	65 W	1350 RPM	1050 m ³ /h

STURDEE S9/S12

LIGHT DUTY METAL EXHAUST FAN



STURDEE S9/S12

LIGHT DUTY METAL EXHAUST FAN



STURDEE S12
(PITCH BLACK)



STURDEE S9
(PITCH BLACK)



Worry-free purchase
with 2-year warranty



Strong metal
construction



Super enameled high purity
copper used in the motor winding



Prolonged corrosion resistance
from electrostatic coating



Aerodynamically
designed & balanced blades

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
STURDEE S9	22.5 cm	36 W	1400 RPM	560 m ³ /h
STURDEE S12	30 cm	43 W	1375 RPM	1000 m ³ /h

*Suitable for domestic/commercial applications.

SHOVAIR R9

LIGHT DUTY METAL EXHAUST FAN



SHOVAIR R9

LIGHT DUTY METAL EXHAUST FAN



SHOVAIR R9
(MISTY GREY)



Worry-free purchase
with 2-year warranty



Strong metal
construction



Super enamelled high purity
copper used in the motor winding



Prolonged corrosion resistance
from electrostatic coating



2-in-1 reverse operation,
both in and out

MODEL NAME

SHOVAIR R9

SWEEP

22.5 cm

RATED POWER

60 W

RATED SPEED


1350 RPM

RATED AIR DELIVERY

600 m³/h

SHOVAIR HD12/HD15/HD18/HD24

HEAVY DUTY METAL EXHAUST FAN




SHOVAIR HD12/HD15/HD18/HD24


HEAVY DUTY METAL EXHAUST FAN



SHOVAIR HD12
TURQUOISE GREY



SHOVAIR HD15
GREY



SHOVAIR HD18
GREY



SHOVAIR HD24
TURQUOISE GREY



Worry-free
purchase with
2-year warranty



Super enamelled high
purity copper used in the
motor winding

IP55

Protection
against dust and
water entry



Heavy duty
high-performance
exhaust fan



Double-shielded
ball bearings



Inbuilt overheat/
overload protection



Sturdy and
rigid design

MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
SHOVAIR HD12	30 cm	90 W	1400 RPM	2000 m ³ /h
SHOVAIR HD15	38 cm	150 W	1400 RPM	3250 m ³ /h
SHOVAIR HD18	45 cm	320 W	1400 RPM	6200 m ³ /h
SHOVAIR HD24	60 cm	460 W	930 RPM	9400 m ³ /h



REGULATOR

Electric Regulator

TECHNICAL SPECIFICATIONS						
CEILING FANS						
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	STAR RATING	SERVICE VALUE
PREMIUM BLDC UNDERLIGHT FAN						
APHONIC SMART	1.2 m (1200 mm)	40 W	310 RPM	245 m³/min	4	6.1
BLDC SILENT CEILING FAN						
VG-HUSHER BLDC	1.3 m (1300 mm)	34 W	245 RPM	250 m³/min	5	7.4
PREMIUM BLDC UNDERLIGHT FAN						
AIRWIZ LIGHT	1.2 m (1200 mm)	34 W	370 RPM	225 m³/min	5	6.6
PREMIUM HIGH-SPEED BLDC FAN						
INSIGHT-X	1.2 m (1200 mm)	35 W	370 RPM	235 m³/min	5	6.7
AIRWIZ PRIME	1.2 m (1200 mm)	34 W	370 RPM	225 m³/min	5	6.6
PREMIUM DECORATIVE BLDC FAN						
ROMANZA SMART	1.2 m (1200 mm)	34 W	350 RPM	230 m³/min	5	6.8
HIGH-SPEED DUST REPELLENT BLDC FAN						
GLADO PRIME BLDC-RE	1.2 m (1200 mm)	38 W	400 RPM	240 m³/min	4	6.4
PREMIUM HIGH-SPEED BLDC FAN						
GYRIS PRIME	1.2 m (1200 mm)	34 W	370 RPM	225 m³/min	5	6.6
HIGH-SPEED BLDC FAN						
AIRWIZ PLUS	1.2 m (1200 mm)	34 W	370 RPM	225 m³/min	5	6.6
REGULAR PREMIUM BLDC CEILING FAN						
ENVIRO PRIME 32	1.2 m (1200 mm)	32 W	350 RPM	230 m³/min	5	7
STANDARD BLDC CEILING FANS						
ENVIRO PLUS-SE	1.2 m (1200 mm)	34 W	400 RPM	225 m³/min	5	6.6
AIRHEW BLDC-RE	1.2 m (1200 mm)	32 W	350 RPM	220 m³/min	5	6.9
ENVIRO NEO	1.2 m (1200 mm)	32 W	350 RPM	220 m³/min	5	6.8
INDUCTION CEILING FANS						
PREMIUM DECORATIVE FANS - 1.2 m (1200 mm)						
GLADO PRIME ES	1.2 m (1200 mm)	52 W	370 RPM	235 m³/min	1	4.5
ENLACE ES	1.2 m (1200 mm)	50 W	370 RPM	225 m³/min	1	4.5
PREMIUM ELECTROPLATED FAN						
VAJRA DX ES	1.2 m (1200 mm)	50 W	350 RPM	225 m³/min	1	4.5
PREMIUM DECORATIVE FAN - 1.2 m (1200 mm)						
HAIZE PRIME ES	1.2 m (1200 mm)	48 W	370 RPM	220 m³/min	1	4.5
REGULAR HIGH-SPEED BLDC CEILING FANS						
GLADO ES	1.2 m (1200 mm)	50 W	400 RPM	225 m³/min	1	4.5
TUFFMO ES	1.2 m (1200 mm)	50 W	380 RPM	225 m³/min	1	4.5
STANDARD DECORATIVE FANS - 1.2 m (1200 mm)						
MISTAL ES	1.2 m (1200 mm)	46 W	400 RPM	215 m³/min	1	4.6

TECHNICAL SPECIFICATIONS						
CEILING FANS						
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY	STAR RATING	SERVICE VALUE
ROTAIR DX ES	1.2 m (1200 mm)	47 W	370 RPM	215 m³/min	1	4.5
HAIZE PRO ES	1.2 m (1200 mm)	47 W	370 RPM	215 m³/min	1	4.5
STURDEE PLUS ES	1.2 m (1200 mm)	47 W	380 RPM	215 m³/min	1	4.5
STANDARD FAN - 1.2 m (1200 mm)						
HAIZE PLUS ES	1.2 m (1200 mm)	48 W	370 RPM	220 m³/min	1	4.6
STANDARD HIGH-SPEED FANS - 1.2 m (1200 mm)						
STURDEE ES	1.2 m (1200 mm)	47 W	380 RPM	215 m³/min	1	4.5
HAIZE NED ES	1.2 m (1200 mm)	47 W	370 RPM	215 m³/min	1	4.5
LILTO NED ES	1.2 m (1200 mm)	46 W	400 RPM	215 m³/min	1	4.6
COOLWIZ ES	1.2 m (1200 mm)	47 W	380 RPM	215 m³/min	1	4.6
LILTO ES	1.2 m (1200 mm)	47 W	380 RPM	215 m³/min	1	4.5
WHIZAIR ES	1.2 m (1200 mm)	47 W	380 RPM	215 m³/min	1	4.6
WILO ES	1.2 m (1200 mm)	47 W	370 RPM	215 m³/min	1	4.5
FANZA NED ES	1.2 m (1200 mm)	46 W	380 RPM	215 m³/min	1	4.6
HIGH-SPEED BLDC FANS - 90 cm (900 mm)						
AIRWIZ PRIME 36	90 cm (900 mm)	35 W	480 RPM	165 m³/min	3	4.7
AIRWIZ PLUS 36	90 cm (900 mm)	35 W	480 RPM	165 m³/min	3	4.7
PREMIUM HIGH-SPEED BLDC FANS - 60 cm (600 mm)						
INSIGHT-G 24	60 cm (600 mm)	34 W	850 RPM	120 m³/min	4	3.5
AIRWIZ PRIME 24	60 cm (600 mm)	34 W	840 RPM	110 m³/min	3	3.2
HIGH-SPEED BLDC FANS - 60 cm (600 mm)						
AIRWIZ PLUS 24	60 cm (600 mm)	34 W	840 RPM	110 m³/min	3	3.2
PREMIUM DECORATIVE FAN - 60 cm (600 mm)						
GLADO PRIME ES 24	60 cm (600 mm)	60 W	860 RPM	120 m³/min	1	2.0
STANDARD HIGH-SPEED FANS - 60 cm (600 mm)						
HAIZE NEO ES 24	60 cm (600 mm)	55 W	830 RPM	112 m³/min	1	2.0
COOLWIZ ES 24	60 cm (600 mm)	55 W	830 RPM	112 m³/min	1	2.0

TECHNICAL SPECIFICATIONS				
TABLE FANS				
NORMAL SPEED TABLE FANS				
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
FINESTA TF PRIME II	40 cm (400 mm)	60 W	1350 RPM	70 m³/min
GLADO TF	40 cm (400 mm)	55 W	1330 RPM	72 m³/min
FINESTA TF NEO II	40 cm (400 mm)	58 W	1350 RPM	68 m³/min
WILD TF	40 cm (400 mm)	58 W	1330 RPM	65 m³/min
HIGH-SPEED TABLE FAN				
FINESTA NEO HST	40 cm (400 mm)	120 W	2100 RPM	85 m³/min
GLADO HST	40 cm (400 mm)	110 W	2200 RPM	85 m³/min

TECHNICAL SPECIFICATIONS				
PEDESTAL FANS				
NORMAL SPEED PEDESTAL FANS				
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
FINESTA STS PRIME II	40 cm (400 mm)	60 W	1350 RPM	70 m³/min
FINESTA STS NEO II	40 cm (400 mm)	58 W	1350 RPM	68 m³/min
GLADO STS	40 cm (400 mm)	55 W	1330 RPM	72 m³/min
WILO STS	40 cm (400 mm)	59 W	1350 RPM	65 m³/min
CODLWIZ STS	40 cm (400 mm)	58 W	1330 RPM	65 m³/min
DREAMS STS	40 cm (400 mm)	62 W	1350 RPM	72 m³/min
ENERGY EFFICIENT BLDC PEDESTAL FAN				
ENVIRO PF BLDC	40 cm (400 mm)	32 W	1350 RPM	65 m³/min
NORMAL SPEED REMOTE PEDESTAL FAN				
FINESTA REMOTE NEO	40 cm (400 mm)	55 W	1300 RPM	65 m³/min
HIGH-SPEED PEDESTAL FANS				
FINESTA HSP PRO	40 cm (400 mm)	120 W	2150 RPM	90 m³/min
GLADO HSP	40 cm (400 mm)	110 W	2200 RPM	85 m³/min
FINESTA NEO HSP	40 cm (400 mm)	120 W	2100 RPM	85 m³/min
METAL PEDESTAL FANS				
NOTUS CLASSIC NEO	40 cm (400 mm)	68 W	1350 RPM	70 m³/min
SOLID DELIGHT	45 cm (450 mm)	85 W	1350 RPM	100 m³/min
FANZA MPF PRO	45 cm (450 mm)	100 W	1350 RPM	100 m³/min

FANZA MPF PLUS	45 cm (450 mm)	98 W	1350 RPM	100 m³/min
FANZA MPF DELIGHT NEO	45 cm (450 mm)	95 W	1350 RPM	100 m³/min
STURDEE FT	50 cm (500 mm)	140 W	1400 RPM	155 m³/min
SOLID FT	50 cm (500 mm)	145 W	1350 RPM	150 m³/min
FANZA PRIME	50 cm (500 mm)	140 W	1400 RPM	155 m³/min
FANZA FT PRIME	50 cm (500 mm)	140 W	1400 RPM	155 m³/min
FANZA FT NEO	50 cm (500 mm)	145 W	1400 RPM	155 m³/min


TECHNICAL SPECIFICATIONS				
WALL FANS				
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
NORMAL SPEED WALL FANS				
FINESTA STD PRIME II	40 cm (400 mm)	60 W	1350 RPM	70 m³/min
GLADO STD	40 cm (400 mm)	55 W	1330 RPM	72 m³/min
FINESTA STD NEO II	40 cm (400 mm)	58 W	1350 RPM	68 m³/min
WILO STD	40 cm (400 mm)	59 W	1350 RPM	65 m³/min
NORMAL SPEED REMOTE WALL FAN				
FINESTA RW NEO	40 cm (400 mm)	55 W	1300 RPM	65 m³/min
ENERGY EFFICIENT BLDC WALL FAN				
ENVIRO WF BLDC	40 cm (400 mm)	32 W	1350 RPM	65 m³/min
HIGH-SPEED WALL FANS				
FINESTA NEO HSW 12	30 cm (300 mm)	90 W	2100 RPM	60 m³/min
FINESTA NEO HSW 16	40 cm (400 mm)	120 W	2100 RPM	85 m³/min
GLADO HSW	40 cm (400 mm)	110 W	2200 RPM	85 m³/min
METAL WALL FANS				
FANZA MWF PRO	45 cm (450 mm)	100 W	1350 RPM	100 m³/min
FANZA MWF PLUS	45 cm (450 mm)	98 W	1350 RPM	100 m³/min
FANZA MWF DELIGHT NEO	45 cm (450 mm)	95 W	1350 RPM	100 m³/min
2-IN-1 CONVERTIBLE FAN				
SELFEE DUO	23 cm (230 mm)	50 W	2500 RPM	30 m³/min

SELFEE	23 cm (230 mm)	45 W	2600 RPM	38 m³/min
PERSONAL FAN				
ZESTEE	10 cm (100 mm)	3 W	3400 RPM	
SPECIAL PURPOSE FANS				
VEEMAGIK NEO	BLOWER HEIGHT 43.5 cm (435 mm)	185 W	1330 RPM	68 m³/min

TECHNICAL SPECIFICATIONS				
EXHAUST FANS				
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
PREMIUM HIGH-SPEED VENTILATING FAN				
WHIZAIR PRIME VFR 6	15 cm (150 mm)	19 W	2150 RPM	180 m³/h
HIGH-SPEED SHUTTER VENTILATING FAN				
COOLWIZ VFR 6	15 cm (150 mm)	15 W	2250 RPM	185 m³/h
COOLWIZ VFR 8	20 cm (200 mm)	22 W	2000 RPM	300 m³/h
ROUND VENTILATING FANS				
NOTUS VFR BLDC	20 cm (200 mm)	5 W	2100 RPM	185 m³/h
WHIZAIR VFR 4	10 cm (100 mm)	18 W	2500 RPM	95 m³/h
WHIZAIR VFR 6	15 cm (150 mm)	22 W	2200 RPM	220 m³/h
WHIZAIR VFR 8	20 cm (200 mm)	23 W	2100 RPM	360 m³/h
ENLACE NEO 8	20 cm (200 mm)	25 W	2200 RPM	340 m³/h
ENLACE NEO 4	10 cm (100 mm)	18 W	2200 RPM	90 m³/h
ENLACE NEO 6	15 cm (150 mm)	24 W	1900 RPM	240 m³/h
SQUARE VENTILATING FANS				
TIDALAIR HS 6	15 cm (150 mm)	42 W	2400 RPM	510 m³/h
TIDALAIR HS 8	20 cm (200 mm)	65 W	2000 RPM	900 m³/h
TIDALAIR 6	15 cm (150 mm)	32 W	1350 RPM	330 m³/h
TIDALAIR 8	20 cm (200 mm)	35 W	1300 RPM	520 m³/h
TIDALAIR 10	25 cm (250 mm)	37 W	1250 RPM	900 m³/h

TECHNICAL SPECIFICATIONS				
EXHAUST FANS				
MODEL NAME	SWEEP	RATED POWER	RATED SPEED	RATED AIR DELIVERY
SQUARE VENTILATING FANS				
TIDALAIR SP 6	15 cm (150 mm)	35 W	1400 RPM	330 m³/h
CEILING VENTILATING FANS				
NOTUS PRO CVF	20 cm (200 mm)	32 W	1330 RPM	185 m³/h
METAL EXHAUST FANS-LIGHT DUTY				
SHOWAIR H6	15 cm (150 mm)	40 W	2650 RPM	520 m³/h
SHOWAIR H9	22.5 cm (225 mm)	60 W	2650 RPM	1350 m³/h
SHOWAIR S9	22.5 cm (225 mm)	40 W	1350 RPM	600 m³/h
SHOWAIR S12	30 cm (300 mm)	65 W	1350 RPM	1050 m³/h
STURDEE S9	22.5 cm (225 mm)	36 W	1400 RPM	560 m³/h
STURDEE S12	30 cm (300 mm)	43 W	1375 RPM	1000 m³/h
SHOWAIR R9	22.5 cm (225 mm)	60 W	1375 RPM	600 m³/h
METAL EXHAUST FANS HEAVY-DUTY				
SHOWAIR HD12	30 cm (300 mm)	90 W	1400 RPM	2000 m³/h
SHOWAIR HD15	38 cm (380 mm)	150 W	1400 RPM	3250 m³/h
SHOWAIR HD18	45 cm (450 mm)	320 W	1400 RPM	6200 m³/h
SHOWAIR HD24	60 cm (600 mm)	460 W	930 RPM	9400 m³/h

HOW TO SELECT V-GUARD CEILING/EXHAUST FANS ACCORDING TO THE ROOM SIZE*



*BASED ON THE FOLLOWING ASSUMPTIONS:

- A. ROOM IS WELL VENTILATED.
- B. THE DISTANCE BETWEEN THE CEILING AND THE BLADE IS AT LEAST 30 cm.
- C. THE HEIGHT OF THE BLADE IS NOT MORE THAN 2.43 m FROM THE FLOOR.

NOTE: FOR TWO OR MORE FANS IN A ROOM, THE MINIMUM DISTANCE BETWEEN THE BLADE TIPS OF THE ADJACENT FANS SHOULD BE ATLEAST 4 FEET.

* Coating with antimicrobial property in laboratory testing as per Standard JIS Z 2801 & ISO 21702.

* Easy-to-clean coating with less affinity to dust adhesion compared to regular fans under ideal test conditions.

* All performance parameters are checked under standard test conditions at 230 V, 50 Hz Ac.

* Sweep size of fans are mentioned in millimeters. (1 mm = 0.1 cm)

* Colours and specifications are subject to change without prior notice.

* Colours shown may not match the actual colours due to printing limitations.

- * All performance parameters are checked under standard test conditions at 230 V, 50 Hz Ac
- * Colours and specifications are subject to change without prior notice.
- * Colours shown may not match the actual colours due to printing limitations

V-Guard Industries Ltd.

Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682 028, Kerala.
Ph: 0484-2005000, 4335000 email: customercare@vguard.in | www.vguard.in



V-Guard Care
0120-4850100
1860 180 3000
customercare@vguard.in
9633503333

www.vguard.in/home/customer-care
CIN: L31200KL1996PLC010010

PLASTIC WASTE EPR REGISTRATION
NUMBER: BO-13-000-07-AAACV5492Q-22



CNM/JUN/2026