



REJUVENATE YOUR SENSES WITH **V-GUARD WATER HEATERS**

COMPANY INTRODUCTION

The origin of V-Guard dates back to 1977, when Mr. Kochouseph Chittilappilly, with a burning passion to make a difference, set out to build a robust brand in the Indian electrical and electronic goods market. With a small manufacturing unit for voltage stabilizers, a vision and a strong belief, apart from a capital of INR 100,000 that he borrowed from his father, and two workers to assist him, he set sail.

Within a short span of time, V-Guard grew rapidly to become a name synonymous with voltage stabilizers across South India.

In the year 2012, he passed the baton to his son Mr. Mithun K Chittilappilly who took over as the Managing Director of the Company.

The company grew rapidly expanding its presence across India. So did its portfolio to include Inverters & Inverter Batteries, Electric Water Heaters, Solar Water Heaters, Pumps & Motors, Domestic Switch Gears, Distribution Boards, Wiring Cables, Induction Cooktops, Mixer Grinders, Fans, Gas Stoves, Rice Cookers, Modular Switches, Air Coolers, Breakfast Appliances, Chimneys, Water Purifiers etc.

In less than four decades, V-Guard earned a reputation for solidity and reliability, for designing and manufacturing products that are built to last.

Being rooted in solidity is only the beginning, something we are proud of but a glory we cannot bask in. There is so much more to achieve in a world in which the meaning of a better quality of life is being redefined every day, fuelling greater expectations from the tools that enable a better quality of life.




27 YEARS OF UNWAVERING TRUST

Since its establishment in 1977, V-Guard lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. With a strong emphasis on product quality and customer value, V-Guard earned a reputation for designing and manufacturing products that are built to last. Embracing new frontiers in technology, we are one of the leading consumer electrical brands in India. With a quest for excellence, it will be our endeavour to understand human lives and their relationship with the tools and appliances that they use. Then, we create a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

Harnessing the learnings, insights and experiences, V-Guard made waves in the water heater category with a firm belief in the principles of thoughtful engineering and intelligent design. Being in the water heater segment for 27 years, the very boundaries of what is possible has been pushed in recent years through our new product offerings. A fine combination of visual appeal and utility, V-Guard water heaters are energy-efficient, equipped with advanced coating solutions to protect against rust and also ensure that the water inside remains heated for a longer duration.

With an unwavering commitment to excellence, quality and innovation, we bring to you a range of modern water heaters with a sole purpose - empowering you to bring home a better tomorrow.

MILESTONES



RANGES

INSTANT SERIES



PEBBLE INSTA

Enjoy an instant hot water shower anytime with V-Guard instant water heaters. Built with a host of safety features, they are available in multiple variants and designs. These water heaters are designed to deliver hot water instantly, making them ideal for quick and efficient use whenever you need it. Bring home the stylish and efficient instant water heaters and stop worrying about the high power consumption.

TANKLESS SERIES



CONTINO

Step into a new era of comfort with the sleek, tankless water heater from V-Guard. Compact and stylish, it fits anywhere - kitchen, bathroom, or laundry, and delivers instant hot water whenever you need it. Low maintenance, high convenience. Experience the freedom of hot water, anytime, anywhere!

STORAGE SERIES



LUXECUBE SMART

Enjoy a soothing hot water shower anytime with the V-Guard storage series water heaters. Aesthetically designed to complement your bathroom decor, they are equipped with amazing features such as faster heating, high storage capacity, lower power consumption, and a host of safety features to ensure enhanced performance. Welcome home the V-Guard range of storage water heaters and give yourself a hassle-free hot water bathing experience.

GAS WATER HEATER



SAFE FLO PRIME

Revitalize yourself in a warm and soothing shower with V-Guard gas water heaters. Designed to cater to all your hot water needs, they offer higher energy savings, long-lasting performance, and superior safety. These ultra-safe and energy-efficient gas water heaters make a perfect addition to your household.

IMMERSION HEATER RODS



VIMH 201

Switch to a world of unparalleled efficiency with the V-Guard range of immersion heater rods. Built with state-of-the-art features such as quick heating and water level indicators, they ensure utmost protection against shock. So, why wait any longer? Bring home the V-Guard range of immersion heater rods that perfectly blend with your bathroom and enjoy supreme convenience.

ROOM HEATERS



RH9F-1000

Tackle harsh winters and chilling cold with the elegant and efficient room heaters from V-Guard. Equipped with a host of excellent features, these heaters not only provide warmth but also enhance the beauty of your decor with their compact and elegant design. Bring home the V-Guard room heaters and enjoy the comfort.





INSTANT SERIES

PEBBLE INSTA

INSTANT SERIES

COLOURS AVAILABLE



White Metallic Grey



Pink White



Violet White

Outer cover made of rust-proof ABS material ensuring durability.

High grade SS tank with thicker anode rod for extra protection against scaling & corrosion.

Heating element with ISI mark for extra long life.

Multiple colour panel options to suit bathroom interiors.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

ISI marked Pebble Insta comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.



Electric Water Heater with SS tank for longer durability



5-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Pebble Insta	3000 W/4500 W	27.0	22.05	27.45	Vertical	0.65 MPa (6.5 kg/cm²)



Outer cover made of rust-proof engineered polymer material for enhanced durability.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

Heating element with ISI mark for extra long life.

Equipped with state-of-the-art safety devices.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Available in attractive Ivory colour.

ISI marked Iris comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.



Electric Water Heater
with SS tank for
longer durability



5-year replacement
warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Iris	3000 W/4500 W	16.9	16.8	34.1	Vertical	0.65 MPa (6.5 kg/cm²)

*Following specifications are subjected to minor changes due to continuous improvement in the products



- Rust-proof engineered polymer material ensures enhanced durability.
- Durable 304 grade branded Stainless Steel inner tank for long life.
- Heating element with ISI mark for extra long life.
- Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.
- Available in attractive white colour.
- ISI marked instant Vinsta Water Heater comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.



Electric Water Heater
with SS tank for
longer durability



5-year replacement
warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
1 L	Vinsta	3000 W/4500 W	18.2	17.8	30.7	Vertical	0.65 MPa (6.5 kg/cm²)
3 L	Vinsta	3000 W/4500 W	18.2	17.8	30.7	Vertical	0.65 MPa (6.5 kg/cm²)



Outer cover made of rust-proof engineered polymer material ensures durability.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Automatic temperature regulation through thermostat safety devices.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

Heating element with ISI mark for extra long life.

ISI marked Sprinhot series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.



Electric Water Heater with rust-proof engineered polymer outer body for longer life



5-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
1 L	Sprinhot	3000 W/4500 W	15.5	16.08	27.5	Vertical	0.65 MPa (6.5 kg/cm²)
3 L	Sprinhot	3000 W/4500 W	21.1	20.4	31.1	Vertical	0.65 MPa (6.5 kg/cm²)



Outer cover made of rust-proof engineered polymer material ensures durability.

ISI marked product.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Inner tank made of 304 grade stainless steel for long life.

Heating element with ISI mark for extra long life.

ISI marked Valco instant water heater comes with a product warranty of 2 years and an inner tank warranty of 5 years.



Electric Water Heater with rust-proof engineered polymer outer body for longer life



5-year replacement warranty for the inner tank



Suitable for multistoried buildings and can withstand pressure up to 0.65 MPa (6.5 kg/cm²)

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Valco	3000 W	21.5	20	33.5	Vertical	0.65 MPa (6.5 kg/cm ²)



Outer cover made of rust-proof engineered polymer material ensures durability.

ISI marked product.

Heating element with ISI mark for extra-long life.

Inner tank made of 304 grade stainless steel for long life.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

ISI marked Maha instant water heater comes with a product warranty of 2 years, and an inner tank warranty of 5 years.



Electric Water Heater with rust-proof engineered polymer outer body for longer life



5-year replacement warranty for the inner tank



Suitable for multistoried buildings and can withstand pressure up to 0.65 MPa (6.5 kg/cm²)

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Maha	3000 W	18.5	18.5	31	Vertical	0.65 MPa (6.5 kg/cm²)

MAHA 5 L

INSTANT SERIES



Outer cover made of rust-proof engineered polymer material ensures durability.

Durable 304 grade branded Stainless Steel inner tank for long life.

Heating element with ISI mark for extra-long life.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Maha 5L Water Heater comes with a product warranty of 2 years & inner tank warranty of 5 years.



Electric Water Heater with rust-proof engineered polymer outer body for longer life



5-year replacement warranty for the inner tank



Suitable for multistoried buildings and can withstand pressure up to 0.65 MPa (6.5 kg/cm²)

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
5 L	Maha 5	3000 W	21.0	21.0	38.5	Vertical	0.65 MPa (6.5 kg/cm²)

VALCO 5 L
INSTANT SERIES



- Outer cover made of rust-proof engineered polymer material ensures durability.
- Durable 304 grade branded Stainless Steel inner tank for long life.
- Heating element with ISI mark for extra-long life.
- Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.
- Valco 5L Water Heater comes with a product warranty of 2 years & inner tank warranty of 5 years.



Electric Water Heater with rust-proof engineered polymer outer body for longer life



5-year replacement warranty for the inner tank



Suitable for multistoried buildings and can withstand pressure up to 0.65 MPa (6.5 kg/cm²)

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
5 L	Valco 5	3000 W	22.5	22	40	Vertical	0.65 MPa (6.5 kg/cm ²)

*Following specifications are subjected to minor changes due to continuous improvement in the products





TANKLESS SERIES

CONTINO

TANKLESS WATER HEATER



- Constant hot water output.
- Two touch switches for adjusting the temperature; 30-55°C.
- Outer cover made with rust-proof ABS for long life.
- Flow based water heater.
- Inbuilt shock safe module.
- Dual thermal protection with combistat.
- Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).
- 3 digit 7 segment temperature display.
- Contino series comes with a 2-year product warranty.



Flow based
water heater



Inbuilt shock
safe module



3 digit 7 segment
temperature display

MODEL NAME	POWER IN WATTS	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
Contino 5.5 kW	5500 W	24.0	8.8	31.9	Vertical	0.8 MPa (8 kg/cm²)
Contino 7 kW	7000 W	24.0	8.8	31.9	Vertical	0.8 MPa (8 kg/cm²)







STORAGE SERIES

LUXECUBE SMART

STORAGE SERIES



Engineered for ease of use, the digital display panel is tilted at an ergonomic angle, ensuring crystal-clear visibility and intuitive control at a glance.

Crafted with a premium rust-proof ABS outer body for unparalleled durability and enduring elegance.

Withstands up to 0.8 MPa water pressure, making it well-suited for high-rise buildings.

5-star energy rating according to BEE standards, ensuring top-tier efficiency.

Silicone grade internal wiring protection for extra long life and superior safety.

Child Lock, Holiday Mode, and Product Sharing let you customize the water heater to suit your lifestyle and safety preferences.

Compatible with Amazon Alexa and Google Home, enabling seamless voice control for enhanced convenience and hands-free operation.

Luxecube sense continuously monitors the system to ensure worry-free warm showers for you by proactively monitoring the system.

Create custom schedules to match your routine, ensuring convenience and enhanced energy efficiency monitoring the system.

Set energy limits and track energy usage in real-time with the V-Guard Smart App for efficient energy management.

Luxecube smart comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.



ATT inside for up to 38% extra hot water* at your perfect temperature



IoT Enabled




Dynamic mood lighting

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Luxecube Smart 15L	2000 W	5 Star	38.5	36.7	39.0	Vertical	0.8 MPa (8 kg/cm²)
25 L	Luxecube Smart 25L	2000 W	5 Star	46.0	39.7	46.3	Vertical	0.8 MPa (8 kg/cm²)

LUXECUBE DG
STORAGE SERIES



NEW ARRIVAL



ATT inside for up to 38%
extra hot water* at your
perfect temperature

Elevate the experience with the Luxecube DG Electric Water Heater, featuring a luxurious, premium design and a sleek digital display.

Crafted with a premium rust-proof ABS outer body for unparalleled durability and enduring elegance.

Titanium infused vitreous enamel coating safeguards the high-quality steel inner tank from hard water and corrosion, ensuring long-term durability.

Nickel-enriched incoloy 800 heating element, expertly engineered for superior efficiency, performance, and durability, designed to withstand even the harshest conditions.

Advanced Thermocline technology for unparalleled hot water efficiency and performance.

Luxe Glow Indication for an elevated aesthetic signature look.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

5-star energy rating according to BEE standards, ensuring top-tier efficiency.

Digital Display indicating the real time internal water temperature.

The Luxecube DG series offers a 3-year product warranty, a 4-year warranty on the heating element, and an impressive 10-year warranty on the inner tank, ensuring long-lasting peace of mind.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Luxecube DG 15L	2000 W	5 Star	38.5	36.7	39.0	Vertical	0.8 MPa (8 kg/cm²)
25 L	Luxecube DG 25L	2000 W	5 Star	46.0	39.7	46.3	Vertical	0.8 MPa (8 kg/cm²)

*Following specifications are subjected to minor changes due to continuous improvement in the products * Percentage varies based on capacity and test conditions

LUXECUBE

STORAGE SERIES



ATT inside for up to 38% extra hot water* at your perfect temperature

Enhance the experience with the Luxecube Electric Water Heater, showcasing a luxurious and premium design.

Crafted with a premium rust-proof ABS outer body for unparalleled durability and enduring elegance.

Luxe Glow Indication for an elevated aesthetic signature look.

Withstands up to 0.8 MPa water pressure, making it well-suited for high-rise buildings.

5-star energy rating according to BEE standards, ensuring top-tier efficiency.

Advanced Thermocline technology for unparalleled hot water efficiency and performance.

Titanium infused vitreous enamel coating safeguards the high-quality steel inner tank from hard water and corrosion, ensuring long-term durability.

Nickel-enriched incoloy 800 heating element, expertly engineered for superior efficiency, performance, and durability, designed to withstand even the harshest conditions.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime even in the harshest conditions.

The Luxecube series offers a 3-year product warranty, a 4-year warranty on the heating element, and an impressive 8-year warranty on the inner tank, ensuring long-lasting peace of mind.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Luxecube 10L	2000 W	5 Star	35.6	32.5	35.7	Vertical	0.8 MPa (8 kg/cm²)
15 L	Luxecube 15L	2000 W	5 Star	38.5	36.7	39.0	Vertical	0.8 MPa (8 kg/cm²)
25 L	Luxecube 25L	2000 W	5 Star	46.0	39.7	46.3	Vertical	0.8 MPa (8 kg/cm²)

IRIS SERIES

STORAGE SERIES



- Electric Water Heater with rust-proof dual color ABS outer body ensures durability.
- 5-star rating as per BEE standards.
- Adjustable capillary thermostat for temperature regulation.
- Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.
- Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.
- Multifunctional safety valve for enhanced safety.
- Iris series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.



Electric Water Heater with rust-proof dual color ABS outer body ensuring long life



Sacrificial anode for added protection against corrosion



Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris 10	2000 W	5 Star	32.6	34.3	37.98	Vertical	0.8 MPa (8 kg/cm²)
15 L	Iris 15	2000 W	5 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm²)
25 L	Iris 25	2000 W	5 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

IRIS DG SERIES

STORAGE SERIES



Electric Water Heater with rust-proof dual color ABS outer body ensures durability.

5-star rating as per BEE standards.

Titanium infused vitreous enamel coating protects tank from hard water and corrosion.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

LED display for real-time temperature indication.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

Iris DG series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.


Electric Water Heater with rust-proof dual color ABS outer body ensuring long life

Sacrificial anode for added protection against corrosion

LED display for real-time temperature indication

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris DG 10	2000 W	5 Star	32.6	34.3	37.98	Vertical	0.8 MPa (8 kg/cm²)
15 L	Iris DG 15	2000 W	5 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm²)
25 L	Iris DG 25	2000 W	5 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm²)

IRIS TEZ
STORAGE SERIES



Electric Water Heater with rust-proof dual color ABS outer body ensures durability.

5-star rating as per BEE standards.

Adjustable capillary thermostat for temperature regulation.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Multifunctional safety valve for enhanced safety.

PUF insulation to minimise heat loss and power consumption.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

Iris Tez series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.



Electric Water Heater with rust-proof dual color ABS outer body ensuring long life



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Tez 15	3000 W	5 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris Tez 25	3000 W	5 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm ²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

IRIS SMART SERIES

STORAGE SERIES



Operate your water heater from anywhere with IoT connectivity.

Energy limit alert can be set through the mobile app.

Heating schedule of water heater can be set on a daily/ weekly basis for up to one week & maximum of 8 different schedules are available on a particular day.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

Self-diagnostic feature for safe and worry-free warm showers.

Child lock: Will disable the temperature setting from the water heater control panel.

Holiday mode: Water heating will be disabled from start to end as set in the mobile app.

Product sharing: Product controls can be shared with other Smart App users by the admin user.

5-star rating as per BEE standards.

Iris Smart series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 10 years.



Electric Water Heater with rust-proof dual color ABS outer body ensuring long life



Sacrificial anode for added protection against corrosion



Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Smart 15	2000 W	5 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm²)
25 L	Iris Smart 25	2000 W	5 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm²)

PEBBLE SMART
SMART SERIES



Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life



10-year replacement warranty for the inner tank

- Child Lock: Will disable the temperature setting from the Water heater control panel.
- Heating Schedule of water heater can be set on a daily /weekly basis up to one week & maximum 8 different schedules are available on a particular day.
- Holiday mode: Water Heating will be disabled from start to end as set in the mobile app.
- Three Pre-set modes: Luke, Warm & Hot.
- Product sharing: Product controls can be shared with other V-Guard Smart App users by the admin user.
- Self diagnostics features for safe and worry-free warm showers.
- Rust- proof ABS outer cover for greater durability.
- Intelligent scheduler for creating custom schedules, providing ease of access, and saving energy.
- Dynamic colored LED display indicates the operation of the water heater and temperature range.
- Suitable for IOS/Android Smart Phones.
- Pebble Smart series comes with a product warranty of 3 years, 4-year warranty for heating element and 10-year warranty for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Pebble Smart 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm²)
25 L	Pebble Smart 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm²)

PEBBLE DG SERIES

STORAGE SERIES



- Outer cover made with rust-proof ABS for long life.
- Adjustment knob for setting the temperature conveniently.
- Tanks with cutting-edge anti-crack technology withstands high pressure and suits high-rise buildings.
- Titanium infused vitreous enamel coating protects tank from hard water and corrosion.
- Nickel enriched incoloy 800 heating element built to deliver and last even in tough conditions.
- LED display for real-time temperature indication.
- 5-star rating from BEE for its energy saving technology.
- Pebble DG series comes with a 3-year product warranty, 4-year heating element warranty and 10-year inner tank warranty.



Outer cover made with rust-proof ABS for long life



10-year replacement warranty for the inner tank



Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Pebble DG 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm²)
25 L	Pebble DG 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm²)

PEBBLE PRO SERIES

STORAGE SERIES



- Adjustment knob for setting the temperature conveniently.
- High efficiency incoloy 800 heating coil with corrosion resistant for extra long life.
- Sacrificial anode for extended life span.
- High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.
- Outer cover made with rust-proof ABS body for long life.
- 5-star rating from BEE for its energy saving technology.
- PUF insulation to minimise heat loss and power consumption.
- Pebble Pro series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.



Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²)



Outer cover made with rust-proof ABS body for long life



PUF insulation to minimise heat loss and power consumption

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Pro 6	2000 W	5 Star	33.05	29.87	33.04	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble Pro 10	2000 W	5 Star	36.04	34.49	36.31	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble Pro 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble Pro 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm ²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

PEBBLE MAX SERIES

STORAGE SERIES




- Outer cover made with rust-proof ABS for long life.
- Adjustment knob for setting the temperature conveniently.
- High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.
- Sacrificial anode for extended life span.
- High efficiency incoloy 800 heating coil with corrosion resistant for extra long life.
- PUF insulation to minimise heat loss and power consumption.
- 5-star rating from BEE for its energy saving technology.
- Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).
- Pebble Max series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 8 years.



Outer cover made with rust-proof ABS for long life



High efficiency incoloy 800 heating coil with corrosion resistant for extra long life



Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²)

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Max 6	2000 W	5 Star	33.05	29.87	33.04	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble Max 10	2000 W	5 Star	36.04	34.49	36.31	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble Max 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble Max 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm ²)

SPRINHOT PLUS

STORAGE SERIES



Outer cover made of rust-proof ABS material ensures durability.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

5-star rating as per BEE standards.

Available in attractive Ivory colour.

PUF insulation to minimise heat loss and power consumption.

Sprinhot Plus with 15 & 25 litre capacities withstands up to 0.65 MPa (6.5 kg/cm²) water pressure making them well-suited for high-rise buildings. All other capacities can withstand up to 0.35 MPa (3.5 kg/cm²) water pressure.

Anti-Corrosion coating protects the inner tank from corrosion.

15 & 25 litre capacities come with an adjustable capillary thermostat for temperature regulation.

ISI marked Sprinhot Plus series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.



Outer cover made with rust-proof ABS body for long life



PUF insulation to minimise heat loss and power consumption

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sprinhot Plus 6	3000 W	5 Star	25.5	26.08	38.7	Vertical	0.35 MPa (3.5 kg/cm ²)
10 L	Sprinhot Plus 10	3000 W	5 Star	29.7	29.4	44.2	Vertical	0.35 MPa (3.5 kg/cm ²)
15 L	Sprinhot Plus 15	2000 W	5 Star	32.1	32.6	48.0	Vertical/Floor	0.65 MPa (6.5 kg/cm ²)
25 L	Sprinhot Plus 25	2000 W	5 Star	38.7	37.4	57.7	Vertical/Horizontal	0.65 MPa (6.5 kg/cm ²)

GLADO

STORAGE SERIES



- Electric Water Heater with rust-proof ABS outer body for long life.
- Perfect water temperature everytime with an advanced thermostat tested to last a lifetime.
- Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.
- High-grade SS tank with thicker anode rod for extra protection against scaling and corrosion.
- PUF insulation to minimise heat loss and power consumption.
- 5-star rating from BEE for its energy saving technology.
- Advanced IGW technology for longer tank life and zero leakage.
- Glado series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.



Outer cover made with rust-proof ABS for long life



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Glado 6	3000 W	5 Star	29.30	30.0	32.2	Vertical	0.65 MPa (6.5 kg/cm²)
10 L	Glado 10	3000 W	5 Star	32.91	34.6	37.15	Vertical	0.65 MPa (6.5 kg/cm²)
15 L	Glado 15	2000 W	5 Star	32.91	34.6	47.65	Vertical	0.65 MPa (6.5 kg/cm²)
25 L	Glado 25	2000 W	5 Star	35.70	37.37	57.65	Vertical	0.65 MPa (6.5 kg/cm²)

EC DG SERIES

STORAGE SERIES



Seven segment LED display for real-time temperature indication.

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Incoloy 800 heating element built to deliver and last even in tough conditions.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

PUF insulation to minimise heat loss and power consumption.

Multifunctional safety valve for enhanced safety.

EC DG series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	EC DG 10	2000 W	5 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm²)
15 L	EC DG 15	2000 W	5 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm²)
25 L	EC DG 25	2000 W	5 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

EC PRO

STORAGE SERIES



- High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.
- Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.
- Adjustment knob for setting the temperature conveniently.
- PUF insulation to minimise heat loss and power consumption.
- 5-star rating from BEE for its energy saving technology.
- Multifunctional safety valve for enhanced safety.
- Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.
- EC Pro series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	EC Pro 10	2000 W	5 Star	32.5	34.5	33.2	Vertical	0.8 MPa (8 kg/cm²)
15 L	EC Pro 15	2000 W	5 Star	32.5	34.5	43.2	Vertical	0.8 MPa (8 kg/cm²)
25 L	EC Pro 25	2000 W	5 Star	37	39	48.5	Vertical	0.8 MPa (8 kg/cm²)
35 L	EC Pro 35	2000 W	5 Star	37	39	62.5	Vertical	0.8 MPa (8 kg/cm²)
50 L	EC Pro 50	3000 W	5 Star	49.5	53.1	50.5	Vertical	0.8 MPa (8 kg/cm²)
70 L	EC Pro 70	3000 W	5 Star	49.5	53.1	68	Vertical	0.8 MPa (8 kg/cm²)
100 L	EC Pro 100	3000 W	4 Star	49.5	53.1	92.5	Vertical	0.8 MPa (8 kg/cm²)

SIETA PLUS

STORAGE SERIES



Capillary thermostat for external temperature control.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

5-star rating from BEE for its energy saving technology.

PUF insulation to minimise heat loss and power consumption.

Electric water heater with rust-proof engineered polymer outer body for long life.

Sieta Plus series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sieta Plus 6	2000 W	5 Star	28.5	28.8	32	Vertical	0.8 MPa (8 kg/cm²)
10 L	Sieta Plus 10	2000 W	5 Star	32.5	34.8	33.5	Vertical	0.8 MPa (8 kg/cm²)
15 L	Sieta Plus 15	2000 W	5 Star	32.5	34.8	43.5	Vertical	0.8 MPa (8 kg/cm²)
25 L	Sieta Plus 25	2000 W	5 Star	37	40	54	Vertical	0.8 MPa (8 kg/cm²)
35 L	Sieta Plus 35	2000 W	5 Star	37	40	64	Vertical	0.8 MPa (8 kg/cm²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

SIETA PLUS

STORAGE SERIES



High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Electric Water Heater with rust-proof ABS outer body.

Adjustment knob for setting the temperature conveniently.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

The 50-litre model has a 5-star rating from BEE for its energy saving technology.

Multifunctional safety valve for enhanced safety.

Sieta Plus series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
50 L	Sieta Plus 50	3000 W	5 Star	45	47	68	Vertical	0.8 MPa (8 kg/cm²)
70 L	Sieta Plus 70	3000 W	3 Star	45	47	85.5	Vertical	0.8 MPa (8 kg/cm²)
100 L	Sieta Plus 100	3000 W	3 Star	45	47	125.5	Vertical	0.8 MPa (8 kg/cm²)

VALCO TEZ

STORAGE SERIES



High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

PUF insulation to minimise heat loss and power consumption.

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

5-star rating from BEE for its energy saving technology.

Multifunctional safety valve ensures safety.

Valco Tez series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Valco Tez 6	3000 W	5 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm²)
10 L	Valco Tez 10	3000 W	5 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm²)
15 L	Valco Tez 15	3000 W	5 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm²)
25 L	Valco Tez 25	3000 W	5 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

VALCO

STORAGE SERIES



- Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.
- Adjustment knob for setting the temperature conveniently.
- Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.
- Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.
- PUF insulation to minimise heat loss and power consumption.
- Multifunctional safety valve for enhanced safety.
- 5-star rating from BEE for its energy saving technology.
- Valco series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Valco 6	2000 W	5 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm²)
10 L	Valco 10	2000 W	5 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm²)
15 L	Valco 15	2000 W	5 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm²)
25 L	Valco 25	2000 W	5 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm²)



Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.

PUF insulation to minimise heat loss and power consumption.

5-star rating from BEE for its energy saving technology.

Multifunctional safety valve ensures safety.

Sieta series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 7 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



7-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sieta 6	2000 W	5 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm²)
10 L	Sieta 10	2000 W	5 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm²)
15 L	Sieta 15	2000 W	5 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm²)
25 L	Sieta 25	2000 W	5 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm²)

VISTORA

STORAGE SERIES



- Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.
- Adjustment knob for setting the temperature conveniently.
- Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.
- Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.
- PUF insulation to minimise heat loss and power consumption.
- Multifunctional safety valve for enhanced safety.
- 5-star rating from BEE for its energy saving technology.
- Vistora series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 7 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



7-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Vistora 6	2000 W	5 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm²)
10 L	Vistora 10	2000 W	5 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm²)
15 L	Vistora 15	2000 W	5 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm²)
25 L	Vistora 25	2000 W	5 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm²)



Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Incoloy 800 heating element built to deliver and last even in tough conditions.

Analogue temperature indicator displays temperature.

PUF insulation to minimise heat loss and power consumption.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Multifunctional safety valve ensures safety.

3-star rating from BEE for its energy saving technology.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

ECH series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH 10	2000 W	3 Star	43.2	31.5	30.1	Horizontal	0.8 MPa (8 kg/cm ²)
15 L	ECH 15	2000 W	3 Star	50.1	33.5	32.1	Horizontal	0.8 MPa (8 kg/cm ²)
25 L	ECH 25	2000 W	3 Star	53.3	39.5	38.1	Horizontal	0.8 MPa (8 kg/cm ²)

ECH SLEEK

STORAGE SERIES



- Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.
- Adjustment knob for setting the temperature conveniently.
- Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.
- Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.
- PUF insulation to minimise heat loss and power consumption.
- Multifunctional safety valve for enhanced safety.
- 4-star rating from BEE for its energy saving technology.
- ECH Slek series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH Slek 25-LHS & RHS	2000 W	4 Star	46.5	32.0	32.0	Horizontal	0.8 MPa (8 kg/cm²)
15 L	ECH Slek 25-LHS & RHS	2000 W	4 Star	57.5	32.0	32.0	Horizontal	0.8 MPa (8 kg/cm²)
25 L	ECH Slek 25-LHS & RHS	2000 W	4 Star	82.0	32.0	32.0	Horizontal	0.8 MPa (8 kg/cm²)



- 5-star rating from BEE for its energy saving technology.
- Adjustment knob for setting the temperature conveniently.
- High-quality steel inner tank with glass-lined AC (anti-corrosion) coating for long life.
- Thick Sacrificial anode for added protection against corrosion.
- Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).
- Maleo comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.



Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²)



Outer cover made with rust-proof ABS body for long life



PUF insulation to minimise heat loss and power consumption

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Maleo 10	2000 W	5 Star	39	28	39	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Maleo 15	2000 W	5 Star	39	35	39	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Maleo 25	2000 W	5 Star	46	39	46	Vertical	0.8 MPa (8 kg/cm ²)

*Following specifications are subjected to minor changes due to continuous improvement in the products

STEAMER PLUS MSH

STORAGE SERIES



Outer cover made of rust-proof engineered polymer material ensures durability.

Durable 304 grade branded Stainless Steel inner tank for long life.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

5-star rating from BEE for its energy saving technology.

ISI marked Steamer plus MSH Water Heater comes with product warranty of 2 years & inner tank warranty of 5 years.



Outer cover made with rust-proof ABS for long life



Suitable for multistoried buildings and can withstand pressure up to 0.65 MPa (6.5 kg/cm²)



5-year replacement warranty for the inner tank

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Steamer Plus MSH 6	3000 W	5 Star	24.6	26.48	45.54	Vertical/ Horizontal	0.65 MPa (6.5 kg/cm²)

PEBBLE DG CONNECT
STORAGE SERIES



Dynamic colored LED display indicates the operation of the water heater and temperature range.

Water heater control through internet/Bluetooth via Android/iOS smart phone.

Auto power saver mode: This feature automatically switches off when the heater is not in use for a while / forget to switch off.

Sterilizing mode: In this mode the water heater will be sterilized at 80°C for 30 Minutes

V-Guard unique Dry heat logics protect the tank from over heating.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

High efficiency incoloy 800 heating coil with corrosion resistant for extra long life.

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Outer cover made with rust-proof ABS for long life.

Pebble DG Connect series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 8 years.



Outer cover made with rust-proof ABS for long life



Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²)

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (in cm)	DEPTH (in cm)	HEIGHT (in cm)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble DG Connect 6	2000 W	5 Star	33.05	29.87	33.04	Vertical	0.8 MPa (8 kg/cm²)
10 L	Pebble DG Connect 10	2000 W	5 Star	36.04	34.49	36.31	Vertical	0.8 MPa (8 kg/cm²)
15 L	Pebble DG Connect 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm²)
25 L	Pebble DG Connect 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm²)



IMMERSION HEATER RODS

VIMH 101/VIMH 151
IMMERSION HEATERS



Shock proof handle with epoxy coating.

High efficiency heating element with long-lasting nickel plating for long element life.

BIS approved.



High safety



Instant heating

MODEL NAME	RATED POWER	RATED VOLTAGE
VIMH 101	1000 W	230 V AC 50 Hz
VIMH 151	1500 W	230 V AC 50 Hz

VIMH 201/VIMH 251
IMMERSION HEATERS



- Shock proof handle with epoxy coating.
- High efficiency heating element with long-lasting nickel plating for long element life.
- BIS approved.



High safety



Instant heating

MODEL NAME	RATED POWER	RATED VOLTAGE
VIMH 201	1000 W	230 V AC 50 Hz
VIMH 251	1500 W	230 V AC 50 Hz

*Following specifications are subjected to minor changes due to continuous improvement in the products





GAS WATER HEATERS

SAFE FLO PRIME

GAS WATER HEATER



- Instant heating.
- Electronic cut off for no water flow.
- Suitable for multistoried buildings.
- Suitable for ultra low pressure application.
- Extra protection with double solenoid valve.
- 20 minutes gas flow cut-off timer.
- PRV for water high pressure protection.
- Summer/winter burner selection.
- SS burner.
- Automated ignition system for instant heating.
- Overheat protection.
- Copper heat exchanger.



High safety



Anti-freeze protection



Ultra low pressure application

CAPACITY	MODEL NAME	WATER PRESSURE	GAS PRESSURE	GAS TYPE	DRY BATTERY
6 L	Safe flo Prime	0.008 - 0.8 MPa	2000 Pa (2 kPa)	LPG	1.5V x 2 numbers

PNG PRIME

GAS WATER HEATER



- Automated ignition system for instant heating.
- Summer & Winter mode for selection of burner in operation to get comfortable water temperature and also save energy.
- 20 Minutes cut off timer to prevent high concentration of toxic gases.
- Suitable for multistoried buildings.
- Suitable for ultra low pressure application .
- Extra protection with double solenoid valve .
- Overheat protector to protect the water heater from overheating.
- Copper heat exchanger.
- ISI-marked gas water heater.



Suitable for multistoried buildings



Ultra low pressure application

CAPACITY	MODEL NAME	WATER PRESSURE	GAS PRESSURE	GAS TYPE	DRY BATTERY
6 L	PNG Prime	0.008 - 0.8 MPa	2100 Pa (2.1 kPa)	PNG	1.5V x 2 numbers

*Following specifications are subjected to minor changes due to continuous improvement in the products





ROOM HEATERS

RH9F-1000

ROOM HEATERS



- Cord storage.
- Castor wheels for easy mobility.
- Overheat protection and tilt-over switch for safety.
- Thermostatic heat control.
- Quick heating with PTC fan.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH9F-1000	2500 W	230 V AC 50 Hz

RH11F-1000

ROOM HEATERS



-
- Cord storage.

Castor wheels for easy mobility.

Overheat protection and tilt-over switch for safety.

Thermostatic heat control.

Quick heating with PTC fan.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH11F-1000	2900 W	230 V AC 50 Hz

*Following specifications are subjected to minor changes due to continuous improvement in the products

RH13F-1000

ROOM HEATERS



- Cord storage.
- Castor wheels for easy mobility.
- Overheat protection and tilt-over switch for safety.
- Thermostatic heat control.
- Quick heating with PTC fan.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH13F-1000	2900 W	230 V AC 50 Hz

RH3HT 1000

ROOM HEATERS



- New dual tone sleek design.
- Wide angle oscillation.
- Instant heating.
- Automatic tip-over protection.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH3HT 1000	1200 W	230 V AC 50 Hz

*Following specifications are subjected to minor changes due to continuous improvement in the products

RH3HT 2000

ROOM HEATERS



- Instant heating.
- Overheat protection.
- Wider angle oscillation.
- 400/800/1200 watt heat settings.
- Automatic tip-over protection.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH3HT 2000	1200 W	230 V AC 50 Hz

RH1000 CH

ROOM HEATERS



- Compact and elegant design.
- No noise.
- Faster heating.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH1000 CH	1000 W	230 V AC 50 Hz

*Following specifications are subjected to minor changes due to continuous improvement in the products

RH2HC-2100

ROOM HEATERS



- Double protection against overheating.
- Compact and elegant design.
- Faster heating.
- Low noise performance.
- Fan-only mode.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH2HC-2100	2000 W	230 V AC 50 Hz

RH2QT-1000

ROOM HEATERS



- Compact and elegant design.
- Faster heating.
- No noise.
- Automatic tip-over protection.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH2QT-1000	800 W	230 V AC 50 Hz

*Following specifications are subjected to minor changes due to continuous improvement in the products

RH2QT-2000

ROOM HEATERS



Compact and elegant design.

Faster heating.

No noise.

Automatic tip-over protection.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH2QT-2000	800 W	230 V AC 50 Hz

FAN HEATER RH 2000 FH 1250

ROOM HEATERS



- Compact and elegant design.
- Faster heating.
- Overheat protection.
- 1000/2000 watt heat settings.

MODEL NAME	RATED POWER	RATED VOLTAGE
RH 2000 FH 1250	2000 W	230 V AC 50 Hz

*Following specifications are subjected to minor changes due to continuous improvement in the products

V-Guard Industries Ltd.

Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682 028, Kerala.

Ph: 0484-2005000, 4335000 email: customercare@vguard.in | www.vguard.in



V-Guard Care
0120-4850100
1860 180 3000
customercare@vguard.in
☎ 9633503333

www.vguard.in/home/customer-care
CIN: L31200KL1996PLC010010

PLASTIC WASTE EPR REGISTRATION
NUMBER: B0-13-000-07-AAACV5492Q-22

