

New Fan Catalog\_Close Size: H: 8" x W: 8" inch

Umesh\_Date: 25-02-2020



# Inside Right Pg

Your space defines who you are. It is a reflection of who you aspire to be. And we've introduced a host of fans that will become the centrepiece of your living space. Each fan is intricately crafted to add to the décor, while its efficient performance is designed to keep you cool. From rich colours to artistic appeal, each fan is crafted to

HOME'S OF OF

## **BLOW THE GERMS AWAY WITH HAWA KI DAWA**

Your lovely home has it all - A perfect family, state-of-the-art décor & happiness galore. While you strive to keep your home healthy and hygienic, the well-proven fact is that Indoor Air is a vector of dust & germs.

While fans provide you the necessary cooling and burst of air, they also tend to be one of the prime catch-corners for dust and germs, thereby making regular cleaning and maintenance a must!

That's not all! The Bye-Bye Dust feature in the fans, powered by Advanced Polymer Technology prevents dust accumulation on the fans, thereby making for quick and hassle-free cleaning and maintenance.

That's why they are truly 'Hawa ki Dawa'!



\*Certified by an ISO/IEC 17025:2005 Accredited Independent Testing Services Agency, Anti-Graffiti Anti-Bacterial Clear Coat on the Bajaj Fan protects against 99.2% germs\* Anti-Graffiti Anti Bacteria coat also removes 99.4% of dust as compared to regular coated fan which removes 91.67% of dust, the Advance Polymer Technology prevents dust accumulation and enables quick hassle free cleaning.

In an endeavour to provide for healthy living & hygienic homes, Bajaj Electricals brings to you India's 1<sup>st</sup> Anti-Germ+ Bye-Bye Dust Range of Fans. These premium fans, designed with an aesthetic appeal to complement your décor, come with the revolutionary 'Anti-Germ Technology' enabled coating, which protects against 99.2% germs.



#### KNOW YOUR BAJAJ FAN Features and specifications guide

#### CONSTRUCTION

#### **INDEX - FANS**

	01
	27
SUB-ECONOMY CF	31



#### ANTI-GERM COATING Anti-Germ coating which protects from 99.2%\* germs, resulting in their eventual destruction



STRONG 14 POLE MOTOR Powerful high torque motor to provide consistent performance

Ť١.

U

HIGH GRADE ALUMINIUM BLADES Blades made with high grade aluminium sheets for higher durability and consistent performance

SUPERIOR GRADE ALUMINIUM BLADES

Increases durability & makes the body lighter

 $(( \cap$ 

DOUBLE BALL BEARING Increases load bearing capacity & durability

\*T&C apply. Log on to bajajelectricals.com/terms-and-conditions for terms and conditions.

\*Certified by an ISO/IEC 17025:2005 Accredited Independent Testing Services Agency, Anti-Graffiti Anti-Bacterial Clear Coat on the Bajaj Fan protects against 99.2% germs\* Anti-Graffiti Anti Bacteria coat also removes 99.4% of dust as compared to regular coated fan which removes 91.67% of dust, the Advance Polymer Technology prevents dust accumulation and enables quick hassle free cleaning.

#### Inside Pg



**BYE-BYE DUST** Advanced Polymer Technology# for quick and hassle-free cleaning



RIBBED BLADES Improves blade stability



٩

FULL COPPER MOTOR Increases durability & provides robust performance



FULL ALUMINIUM BODY Increases durability & makes the body lighter

#### PERFORMANCE



#### AESTHETICS







Provides a unique design



# PREMIUM CEILING FANS

#### Seperator Pg







EXCELLENT PERFORMANCE





HIGH SPEED DECORATIVE DELIVERY




HIGH AIR














FULL ALUMINIUM BODY





STRONG 14 POLE MOTOR







$( \_$	


















en



# ECONOMY CEILING FAN

# Seperator Pg









HIGH AIR DELIVERY



EXCELLENT PERFORMANCE AT LOW VOLTAGE



METALLIC FINISH



(



#### Seperator Pg

# SUB-ECONOMY CEILING FAN








QUICK START HIGH TORQUE MOTOR

LOW POWER CONSUMPTION





MOTOR



FULL COPPER MOTOR



DOUBLE BALL BEARING

#### SWEEP STAKES: HOW THE 'SWEEP' OF YOUR FAN MAKES A DIFFERENCE

The 'sweep' of a fan is determined by taking the distance from the edge of one blade to the centre of the motor and then doubling that number. For example, if the distance between the edge of one blade and the centre of the motor is 24", you would have a 48" (equals to 1200 mm) (24"  $\times 2 = 48$ ") sweep ceiling fan. The length of the sweep determines the amount of air that a given fan is capable of churning.

You should ideally choose a sweep depending upon the size of your room. A larger room requires a fan with a longer sweep to keep it cool, whereas a smaller room can be effectively cooled with a fan of a shorter sweep.

How to calculate the ideal	Size of the room	Fan sweep in mm
sweep for your room:	Upto 10' x 10'	900 or 1050
• Find out the prospective fans' sweep in	10' x 10'	1200
<ul><li>millimeters and multiply it by 2</li><li>Now match the figure against the table below to find the perfect fan for your room</li></ul>	10' x 12' or 12' x 12'	1400
	More than 12' x 12'	2 or more fans recommended

#### TIPS TO GET THE MOST OUT OF YOUR CEILING FAN:

- The room should ideally be well-ventilated (there should be an open window or door)
- The gap between the ceiling and the blades should be at least 1 feet
- The fan (blades) should be at a height of 8 feet from the floor

# Ceiling Fans

Performance Figures: Supply Voltage 220 - 230 Volts, A.C., 50 Hz

Category	Model Name	Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
Premium	Euro NXG Anti-Germ BBD	1200mm	320	230	68
Premium	Elegance Royale Anti-Germ BBD	1200mm	380	240	68
Premium	Harrier Anti-germ BBD	1200mm	380	220	66
Premium	Beautilo	1200mm	380	240	66
Premium	Regal Gold NXG 3 Blade	1200mm	345	230	64
Premium	Regal Gold NXG 4 Blade	1200mm	330	225	65
Premium	Kytoon	1200mm	370	225	65

Category	Model Name	Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
Premium	Esteela	1200mm	380	225	78
Premium	Crystal	1200mm	380	225	75
Premium	Pampero	1200mm	370	225	77
Premium	Juvel	1200mm	380	225	77
Premium	Astreza	1200mm	250	350	68
Premium	Manami	1200mm	250	380	73
Premium	Florella (Underlight)	1200mm	340	350	72 (with light)
Premium	Magnifique FL-01	1200mm	250	200	60
Premium	Magnifique AL-01	1200mm	250	215	60
Premium	Ornio	1200mm	340	230	65
Premium	Cruzair D'ecor	1300mm	320	235	66
Premium	Leatrim Max 250 x 250	1200mm	250	250	72
Premium	Shinto	1200mm	340	235	65
Premium	Euro	1200mm	320	230	68
Premium	Elegance	1200mm	380	225	73
Premium	Regal Gold	1400mm	300	270	68
Premium	Regal Gold	1200mm	330	225	65
Premium	Regal Gold	900mm	375	140	64
Premium	Regal Gold	600mm	870	120	66
Premium	Grace Gold DX	1200mm	380	225	73
Premium	Ark HS	1200mm	380	225	68
Premium	Esteem	1200mm	380	225	73
Premium	Ark	1200mm	330	225	65
Premium	Disney Avengers	1200mm	340	230	72
Premium	Disney Winnie the Pooh	1200mm	340	230	72
Premium	Disney Princess	1200mm	340	230	72
Premium	Disney Mickey Mouse & Friends	1200mm	340	230	65
Premium	Disney Minnie Mouse	1200mm	340	230	65
Economy	Grace Neo BBD	1200mm	380	210	73
Economy	Speedster X BBD	1200mm	380	240	66
Economy	Shimmer BBD	1200mm	400	205	66
Economy	Pride Neo	1400mm	310	250	77
Economy	Pride Neo	1200mm	380	220	73
Economy	Ultima D'ziner 2T	1200mm	380	225	73
Economy	Ultima	1400mm	310	260	75
Economy	Ultima	1200mm	380	225	73
Economy	Ultima	900mm	430	155	60
Economy	Grace LX	1400mm	310	245	78
Economy	Grace LX	1200mm	380	210	73

#### Pg 37

# Ceiling Fans

#### Performance Figures: Supply Voltage 220 - 230 Volts, A.C., 50 Hz

Category	Model Name	Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
Economy	Kassels 50 ISI	1400mm	265	245	60
Economy	Kassels 50 ISI	1200mm	340	200	50
Economy	Electra 50	1200mm	340	210	50
Economy	Maxima	600mm	870	110	66
Economy	Grace DLX	1200mm	380	210	73
Economy	Speedster	1400mm	300	270	68
Economy	Speedster	1200mm	380	230	66
Economy	Speedster	900mm	430	155	60
Economy	Speedster	600mm	870	120	66
Economy	Excel Star	1200mm	340	210	50
Economy	Kassels Star	1200mm	380	220	53
Sub-economy	Edge HS Deco	1200mm	400	200	68
Sub-economy	Sabse Tezz	1200mm	400	200	74
Sub-economy	Edge HS	1200mm	400	205	66
Sub-economy	Edge	1200mm	340	205	56
Sub-economy	New Bahar Deco	1200mm	380	210	73
Sub-economy	Tezz	1200mm	380	200	73
Sub-economy	New Panther	1200mm	380	210	73
Sub-economy	New Bahar	1400mm	310	245	78
Sub-economy	New Bahar	1200mm	380	210	73
Sub-economy	New Bahar	900mm	430	140	58

# Pedestal Fans

Performance Figures: Supply Voltage 220 - 230 Volts, A.C., 50 Hz

Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
450mm	1380	85	65
400mm	1380	75	55
400mm	2200	100	100
450mm	2500	80	140
400mm	2100	100	100
400mm	1300	75	55
400mm	1300	75	55
400mm	1320	70	50
	450mm 400mm 400mm 450mm 400mm 400mm	Sweep         (КРМ)           450mm         1380           400mm         1380           400mm         2200           450mm         2500           400mm         2100           400mm         1300           400mm         1300	Sweep         Speed (RPM)         Delivery (CMM)           450mm         1380         85           400mm         1380         75           400mm         2200         100           450mm         2500         80           400mm         2100         100           400mm         1300         75           400mm         1300         75

\*with remote

## Table Fans

#### Performance Figures: Supply Voltage 220 - 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Delivery (CMM)	Power (Watts)
Neo Spectrum	400mm	2100	100	100
Midea BT 07	400mm	1300	75	55
Elite-Neo	400mm	1300	75	55
Esteem	400mm	1320	70	50

# Wall Fans

Performance Figures: Supply Voltage 220 - 240 Volts, A.C., 50 Hz \*Test voltage 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
Victor VWR-01*	400mm	1380	75	59
Midea BW 2200	400mm	2200	100	100
Neo Spectrum	400mm	2100	100	100
Neo Spectrum	300mm	2100	75	70
Midea BW 07	400mm	1300	75	55
Elite Neo	400mm	1300	75	55
Esteem	400mm	1320	70	50
*with remote				

# Personal Fans

Performance Figures: Supply Voltage 220 - 240 Volts, A.C., 50 Hz \*Test voltage 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Delivery (CMM)	Power (Watts)
Ultima Cabin	300mm	2200	60	70
Ultima PW 01	200mm	2300	50	36
Ultima PT 01	200mm	2300	50	36

#### Pg 39

# Heavy Duty Industrial Exhaust Fans

Performance Figures: Supply Voltage 220 - 240 Volts, A.C, 50 Hz \*Test voltage 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
Maxx Air	225mm	1375	650	45
Maxx Air	300mm	1400	1300	70
Supreme Dlx	300mm	900	1275	55
Supreme Dlx	300mm	1400	1900	90
Supreme Dlx	380mm	900	2200	100
Supreme Dlx	380mm	1400	3600	160
Supreme Dlx	450mm	900	4300	145
Supreme Dlx	450mm	1400	6800	410
Supreme Dlx	600mm	900	10400	550
Supreme Plus	300mm	900	1275	55
Supreme Plus	300mm	1400	1900	90
Supreme Plus	380mm	900	2200	100
Supreme Plus	380mm	1400	3600	160
Supreme Plus	450mm	900	4300	145
Supreme Plus	450mm	1400	6800	410

# Air Circulator Wall Fans

Performance Figures: Supply Voltage 220 - 240 Volts, A.C, 50 Hz \*Test voltage 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Delivery (CMM)	Power (Watts)
Supreme MK II	450mm	1400	115	100
Supreme Plus	450mm	1440	125	100
Supreme Plus	600mm	1440	250	200
Supreme Plus	750mm	1440	370	250

"Due to continuous efforts for improvements, the specifications are subject to change without prior notice.

# Domestic Exhaust Fans


Performance Figures: Supply Voltage 220 - 240 Volts, A.C, 50 Hz \*Test voltage 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Delivery (CMM)	Power (Watts)
Freshee MK II	225mm	1400	750	46
Freshee MK II	300mm	1380	1750	70
*Maxio	150mm	2000	325	21
*Maxio	100mm	2350	375	18
Maxima DXL	150mm	1400	270	22
Maxima DXL	200mm	1350	500	25
Maxima DXL	250mm	1100	810	34
Maxima DXL	300mm	1000	1125	50
Bahar	150mm	2200	600	45
Bahar	225mm	1400	600	42
Bahar	300mm	1400	1250	55
Maxima DXL - G 02	100mm	2200	84	15
Maxima DXL - G 02	150mm	1400	210	24

# Air Circulator Pedestal Fans

Performance Figures: Supply Voltage 220 - 240 Volts, A.C, 50 Hz \*Test voltage 230 Volts, A.C., 50 Hz

Model Name	Sweep	Speed (RPM)	Air Deliuery (CMM)	Power (Watts)
Supreme MK II	450mm	1400	115	100
Supreme Plus	450mm	1440	125	100
Supreme Plus	600mm	1440	250	200
Supreme Plus	750mm	1440	370	250





601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022.

CIN: L31500MH1938PLC009887 Regd. Office: 45/47, Veer Nariman Road, Mumbai - 400 001. Tel.: 022-61497000

Free Home Service\*: 1800 102 5963 / 022 4128 0000 | shop.bajajelectricals.com | f | [] @ 0 \*T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions



701, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022. Tel.: 022-6149 7000

Consumer Care Number: 022 4128 0000 +91 70399 20000 | shop.bajajelectricals.com | f | l | 0 | 0 | -T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions/2020

# 2020-21 **LIGHTING**





**OPEN THEWORLD OF PERFECT** LIGHTING SOLUTIONS.



# **SPREADING LIGHT. ILLUMINATING LIVES.**

At Bajaj Electricals, we have been on a perpetual journey towards building the future and opening your world to new possibilities and new ways of living. Through innovation, technology and nuanced understanding of consumers, our new-age lighting solutions are playing a meaningful role in the everyday lives of Indian families.

In the past few decades, we have seen a rapid acceleration of globalisation due to the growth in international trade and technological advancements. Over the years, we at Bajaj Electricals have been meeting these demands and creating an impact by expanding our horizons through a host of innovative indoor and outdoor lighting solutions. Our aim is to continually provide you technology-led solutions that suit your modern-day needs.

We have strengthened our position in the global lighting market by offering functional and efficient indoor, consumer centric lighting solutions. Our presence in the outdoor lighting segment like sports lighting and architectural lighting is also noteworthy. We are constantly evolving, innovating and creating energy efficient spaces and smart cities across the world. For us, every day is about transforming the future by spreading light and illuminating millions of lives through our diverse range of solutions.



# NABL ACCREDITED **PHOTOMETRIC LABORATORY**

# LANDMARKS ILLUMINATED



CHHATRAPATI SHIVAJI MAHARAJ TERMINUS, MUMBAI, MAHARASHTRA





**BOGIBEEL RAIL** ROAD BRIDGE, DIBRUGARH, ASSAM





CERTIFICATE OF ACCREDITATION

AB SQUARE, BAJAJ ELECTRICALS LTD.

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at Plot No. 27/PT-2, TTC Industrial Area, Millennium Business Park, Mahape, Navi Mumbai, Maharashtra in the field of

#### TESTING

Cartificate Number TO-1714 Inne Date DATE DATE COL

Valid Until +3/98/2020

This settilizes remains solid for the Scope of Accreditation as specified in the amovare subject to continued satisfactory compliance to the above standard & the relevant requirements of NAIL. (It works wore it southlines of the identity, you say the rat \$27E, which were added, also age

Signed for and on behalf of NAR.



Andelson Anii Asta Chief Executive Officer

**BANDRA-WORLI** SEA LINK BRIDGE, MUMBAI, MAHARASHTRA



# PERFECT LIGHTING SOLUTIONS PARTNER


We are known for our pioneering work in the world of lighting solutions. As a legacy brand with more than four decades of experience, we are on a continuous mission of learning and growing with time. It is our deep understanding of our consumers and the industry that helps us build smart and contemporary solutions which suit your modern lifestyle. Our innovative and efficient residential lighting solutions go to show our promise of 'open new life.'

Our indoor and outdoor lighting solutions address your modern-day needs and are customised to bring convenience and ease in your life. The Sunshine CRI Plus LED range gives a lighting experience similar to natural light while the smart - Bluetooth enabled AWE bulb lets you switch and adjust between different wellness-centric lighting modes with just a touch of your finger. Our energy efficient Hi5 & Ivora Plus LED range imbibes the spirit of energy consciousness and our Inverter LED products deliver convenience by functioning smoothly in alternate situations. These, along with our latest additions to the LED lighting range, Recessed lighting solutions, Portable lighting solutions and accessories, outdoor luminaires with IP65 protection, are a testimony to our deep-rooted consumer understanding.

We promise to continue our journey of developing LED lighting solutions that enhance your space and help you build a brighter tomorrow. We always work towards providing you the best in-class solutions and producing efficient lighting that complements your lifestyle.

# **FEATURES**









HEAVY DUTY RECHARGEABLE BATTERY





SLEEK DESIGN





MULTI-MODE USAGE

FIRE RETARDANT HOUSING







FIRE RETARDANT CABLE



PB SWITCH CONTACT



FREE





MULTI-WAY USAGE

# HIGHLIGHTS





2

Make sure the electrical

power is switched 'OFF'

Get the light that cares for

your wellness! Select from the

4 Wellness modes and get

your mind-body peace in equilibrium with Bajaj AWE

•



Install the Bajaj 'AWE' Lamp by holding just the lamp housing into the light socket



Now, switch 'ON' the electrical power and the 'AWE' lamp will be turned on



Set the ambience right with the perfect light from Bajaj AWE. Select from the12 diverse and delightful pre-defined settings, that let you set your desired ambience at a click



Revel in the splash of colours, choose from a plethora of 16 million colours and light up your room with the Colour Wheel from Bajaj AWE



#### PERFECT LIGHTING, JUST LIKE NATURAL LIGHT

Presenting the Sunshine CRI Plus range of high CRI LEDs from the house of Bajaj. It is designed on the principle of Colour Rendering Index, which is a prime factor in measuring the ability of the light source to reveal the TRUE COLOURS of the objects in comparison with natural light.

While most LEDs operate at a CRI of 70, Bajaj's Sunshine CRI Plus LEDs have a CRI of 90+, which makes objects appear just as they look under natural light!



#### SUNSHINE CRI PLUS LED **LAMP 9W/12W**

- High Colour Rendering Index (CRI>90)
- BEE 3-Star rated, energy efficient product
- Lumen efficacy of 90 Lm/W
- 3.5 kV Voltage surge protection
- Beam angle 120°
- Available in CDL (6500K)



#### SUNSHINE CRI PLUS LED **COB DOWNLIGHT 12W**

- High Colour Rendering Index (CRI>90)
- Lumen efficacy of 100 Lm/W
- 2.5 kV voltage surge protection
- Power factor> 0.9
- Housing made from powder coated die casted aluminium with swivel operation
- Specially designed heat sink for enhanced life
- Available in day light (5000K)

ECO-FRIENDLY

LIGHT

VSP

POWER

WIDE OPERATING VOLTAGE

#### **HIGH LUMEN EFFICACY LED RANGE**



**HIGH LUMEN** EFFICACY



VSP TECHNOLOGY 110 Lm/W POWER SOOTHING 25.000## LIGHT HOURS SAVING

#### **IVORA® LED BATTEN 16W** (1800Lm)



- Lumen efficacy of >110 Lm/W in CDL variant
- 2.5kV voltage surge protection
- Power factor >0.9

NEW

- Housing made from engineering plastic
- Designed to deliver glare-free light
- Available in CDL (6500K)



- SOOTHING LIGHT



"Image is for representation purpose only. Actual product may vary. | \*Nearest Incandescent bulb equivalent measure according to IEC 60064, nearest CFL bulb equivalent measure according to IEC 60969, compared to T8 FTL 36w fitting". | #Burning life under normal working condition.

#### IVORA<sup>®</sup> PLUS LED BATTEN 18W(2000Lm)

- Lumen efficacy of >110 Lm/W in CDL variant
- 2.5kV voltage surge protection
- Power factor >0.9
- Housing made from engineering plastic
- Designed to deliver glare-free light
- Available in CDL (6500K)



### IVORA<sup>®</sup> PLUS LED PANELS

- Lumen efficacy of >110 Lm/W in CDL variant
- Back-lit technology
- 2.5 kV voltage surge protection
- Power factor >0.9
- Housing made from engineering plastic
- Designed to deliver glare-free light
- Available in CDL (6500K), round & square profile, in 6W, 12W & 18W

### **LED BACK UP** SERIES



NEW

AUTO CUT-OFF



TECHNOLOGY



#### LEDZ INVERTER LAMP 9W

IALAB CO

- Back up time of up to 4 hrs.
- Auto cut-off after full battery charging
- Regular operation lumen of 900 Lm & back up lumen of 300 Lm
- 2.5kV voltage surge protection
- Available in CDL 6500K only
- Available in 9W with B22 cap only

15,000## HOURS LIFE







VSP TECHNOLOGY

POWER SAVING

#### LEDZ INVERTER BATTEN **20W**

- Back up time of up to 4 hrs.
- Auto cut-off after full battery charging
- 2.5kV voltage surge protection
- Available in CDL (6500K) only
- Available in 20W only

"Image is for representation purpose only. Actual product may vary. | \*Nearest Incandescent bulb equivalent measure according to IEC 60064, nearest



#### **LED BACK UP SERIES**



• Regular operation lumen of 1800 Lm & back up lumen of 300 Lm

07 BAJAJ

## LED LAMPS







- Unique angular movement with wider light spread
- 2.5 kV voltage surge protection
- Wide operating voltage range 120V-300V AC
- Available in 4 colours red, green, blue and yellow
- Available in 5W



SAVING

15.000##

HOURS

- UNIQUE ANGULAR MOVEMENT

LIGHT

POWER ECO-FRIENDLY



NEW

### IVORA<sup>®</sup> LED HW LAMP

#### • Lumen efficacy of 90 Lm/W

- 3 kV voltage surge protection
- Beam angle > 180<sup>o</sup>
- CRI > 80
- Power factor > 0.9 • Available in CDL (6500K)
- Suitable for indoor applications only
- Available in 30W. 40W & 50W
- Available in B22 and E27 cap type



VSP TECHNOLOGY



POWER

SAVING

ECO-FRIENDLY LIGHT






POWER SAVING

### **PYGMY LED LAMP**

- CCT: 3000K, warm day light
- Beam angle: 220°
- Operating voltage: 220V-240V, 50Hz
- Cap type: E14
- Application in chandeliers & decorative fixtures
- Lumen: 80Lm





#### LEDZ BULB



- BEE star-rated energy efficient LED retrofit bulb
- Lumen efficacy of > 90 Lm/W in CDL variant
- 3.5 kV voltage surge protection
- Beam angle >120°
- CRI > 80
- Available in CDL (6500K), WDL (3000K)
- Available in B22 & E27 base caps
- Available in 3W, 5W, 7W, 9W, 12W, 15W, 18W & 23W



#### LEDZ PING PONG

- Wide operating voltage range 160-260V AC
- 1.5 kV voltage surge protection
- Available in 7 colours as white, red, blue, green, yellow, pink & orange
- Unbreakable

ECO-FRIENDLY

LIGHT

# LED BATTENS



### IVORA® DELUXE LED BATTEN



VSP TECHNOLOGY







SOOTHING LIGHT

#### IVORA<sup>®</sup> DELUXE LED BATTEN

07 BAJAJ

• Lumen efficacy of 100 Lm/W in CDL variant

07 BAJAJ

- 2.5 kV voltage surge protection
- Power factor > 0.9
- Decorative dual coloured endcaps mounted on extruded aluminium housing
- Designed to deliver glare-free light
- Available in CDL (6500K)
- Available in 20W (2ft.) & 36W (4ft.)



LIGHT

GLOWING

END CAP

IVORA<sup>®</sup> LED BATTEN



- Lumen efficacy of 100 Lm/W
- 3.5kV voltage surge protection
- Power factor > 0.9

NEW

- Designed to deliver glare-free light
- With housing made of engineering plastic
- Available in CDL (6500K)
- Available in 10W & 20W





SOOTHING 25,000## LIGHT

CFL bulb equivalent measure according to IEC 60969, compared to T8 FTL 36w fitting". | #Burning life under normal working condition.

#### IVORA<sup>®</sup> DUO GLOW LED BATTEN

- 3 mode operations of decorative, regular and night lamp
- Lumen efficacy of 100 Lm/W
- 2.5kV voltage surge protection
- Power factor > 0.9
- Designed to deliver glare free light
- Available in CDL (6500K) for regular and blue colour light for end cap
- Available in 20W



#### WIDE OPERATING VOLTAGE







# WIDE OPERATING VOLTAGE

### VSP TECHNOLOGY



### IVORA<sup>®</sup> LED BATTEN 25W

- Lumen efficacy of 100 Lm/W in CDL variant
- 2.5kV voltage surge protection
- Power factor > 0.9
- With square shaped housing made from engineering plastic
- Designed to deliver glare-free light
- Available in CDL (6500K) & WDL (3000K)



#### LED BATTEN PLASTIC

- Lumen efficacy of 100 Lm/W in CDL variant
- 2.5 kV voltage surge protection
- Power factor > 0.9
- Elegant endcaps with housing made from engineering plastic
- Designed to deliver glare-free light
- Available in CDL (6500K) & WDL (3000K)
- Available in 5W. 10W & 20W









#### **LED RETROBAR 18W**

- Lumen efficacy of 100 Lm/W
- 2.5 kV voltage surge protection
- Power factor > 0.9
- Polycarbonate housing
- Designed to deliver glare-free light
- Easy installation in T8/T12 fixtures
- Available in CDL (6500K)





25.000## HOURS

"Image is for representation purpose only. Actual product may vary. | \*Nearest Incandescent bulb equivalent measure according to IEC 60064, nearest

#### **LED BATTEN 18W**

#### • Lumen efficacy of 100 Lm/W in CDL variant

- 2.5 kV voltage surge protection
- Power factor > 0.9
- Decorative dual coloured endcaps with powder coated extruded aluminium housing
- Designed to deliver glare-free light
- Available in CDL (6500K)

## INDOOR LUMINAIRES



0





WIDE OPERATING

VOLTAGE



COB TECHNOLOGY



ECO-FRIENDLY LIGHT

### IVORA<sup>®</sup> LED COB DOWNLIGHT

- Lumen efficacy of 100 Lm/W in CDL variant
- 2.5 kV voltage surge protection
- Power factor > 0.9
- Housing made from powder coated die casted aluminium with swivel operation
- Specially designed heat sink for enhanced life
- Available in CDL (6000K) & WDL (3000K)
- Available in 3W. 6W. 9W. 12W & 15W





VSP TECHNOLOGY WIDE OPERATING



25,000## HOURS

ECO-FRIENDLY SOOTHING LIGHT LIGHT

VOLTAGE

#### SURFACE RIM FOR IVORA® LED PANEL RANGE

- Made from engineering plastic
- Modular design to help convert from recessed fitting to surface mounted fitting
- To be used with Ivora LED panels
- Available in round & square profile
- Available in 4 sizes, suitable
- for 3W, 6W, 9W, 12W, 15W and 18W



"Image is for representation purpose only. Actual product may vary. | \*Nearest Incandescent bulb equivalent measure according to IEC 60064, nearest CFL bulb equivalent measure according to IEC 60969, compared to T8 FTL 36w fitting". | #Burning life under normal working condition.

### **IVORA<sup>®</sup> LED PANELS**

- Edge-lit technology for glare-free light
- 2.5 kV voltage surge protection
- Housing made from engineering plastic with inbuilt driver
- Power factor > 0.9
- Wide operating voltage range 100-300V AC
- Unique design enabled by a separate modular surface rim to convert from recessed to surface mounting
- Available in CDL (6000K), NDL (4000K) & WDL (3000K)
- Available in round & square profile
- Available in 3W, 6W, 9W, 12W, 15W & 18W







SOOTHING ECO-FRIENDLY

LIGHT

LIGHT



- Elegant design to deliver wide spread glare-free light
- Lumen efficacy of 85 Lm/W in CDL variant
- 2.5 kV voltage surge protection
- Power factor > 0.9
- Housing made of pre-coated CRCA with engineering plastic diffuser
- Available in CDL (6500K) & WDL (3000K)
- Available in 14W & 22W



#### **LED SPOTLIGHT 2W**

- Designed to fit in compact size
- 2.5 kV voltage surge protection
- Wide operating voltage range 100-300V AC
- Application in cabinets, wall units, etc.
- Available in CDL (6500K), WDL (3000K) red, green & blue
- Available in 2W



WIDE OPERATING VOLTAGE



ECO-FRIENDLY LIGHT



### IVORA<sup>®</sup> LED **STRIP LIGHT**

- Used in indirect lighting
- Available in CDL (6500K), WDL (3000K) & blue
- 5 meters long strip light
- Used in home decoration, cove lighting, back lighting, showrooms and shopping malls
- Available in 24W





"Image is for representation purpose only. Actual product may vary. | \*Nearest Incandescent bulb equivalent measure according to IEC 60064, nearest —— CFL bulb equivalent measure according to IEC 60969, compared to T8 FTL 36w fitting". | #"Burning life under normal working condition. ——

HOURS

#### IVORA<sup>®</sup> LED JUNCTION **BOX DOWNLIGHT**

- Designed to fit in compact size
- 2.5 kV voltage surge protection
- Power factor > 0.9
- Housing made of engineering plastic
- Designed to deliver glare-free light
- Easy installation
- Available in 3W, 6W, New 9W (CDL) & New 12W (CDL)
- Available in CDL (6500K) & WDL (3000K)









# OUTDOOR LUMINAIRES





#### **GLISTER LED STREET LIGHT**

- Lumen efficacy of 100 Lm/W
- IP-66 protection
- IK08 protection
- 4 kV voltage surge protection
- Available in CDL (5700K)
- Suitable for outdoor applications in gated communities, periphery lighting, security lighting, general outdoor lighting
- Available in 15W, 20W and 25W

### LED MINI FLOODLIGHT

- IP-65 protection
- Lumen efficacy of 90 Lm/W
- 2.5 kV voltage surge protection
- Power factor > 0.9
- Housing made of die-cast aluminium in glossy black finish
- Available in CDL (6500K)
- Available in 30W









VOLTAGE

<sup>#</sup>Image is for representation purpose only. Actual product may vary. | \*Nearest Incandescent bulb equivalent measure according to IEC 60064, nearest



# PORTABLE LED LIGHTS







SWITCH

#### **EMERGENCY LIGHT ELX 36**

- Double sided illumination facility
- Bright chrome plated reflector
- Lighting time of 10-12 hours\*
- Charging indicator
- Neon indicator- ON/OFF switch
- Wall mounting provision
- 6V/4500mAh rechargeable battery



#### **EMERGENCY LIGHT ELX 16**

- Bright chrome plated reflector
- Lighting time of 5-6 hours\*
- Charging indicator
- Compact light weight design
- Wall mounting provision
- 3.7V/2500mAh lithium ion rechargeable battery
- Available in red & blue colour



LIGHTING TIME **16 LED** OF 5-6 HOURS



LIGHT-WEIGHT ECO-FRIENDLY LI-ION BATTERY LIGHT




#### **BAJAJ DHYUTI MINI RC LANTERN**

- 360° illumination
- Detachable cap with dual attachment
- 3.7V/1800mAh Lithium ion rechargeable battery\*
- 3 mode switch: strong, medium & low
- Lighting time for: - Full intensity: up to 3 hours\* - Intermediate intensity: up to 5 hours\* - Low intensity: up to 18 hours\*



MICRO USB





#### **LED GLOW 648 LR LANTERN**

- No. of LEDs 48
- Rechargeable 6V/4000 mAh powerful sealed lead acid batterv
- Lighting time of up to 24 hours\*
- Long back-up
- Heavy duty battery
- 2 mode glow switch



#### **SOFTLITE 5W LED TABLE LAMP**

- 5W LED table lamp
- 3 mode feather touch switch high, medium & low
- Sturdy ABS housing with metal bottom
- Soothing light
- Flexible stem for directional lighting
- Cool day light



### SOFTLITE MINI LED RC **TABLE LAMP**

- Flexible stem for directional light
- 3.7V/1200mAh Lithium ion rechargeable battery
- Unique pen stand for keeping accessories
- Lighting time for:
- Full intensity: up to 4 hours\* - Low intensity: up to 8 hours\*
- Touch switch with 4 intensity selection mode



#### **HYPERION TORCH-CUM TABLE LAMP**

- Adjustable torch head with angular movements
- For table lamp: Self-activation push button
- 3.7V/1200mAh Lithium Ion rechargeable battery
- Lighting for:
- Torch full intensity: up to 4 hours\*
- Torch low intensity: up to 14 hours\*
- Table lamp: up to 4 hours\*
- For Torch 2 switch mode as high & low
- Inbuilt 2 pin charging port







ECO-FRIENDLY LIGHT-WEIGHT LI-ION BATTERY LIGHT



NEW

#### **RAFTAAR MAX**

#### • Single hi-power LED

- 3.7V/1200mAh Li-ion batterv
- Lighting time up to 4 hours\*
- Compatible for charging with B-type micro-USB cable
- 3 mode light switch
- Available in red, black and orange colours





4 HOURS\*





#### **RAFTAAR JUMBO**

- Single hi-power LED
- 3.7V/1200mAh Li-ion batterv
- Lighting time up to 4 hours\*
- Compatible for charging with B-type micro-USB cable
- 3 mode light switch
- Available in red, black & orange colours



#### **RAFTAAR MINI**

- Single hi-power LED
- 3.7V/1200mAh Li-ion battery
- Lighting time up to 4 hours\*
- Compatible for charging with B-type micro-USB cable
- 3 mode light switch
- Available in red, black & orange colours





BACK UP OF LIGHT-WEIGHT 14 HOURS\* LI-ION BATTERY

**(**)



- Strong beam suitable for long range directional light
- Single hi-power LED
- 3.7 V/4000 mAh Li-ion battery
- Lighting time up to 14 hours\*
- Durable ABS housing
- With USB charging operation
- 2 mode light switch





\*With intermittent use

#### SMART GLOW CHAMAK RADIUM DB LED TORCH

- Single hi-power LED
- Radium glow body that glows in the dark
- Illuminance at 1 metre: More than 500 lux
- Sling for easy handling
- LED life of 50,000 hours\*





#### SMART GLOW 0.5W SLEEK LED TORCH



- 3 units of AA dry battery free with the torch
- Sleek for easy handling
- 2 mode switch: high & low



#Image is for representation purpose only. Actual product may vary. | \*With intermittent use. —

#### SMART GLOW CHAMAK LED TORCH

- Single hi-power LED
- Illuminance at 1 metre: More than 500 lux
- Sling for easy handling
- LED life up to 50,000 hours\*
- Available in 3 colours: black, red & yellow





# CONVENTION LIGHTING





#### **T8 FTL 36W**

- Lumen output of 2450 Lm
- Available in CDL (6500K) only





#### **T12 FTL 40W**

- Lumen output of 2450 Lm
- Available in CDL (6500K) only



#### **GLS CLEAR LAMPS**

- Available in 40W, 60W, 100W & 200W
- Lumen output of 415 Lm for 40W, 710 Lm for 60W, 1340 Lm for 100W and 3000 Lm for 200W
- Life span of 1000 hours\*

#### **T5 TUBE**

- Lumen output of 2400 Lm for 28W CDL and 1650 Lm for 24W CDL
- Available in CDL (6500K) only
- Available in 24W & 28W





#### CONVENTIONAL **CONSUMER LUMINAIRES**



#### **ECOBOX 28W ELECTRONIC**

- Box type luminaire wired with elegantly designed energy efficient electronic ballast (p.f.>0.90)
- Box luminaire made of pre-coated CRCA sheet
- Suitable for T5 FTL 28W



#### **ECOBOX 36/40W ELECTRONIC**

- Box type FTL luminaire wired with elegantly designed energy efficient electronic ballast (p.f.>0.90)
- Box luminaire made of pre-coated CRCA sheet
- Suitable for T8 FTL 36W & T12 FTL 40W



#### NUSTAR 36/40W CCB

- VPIT copper ballast
- Suitable for domestic application
- Suitable for T8 FTL 36W & T12 FTL 40W





#### SAVELITE SLEEK **36W ELECTRONIC**

- Sleek strip type luminaire made of pre-coated CRCA sheet with decorative end caps
- Wired with elegantly designed energy efficient electronic ballast (p.f.>0.90)
- Suitable for T8 FTL 36W

#### **E-SAVER LX 36/40W ELECTRONIC**

• Energy efficient electronic ballast • Enclosed in elegantly designed ABS housing • Suitable for T8 FTL 36W & T12 FTL 40W • Suitable for domestic applications



# ELECTRICAL ACCESSORIES





#### SPIKE GUARD WITH USB

- Power 1440VA
- Current rating for socket 6A, current rating for USB 1A
- Protects the equipment from sudden surge in electric current
- 3 sockets for compatibility with plugs of multiple countries
- 2 USB ports available for charging
- Suitable for use in household, offices, shops, restaurants, hospitals & more





• F • C • N 8



#### SPIKE AND SURGE GUARD

- Power 1500VA
- Current rating for socket: 6A
- Protects the equipment against sudden surge in power supply

\* \* \* \* \*

- 4 sockets for compatibility with plugs of multiple countries
- Suitable for use in household, offices, shops, restaurants, hospitals & more





#### **EXTENSION REEL**

- Power 1500VA
- Current rating for socket: 6A
- One 3-pin international socket & two 2-pin sockets
- Comes with handle for convenience



5 METRE FIRE WIRE LENGTH

#### **4 WAY MULTIPLUG**

- Power: 1500VA
- Current rating for socket: 6A
- Multiplug operation with two 3-pin international sockets
- & two 2-pin sockets
- Sleek as mounts on the switch board itself





## IDEAL LIGHTING SOLUTIONS


Our home is a reflection of our personality and the effort and love we put into decorating it. While beams and bricks make the structure, it's the decor and lighting that makes it a home. Just like each one of us, every room too has a personality of its own. It just takes the right kind of lighting to bring out that personality and enhance it.





Living room is the most popular place in a home as that's where we spend most of our time either entertaining or simply sitting back and relaxing. Whether it is movie nights or a small gathering with friends, it is important to have diverse light settings that can adapt the living room to suit the occasion. Our Ivora LED Panel (4000K) makes a great choice for the sitting area while our adjustable Ivora LED COB Downlights (3000K) is perfect for highlighting artworks, family photos or simply for reducing the glare on the television. Our Ivora LED Strip lights (3000K) with its indirect lighting creates the perfect environment for a relaxed evening.

## **LIVING ROOM**





By the virtue of being private, bedrooms call for an atmosphere that's relaxed, calm and peaceful. Our *Ivora LED Panels (4000K)* create the perfect relaxed environment needed by our brains to produce melatonin which aids comfortable sleep. If the bedroom doubles up as a study, then our adorable range of *Softlite and Softlite Mini table lamps* make the perfect choice for focused lighting that helps boost concentration levels.



## **BEDROOM**



## **KITCHEN**

Kitchen is the heart of a home and by the virtue of being a workspace, it requires lighting that's bright and with a good CRI. Our *Sunshine CRI Plus LED Batten (6500I, CRI>90)* is great for general illumination of the kitchen. Our range of compact *Spotlights (2W)* are ideal for kitchen cabinets as they add to the aesthetic appeal of the kitchen.



## LED INDOOR LUMINAIRES

MODEL NAME	RATED POWER	RATED CCT	RATED LUMINOUS FLUX	CUT OUT SIZE
SUNSHINE CRI PLUS LED DOWNLIGHT	12W	DL (5000K)	1200 Lm	Ø 93 mm
IVORA <sup>®</sup> PLUS LED PANEL - ROUND	6W	CDL (6500K)	660 Lm	Ø 102 mm
	12W	CDL (6500K)	1320 Lm	Ø 152 mm
	18W	CDL (6500K)	1980 Lm	Ø 206 mm
IVORA <sup>®</sup> PLUS LED PANEL - SQUARE	6W	CDL (6500K)	660 Lm	102 x 102 mm
	12W	CDL (6500K)	1320 Lm	152 x 152 mm
	18W	CDL (6500K)	1980 Lm	206 x 206 mm
IVORA <sup>®</sup> LED COB DOWNLIGHT	3W	CDL (6000K)	240 Lm	Ø 58 mm
		WDL (3000K)	225 Lm	
	6W	CDL (6000K)	600 Lm	Ø 77 mm
		WDL (3000K)	540 Lm	
	9W	CDL (6000K)	900 Lm	Ø 93 mm
		WDL (3000K)	810 Lm	
	12W	CDL (6000K)	1200 Lm	Ø 93 mm
		WDL (3000K)	1080 Lm	
	15W	CDL (6000K)	1500 Lm	Ø 107 mm
		WDL (3000K)	1350 Lm	
IVORA <sup>®</sup> LED PANEL - ROUND	3W	CDL (6000K)	195 Lm	Ø 66 mm
		NDL (4000K)	165 Lm	
		WDL (3000K)	165 Lm	
	6W	CDL (6000K)	390 Lm	Ø 103 mm
		NDL (4000K)	360 Lm	
		WDL (3000K)	360 Lm	
	9W	CDL (6000K) NDL (4000K)	630 Lm 585 Lm	Ø 153 mm
		WDL (3000K)	585 Lm	
	12W	CDL (6000K)	900 Lm	Ø 153 mm
		NDL (4000K)	840 Lm	
		WDL (3000K)	780 Lm	

## **FOYER**

First impression is the last impression. As foyer is the entry to any home, it is important for it to be not just well-designed but also well-lit and beautiful. Our Ivora LED Ceiling Light (3000K) creates the perfect ambience of warmth and class.



IVORA <sup>®</sup> LED PANEL - ROUND	15W	CDL (6000K)	1125 Lm	
		NDL (4000K)	1125 Lm	Ø 153 mm
		WDL (3000K)	1050 Lm	
	18W	CDL (6000K)	1440 Lm	Ø 200 mm
		NDL (4000K)	1350 Lm	
		WDL (3000K)	1260 Lm	
IVORA <sup>®</sup> LED PANEL - SQUARE	3W 6W 9W	CDL (6000K)	195 Lm	66 x 66 mm 103 x 103 mm 153 x 153 mm 153 x 153 mm 153 x 153 mm
		NDL (4000K)	165 Lm	
		WDL (3000K)	165 Lm	
		CDL (6000K)	390 Lm	
		NDL (4000K)	360 Lm	
		WDL (3000K)	360 Lm	
		CDL (6000K)	630 Lm	
		NDL (4000K)	585 Lm	
		WDL (3000K)	585 Lm	
		CDL (6000K)	900 Lm	
	12W	NDL (4000K)	840 Lm	
		WDL (3000K)	780 Lm	
		CDL (6000K)	1125 Lm	
	15W	NDL (4000K)	1125 Lm	
	18W	WDL (3000K)	1050 Lm	200 x 200 mm
		CDL (6000K)	1440 Lm	
		NDL (4000K)	1350 Lm	
		WDL (3000K)	1260 Lm	
IVORA® JUNCTION BOX D/L	3W	CDL (6500K)	210 Lm	Ø 60 mm
		WDL (3000K)	195 Lm	
	6W	CDL (6500K)	540 Lm	<i>a</i> .co
		WDL (3000K)	510 Lm	— Ø 60 mm
	9W	CDL (6500K)	855 Lm	Ø 75 mm
	12W	CDL (6500K)	1140 Lm	Ø 85 mm
BAJAJ LED SPOT LIGHT	3W	CDL (6500K)	90 Lm	
		WDL (3000K)	70 Lm	
		BLUE	NA	Ø 34 mm
		GREEN	NA	
		RED	NA	
IVORA <sup>®</sup> LED CEILING LIGHT	14W	CDL (6500K)	1190 Lm	
		WDL (3000K)	1090 Lm	NA
	22W	CDL (6500K)	1870 Lm	
		WDL (3000K)	1760 Lm	NA NA

NOTES:



### DISCOVER A REFRESHING START TO EACH DAY.

(Ali

 $\bigcirc$ 

` ال

> EXPLORE OUR WIDE RANGE OF ADVANCED AND AESTHETIC WATER HEATERS.



## Reinvigoration starts with a Bajaj Water Heater.

NO. L WATER HEATER BRAND IN INDIA\* At Bajaj Electricals, we strive to blend technology and aesthetics to give you Water Heaters that exemplify perfection. From introducing new features such as Titanium Armour Technology that improves durability and product life to Swirl Flow Technology that keeps the water hot for a longer duration, our commitment to innovate has made us the most sold Water Heater brand\*. Each new product has been a step towards ensuring we set benchmarks in the product category and helping you revitalise as you start the day. Come explore a world of rejuvenation with us.

\*The claim of India's No. 1 Electric Water Heater Brand is based on an independent market research conducted by a 3<sup>rd</sup> party for the Financial Year 2018-19.

#### FEATURES



Special inner tank coating for preventing corrosion and rusting. Results in long tank life.



Ensures 20% more hot water.



BEE rating assures it's highly energy efficient.



High warranty for complete peace of mind.



The water stays hot for a longer time, thanks to the polyurethane foam inserted between the outer and inner shells.



Adjust the temperature and timer from a distance of up to 20 feet.



Enables operation of water heater from anywhere in the world through Wi-Fi & app (Android & iOS).



Intelligent timer to pre-set the heat up time; saving energy and time. The settings are not disturbed even in power outages.



The digital display on the water heater shows the temperature of the hot water and time set, if any.



Advance settings for temperature & time.



The magnesium anode deposits magnesium in the cracks of decay, filling the gap and ensures zero erosion.



Electronic thermostat helps select the precise temperature of water.



Alerts when the surrounding oxygen level is lower than what is recommended for breathing.



Helps in averting any operational hazard, ensuring more safety.



A testimony of the product quality.



If the flame gets extinguished, the gas flow will be stopped automatically.



Pressure withstanding capacity up to 8 bar (G+18 floors/270 feet).



Prevents rusting and corrosion of water heater from outside, making the product long-lasting.



Increases or decreases fuel burning rate which in turn controls the water temperature.



LED colour intensity changes with increasing water temperature indicating the readiness of hot water.



For enhanced safety.





## SMART. iNXT



#### Capacity: 10L

Voice assisted with Alexa / Google Home

IPX5 waterproof technology

App (iOS & Android) & Remote controlled operation

100% Shockproof

Tank design is suitable to withstand 8 bar pressure

Can be operated from anywhere in the world using the app

Glass lined enamel coated inner tank & element

Self-diagnosis

Auto shut off

Fire retardant cable with plug

Warranty: 2 / 4 / 7 years (Product / Element / Tank)





APP-ENABLED



PROGRESSIVE LED INDICATOR



DIGITAL DISPLAY



PRE-SET MEMORY



INTELLIGENT SCHEDULER



MULTIPLE SAFETY SYSTEMS



RUST-PROOF EXTERNAL BODY



5 STAR BEE RATING



MAGNESIUM ANODE



PUF INSULATION



SUITABLE FOR HIGH-RISE BUILDINGS

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# CALENTA DIGI



#### Capacity: 15L & 25L

Glass lined enamel coated heating element

Digital temperature display

Feather touch buttons

Shock resistant injection moulded ABS body

IPX4 waterproof technology

Fire retardant cable with plug

Remote controlled operation

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 4 / 7 years (Product / Element / Tank)



\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# CALENTA MECHANICAL



Capacity: 10L, 15L & 25L

Glass lined enamel coated heating element

Stepless temperature selection

Shock resistant injection moulded ABS body

IPX4 waterproof technology

Fire retardant cable with plug

Tank design is suitable to withstand 8 bar pressure

Warranty: 2/4/7 years (Product / Element / Tank)



#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# CALENTA



Capacity: 6L, 10L, 15L & 25L

Glass lined enamel coated incoloy heating element\*

Temperature indicating dial

Shock resistant ABS outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 3 / 7 years (Product / Element / Tank)



\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change. \*Applicable for 15L & 25L variants

# SHAKTI GPV



Capacity: 10L, 15L & 25L

Efficient long life copper heating element

Temperature indicating dial

Shock resistant ABS outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2/3/7 years (Product / Element / Tank)



#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# SHAKTI PC DLX



Capacity: 10L, 15L & 25L

India's 1<sup>st</sup> designer pre-coated sheet metal body

Efficient long life copper heating element

Temperature indicating dial

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2/3/7 years (Product / Element / Tank)



#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# MAJESTY PC DLX



Capacity: 10L, 15L & 25L

India's 1<sup>st</sup> designer pre-coated sheet metal body

Efficient long life copper heating element

Temperature indicating dial

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2/3/7 years (Product / Element / Tank)



\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

## CALDIA



Capacity: 6L, 10L, 15L & 25L

Efficient long life copper heating element

Alluring design

Shock resistant ABS outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2/2/5 years (Product / Element / Tank)



\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# NEW SHAKTI



Capacity: 10L, 15L & 25L

Single line welded rust proof body

Efficient long life copper heating element

Pre-coated sheet metal body outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2/2/5 years (Product / Element / Tank)



#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

# MAJESTY HORIZONTAL



Capacity: 15L & 25L

Efficient long life copper heating element

Suitable for floor & wall mounting

IPX4 waterproof technology

Fire retardant cable with plug

Tank design is suitable to withstand 8 bar pressure


Right wall / left wall mounting options available


Compact design to fit in less height area


Warranty: 2 / 3 / 7 years (Product / Element / Tank)



\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.







## JUVEL



Capacity: 1L & 3L

Efficient long life copper heating element (3kW & 4.5kW)

Alluring Prism design

Shock resistant ABS outer body

LED indicators for power on and heating function

Fire retardant cable

Tank design is suitable to withstand 6.5 bar pressure



**5**YEAR







# FLORA



Capacity: 1L & 3L

Efficient long life copper heating element (3kW & 4.5kW)

Alluring design

Shock resistant ABS outer body

Neon indicators for power on and heating function

Fire retardant cable

Tank design is suitable to withstand 6.5 bar pressure



PRODUCT 2YEAR HEATING ELEMENT 3YEAR INNER TANK 5YEAR







# NEW MAJESTY



Capacity: 1L & 3L

Efficient long life copper heating element (3kW & 4.5kW)

Shock resistant ABS outer body

Neon indicators for power on and heating function

Fire retardant cable


Tank design is suitable to withstand 6.5 bar pressure

PRODUCT 2<sub>YEAR</sub> HEATING ELEMENT **3**YEAR INNER TANK 5<sub>YEAR</sub>














# DUETTO



#### Capacity: 6L

Pre-coated steel body

Advanced combustion technology for best thermal efficiency of  $\geq 84\%$ 

Burner setting to adjust water temperature

Thick heat exchanger made of copper

Auto ignition

Overheat protection cut-off

Inlet water flow sensor

Dry heat protection

Suitable for water pressure from 0.1 bar to 7.5 bar



OTHER PRODUCT RANGE AVAILABLE IN WATER HEATERS



Immersion Water Heaters in 1kW and 1.5kW

NOTE:	

NOTE:	



**CIN:** L31500MH1938PLC009887 | **Regd. Office:** 45 / 47, Veer Nariman Road, Mumbai - 400 001. **Tel.:** 022-6149 7000


Free Home Service\*: 022 4128 0000 consumercare@bajajelectricals.com | shop.bajajelectricals.com | f | [] [0] [] \*#^T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions



### THE CHAMPION OF CREASELESS IRONING

Explore innovative products that have made us the leading iron brand in India.<sup>#</sup>

"The claim of India's No. 1 Irons Brand is based on an independent market research conducted by a 3rd party for the Financial Year 2018-19.





At Bajaj Electricals, we're on a perpetual journey towards perfection. We pursue a path that helps us revolutionise product categories, introduce new features and be regarded as pioneers in every endeavour we undertake. Our extensive range of irons is one such endeavour. From the first dry iron with water spray to heavy weight steam irons, each product is a manifestation of our commitment and has made us industry leaders in the iron segment\*. Our relentless dedication to innovate enables us to introduce products that are designed to iron out the hassles and make ironing a simple and convenient affair.

\*The claim of India's No. 1 Irons Brand is based on an independent market research conducted by a 3rd party for the Financial Year 2018-19.

### **FEATURES**



High wattage provides quick heating of the iron element & allows you to iron more clothes in less time

Convenience in ironing

getting tangled

clothes without the cord

360° SWIVEL CORD

180° SWIVEL CORD

REVERSE

Hassle-free reverse ironing even over uneven surfaces like buttons

Helps you iron clothes

over creases and pleats at any angle without the cord getting tangled

Smooth and crisp ironing HEAVY WEIGHT



Self cleaning feature for longer product life



Easy glide for crisp & safe ironing

COATED SOLEPLATE



Easy & convenient ironing

Ensures crisp ironing

even on stubborn creases

Prevents water leakage for hassle-free ironing

**ANTI-DRIP** 

STEAM BURST

ANTI-SCALE TECHNOLOGY

Prevents clogging of pores leading to higher efficiency & longer product life



Comprehensive product warranty for complete peace of mind

WARRANTY



Premium glide for crisp ironing. Higher life of the sole plate

CERAMIC SOLE PLATE




Longer cord gives you a convenient ironing experience

**25% EXTRA** LONG CORD



# DRY IRON WITH SPRAY



## BAJAJ DS 100\_





► SPRAY NOZZLE








- Cool touch body
- Dual colour super clean surface finish
- Ergonomically designed comfortable hand grip
- Spray function for effective water dispersion






44.4



## **MAJESTY CANVAS SERIES**





MAJESTY CANVAS PINK



MAJESTY CANVAS BROWN





### MAJESTY CANVAS GREEN

- American heritage non-stick coated golden colour soleplate
- Dual colour super clean surface finish
- Ergonomically designed hand grip
- Cool touch body



### MAJESTY ONE





- American heritage non-stick coated golden colour soleplate
- Mesmerising design
- Cool touch body
- 2-way LED indicator





# MAJESTY ESTEELA \_\_\_\_



- American heritage non-stick coated golden colour soleplate
- Cool touch body
- Ergonomically designed comfortable hand grip





# BAJAJ DX 7 NEO


- American heritage non-stick coated golden colour soleplate
- Dual colour super clean surface finish
- Cool touch body





# **BAJAJ DX 4 NEO**

- American heritage non-stick coated soleplate
- Dual colour super clean surface finish
- Cool touch body



# MAJESTY DX 2 BLACK

- American heritage non-stick coated soleplate
- Cool touch handle



# MAJESTY DX 2 GREY


- American heritage non-stick coated soleplate
- Cool touch handle





# **POPULAR IRON**


- American heritage non-stick coated soleplate
- Cool touch handle
- Reliable snap action thermostat





# **POPULAR LT WT 1000**

- American heritage non-stick coated soleplate
- Cool touch handle
- Reliable snap action thermostat





# **NEW POPULAR**

- American heritage non-stick coated soleplate
- Dual colour super clean surface finish
- Cool touch handle
- Reliable snap action thermostat





# **NEW POPULAR 1000**

- American heritage non-stick coated solevplate
- Dual colour super clean surface finish
- Cool touch handle
- Reliable snap action thermostat



### **POPULAR PLUS**





- American heritage non-stick coated soleplate
- Cool touch handle



### **MAJESTY DX 11**



- American heritage non-stick coated soleplate
- Cool touch handle
- Dual colour super clean surface finish






# MAJESTY DHX 9 \_\_\_\_\_



- American heritage non-stick coated golden colour soleplate
- Cool touch handle with comfortable grip
- Single handed operation: Temperature control on the handle







## **MAJESTY RETRACT**







CERAMIC
 SOLEPLATE

RETRACTABLE <





- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Adjustable thermostatic control
- Neon indicator for thermostat operation
- Water tank capacity 280 ml



### **BAJAJ MX 35N**







- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Adjustable thermostatic control
- Neon indicator for thermostat operation
- Water tank capacity 210 ml





# **BAJAJ MX 40C**





- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Adjustable thermostatic control
- Neon indicator for thermostat operation
- Water tank capacity 380 ml



## **MAJESTY MACHO**







HEAVY WEIGHT METAL BODY

- Adjustable thermostatic control
- Water level indicator
- Neon indicator
- Water tank capacity 180 ml





TRAVEL IRON WITH FOLDABLE HANDLE

- Travel iron
- Variable steam output
- Adjustable thermostatic control
- Foldable handle



### MAJESTY MX 16







- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Water tank capacity 280 ml



### MAJESTY MX 4





- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Water tank capacity 180 ml



### MAJESTY MX 25 \_\_



- Vertical ironing to iron hanging clothes / curtains
- Variable steam output to cater to a variety of clothes
- Non-stick coated soleplate
- Adjustable thermostatic control
- Neon indicator for thermostat operation
- Water tank capacity 330 ml














### **GS1 GARMENT STEAMER CUM KETTLE**







# GARMENT STEAMER ATTACHMENT

# >KETTLE ATTACHMENT

A TWO IN ONE GARMENT STEAMER CUM KETTLE








- Vertical ironing to iron hanging clothes / curtains
- Water tank capacity 400 ml
- Steam output 10 to 15 g/min
- Quick & continuous steam output
- No ironing board needed
- Brush accessory













CIN: L31500MH1938PLC009887 Regd. Office: 45 / 47, Veer Nariman Road, Mumbai - 400 001. | Tel.: 022-6149 7000

Free Home Service\*: 022 4128 0000 consumercare@bajajelectricals.com | shop.bajajelectricals.com | [] [] [] \*T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions







OPEN A NEW WORLDOF HEALTHAND FAPPNESS.



### INTRODUCTION

At Bajaj Electricals, we've been on a perpetual journey towards building the future and opening your world to new possibilities and new ways of living. Through innovation, technology and nuanced understanding of the consumers, our new-age appliances and products are playing a meaningful role in the everyday lives of Indian families.

We understand food is not only a source of energy, but with human evolution it has evolved into a source of happiness too. A strong cup of coffee can give your groggy mornings a refreshing start. A small serving of tangy chutney with your wholesome meal can elevate your whole dining experience. A soft, delicious cake has the power to turn your bad day into a good one. Bajaj Kitchen Appliances have also evolved with time to turn your everyday food journey into a memorable experience by serving happiness.

\*The claim of India's No. 1 Mixing Appliance Brand is based on an independent market research conducted by a 3<sup>rd</sup> party for the Financial Year 2019-20. The scope of mixing appliances include Mixer Grinders, Food Processors and Juicer Mixer Grinders.







### **HEALTH & HYGIENE**

Our consumer's health is our utmost priority. The Nutri-Pro feature of our Mixer Grinders retain the nutritional value of your food. Our wide range of Mixer Grinders come with Antibacterial\*\*, Easy-to-clean^^ and Anti-Stain## coating which prevents accumulation of dust and stains on them. Thus, making your food preparation healthy and hygienic.



### **CONVENIENCE**

Designed to make your life easy, our products deliver maximum comfort and convenience. Our compact & modern appliances are equipped with features like Blend & Carry, Digital Input and Removable Accessories which make them very easy to use. Thereby enhancing your cooking experience with peace of mind.



### **AESTHETIC APPEAL**

The contemporary designs and refreshing colour scheme of our products add visual appeal to your kitchen. The high precision craftsmanship and refined aesthetics are at the core of our design principles. This commitment reflects perfectly in our modern and innovative products, which make your life interesting.

\*\* Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801: 2010. On the coated body, the bacteria will be killed by 99.9% in 24 hours. ## Tested for turmeric paste and the stain can be removed by washing/cleaning within 2 hrs. ^^Easyclean coating on mixer grinder body retains 1.5% dust against 9.7% on other mixer grinder body. (For PU MATT Clear): For Ivora Silky Crimson Red. Easyclean coating on mixer grinder body retains 1.3% dust against 9.5% on other mixer grinder body. (For PU GLOSSY Clear) For Ivora Siky Caramel & Beryl Persian Blue.

### **FEATURES**

EASY TO CLEAN<sup>^^</sup>

COATING

### **FEATURES**

### MIXER GRINDERS



WARRANT)

ON MOTOR

51















SILENT DC MOTOR POWERFUL DC MOTOR

**CHOPPERS & HAND BLENDERS** 

**CLICK-FIT** 



NUTRI-PRO FEATURE<sup>^</sup>





9

PRESS-FIT REMOVABLE

BLADE

2-IN-1 FUNCTION BLADE



MULTITASKER BLADE

ANTIBACTERIAL\*\*

AND ANTIVIRAL#

**ON PLASTIC BODY** 

COATING

SUPER JAR

HANDS-FREE OPERATION ISI APPROVED

.....

ANTI-STAIN#









POWERFUL TITAN MOTOR

WARRANTY ON PRODUCT

### **SANDWICH MAKERS & TOASTERS**



# YEAR

FOOD PROCESSORS









POWERFUL TITAN MOTOR

POWERFUL TITAN MOTOR

WARRANTY ON MOTOR

NEED-BASED ATTACHMENTS WARRANTY ON PRODUCT

ISI APPROVED

### JUICER MIXER GRINDERS



\*\*Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801: 2010. On the coated body, the bacteria will be killed by 99.9% in 24 hours. \*Tested against the virus MS2 Bacteriophage as per ISO 21702: 2019. On the coated body, the virus will be reduced by 99.9% in 24 hours. #Tested for turmeric paste and the stain can be removed by washing/cleaning within 2 hrs. ^Easyclean coating on mixer grinder body retains 1.5% dust against 9.7% on other mixer grinder body. (For PU MATT Clear): For Ivora Silky Crimson Red. Easyclean coating on mixer grinder body retains 1.3% dust against 9.5% on other mixer grinder body. (For PU GLOSSY Clear): For Ivora Siky Caramel & Beryl Persian Blue."The Nutri-Pro feature has been tested in Bajaj Stormix Mixer Grinder for key nutrients, in select 6 ingredients, at all speeds. This is based on RPD (relative percentage difference) of less than 15%.









CONTROL KNOB





**FEATURES** 

### **FEATURES**



### **JUICE EXTRACTORS**



YEAR

WARRANTY ON PRODUCT

OTGs

CAPACITY

### **RICE COOKERS**



### **INDUCTION COOKERS**



ભિભે 111 CONVECTION

PRESET MODES

TIMER

MOTORISED ROTISSERIE

































































































# FOOD PREPARATION



#### MIXER GRINDERS



-Images are for representation purpose only, actual product may vary in colour/size.



\*\*Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801: 2010. On the coated body, the bacteria will be killed by 99.9% in 24 hours. #Tested against the virus MS2 Bacteriophage as per ISO 21702: 2019. On the coated body, the virus will be reduced by 99.9% in 24 hours. #Tested for turmeric paste and the stain can be removed by washing/cleaning within 2 hours.





# **MIXER WITH AN ARMOUR**

A perfect mix of efficiency and reliability, this attractive Mixer Grinder is also easy to clean.<sup>^</sup> Equipped with Tetra Flow technology, it ensures even mixing and grinding in a matter of seconds. So, go ahead and create delicious and hygienic meals for your family with this new kitchen companion.



# BERYL PERSIAN BLUE MIXER GRINDER

- RPM 20000
- No. of speeds 3
- No. of jars 3
- Liquidising jar 1.5L
- Dry grind jar 1.0L
- Chutney jar 0.4L
- Antibacterial\*\* Coating on Plastic Body against most common bacteria
- Easy-to-clean<sup>^</sup> Coating provides for > 80% reduction in dust retention on the mixer grinder body



\*\*Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801: 2010. On the coated body, the bacteria will be killed by 99.9% in 24 hours. ^^Easyclean coating on mixer grinder body retains 1.5% dust against 9.7% on other mixer grinder body. (For PU MATT Clear): For Ivora Silky Crimson Red. Easyclean coating on mixer grinder body retains 1.3% dust against 9.5% on other mixer grinder body. (For PU GLOSSY Clear): For Ivora Silky Caramel & Beryl Persian Blue.

# **MIXER WITH AN ARMOUR**

Presenting a range of easy to clean<sup>^</sup> Mixer Grinders with Antibacterial<sup>\*\*</sup> Feature on the MG body. These powerful mixer grinders have a special Antibacterial<sup>\*\*</sup> coating that prevents and destroys bacteria. Available in attractive colour options, these appealing and stylish mixer grinders stand-out in any kitchen.



#### IVORA SILKY CARAMEL MIXER GRINDER

- RPM 20000
- No. of speeds 3
- No. of jars 3
- Liquidising jar 1.7L
- Dry grind jar 1.2L
  Chutney jar 0.3L
- Unbreakable handles
- Opening on lids to add ingredients
- Unique V shaped iars
- Antibacterial\*\* Coating on Plastic Body against most common bacteria
- Easy-to-clean<sup>^</sup> Coating provides for > 80% reduction in dust retention on the mixer grinder body



#### IVORA CRIMSON RED MIXER GRINDER

- RPM 20000
- No. of speeds 3
- No. of jars 3
- Liquidising jar 1.7L
- Dry grind jar 1.2L
- Chutney jar 0.3L
- Unbreakable handles
- Opening on lids to add ingredients
- Unique V shaped jars
- Antibacterial\*\* Coating on Plastic Body against most common bacteria
   Easy-to-clean\* Coating provides for > 80% reduction in dust retention on the mixer grinder body



\*\*Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801: 2010. On the coated body, the bacteria will be killed by 99.9% in 24 hours. ^\*Easyclean coating on mixer grinder body retains 1.5% dust against 9.7% on other mixer grinder body. (For PU MATT Clear): For Ivora Silky Crimson Red. Easyclean coating on mixer grinder body retains 1.3% dust against 9.5% on other mixer grinder body. (For PU MATT Clear): For Ivora Silky Crimson Red. Easyclean coating on mixer grinder body retains 1.3% dust against 9.5% on other mixer grinder body. (For PU MATT Clear): For Ivora Silky Crimson Red. Easyclean coating on mixer grinder body retains 1.3% dust against 9.5% on other mixer grinder body.



#### GX 4701 **MIXER GRINDER**

- RPM 20000
- No. of speeds 3
- No. of jars 4
- Comes with a Juicer jar
- Liquidising jar 1.5L
- Dry grind jar 1.0L
  Chutney jar 0.4L



#### GX 3701 **MIXER GRINDER**

- RPM 20000
- No. of speeds 3
- No. of iars 3
- Liquidising jar 1.5L
- Dry grind jar 1.0L
- Chutney jar 0.3L







YEAR



^/ NUTRI-PRO



5 YEARS WARRANTY ON MOTOR





NUTRI-PRO

WARRANTY ON PRODUCT

ISI APPROVED

5

2 YEARS WARRANTY ON PRODUCT

ISI APPROVED

15

MULTITASKER

#### **TWISTER FRUITY MIXER GRINDER**



- RPM 20000
- No. of speeds 3
- No. of jars 3
- Liquidising jar 1.5L
- Dry grind jar 1.0L
- Chutney jar 0.3L
- Unbreakable transparent lids for visibility of ingredients while grinding



#### **TWISTER DLX MIXER GRINDER**

- RPM 18000
- No. of speeds 3
- Liquidising jar 1.7L • Dry grind jar - 1.2L
- Chutney jar 0.4L
- Unbreakable handles on all three jars
- Unbreakable transparent lids • Twist locking jar lids with
- silicone gaskets for smooth. hands-free operation
- 1 extra blade Mincing

 $\sim$ NUTRI-PRO SUPER POWERFUI





MULTITASKER BLADE

5

ک NUTRI-PRO POWERFUL 2 YEARS TETRA ISI APPROVED 5 YEARS MULTI 750 WATTS RANTY FLOW TECHNOLOGY TASKER ON ON MOTOR TITAN







#### **HEXAGRIND MIXER GRINDER**



#### • RPM - 18000

- No. of speeds 3
- No. of jars 3
- Liquidising jar 1.5L
- Dry grind jar 1.2L
- Chutney jar 0.3L
- Clip locking lids on jars for hands-free operation
- Unbreakable transparent lids for visibility of ingredients while grinding



#### GX 3501 **MIXER GRINDER**

- RPM 20000
- No. of speeds 3
- No. of jars 3
- Liquidising jar 1.2L • Dry jar - 1.0L
- Chutney jar 0.3L









### **FOOD PROCESSORS**



#### **FX-1000 DLX** FOOD PROCESSOR

• RPM - 16000

- No. of speeds 3
- Attachments include:
- » No. of jars 3
- Liquidising jar 2.3L - Dry grind jar - 1.0L
- Chutney jar 0.5L
- » Processing bowl 3.2L
- Accessories include: SS blades for chopping, slicing and shredding, citrus & centrifugal juicers & dough kneader





#### MASTERCHEF 3.0

- RPM 18000
- No. of speeds 3
- Attachments include: » No. of jars - 3
- Liquidising jar 1.5L
- Dry grind jar 1.0L
- Chutney jar 0.4L
- » Processing bowl 1.0L Accessories include: centrifugal
- juicer, dough kneader, chopping blade & citrus juicer
- 5 processing blades include finger chips / french fries blade, slicer fine, slicer coarse, shredder fine & shredder coarse





UNIT OF 13 ATTACHMENTS







#### ISI APPROVED



- No. of speeds 3 • Attachments include:
- » No. of jars 3
  - Liquidising jar 1.25L
  - Dry grind jar 1.0L - Chutney jar - 0.3L
- » Processing bowl 1.25L
- Accessories include: centrifugal juicer, dough kneader,
- chopping blade & citrus juicer
  - 5 processing blades include finger chips / french fries blade, slicer coarse, shredder fine, shredder coarse & coconut shredding blade

## JUICER MIXER GRINDERS

#### **NEO JX-4 JMG**

- RPM 18000
- No. of jars 2 • No. of speeds - 3
- Liquidising jar 1.5L
- Dry grind jar 1.0L
  Food pusher for efficient juicing



- JX-10 JMG
- RPM 18000
- No. of jars 3
- No. of speeds 3
- Liquidising jar 1.5L • Dry grind jar - 1.0L
- Chutney jar 0.4L
- Continuous juicing without
- stopping for pulp collection









#### JX-5

- No. of jars 2Liquidising jar 1.5L
- Dry grind jar 1.0L
- Online jucing



#### FRESH **SIP JMG**

- RPM 18000 • No. of jars - 2
- No. of speeds 3
- Liquidising jar 1.5L
- Dry grind jar 1.0L



### **CHOPPERS & HAND BLENDERS**







#### **CHOP PRO**

- Dual SS chopping blade for fine chopping
- 800 ml bowl capacity







#### HM-01 HAND BEATER

- 3 speed control
- Accessories:
- SS dough hooks
- Beater attachment
- Eject button available
- Sliding / push switch for convenient & safe operation







### **WET GRINDERS**



#### WX-1 WET GRINDER WITHOUT ARM

• Capacity - 2L • LED indication for On/Off



5 YEARS WARRANTY ON MOTOR 2 YEARS WARRANTY ON PRODUCT

150 WATTS MOTOR

#### WX-3 WET GRINDER WITHOUT ARM

Capacity - 2LCompact and sturdy design





#### WX-9 WET GRINDER WITH ARM

- Capacity 2LComfort of arm
- LED indication for On/Off







# BREAKFAST & SNACKS



>BAJAJ

#### SANDWICH MAKERS & TOASTERS



\*Average 85% less fat consumption of samosas made using this samosa maker when compared with deep fried samosas. Samosas are made as per the recipe mentioned in the user manual.



#### SWX 7

- Bakelite body with SS trim
- Non-stick coated plates for
- easy cleaning and maintenance • Stands upright for compact storage
- Neon indicator
- Cord winder at the base
- Spring action buckle clip on handle



#### SWX 3 DLX

- Bakelite body
- Non-stick coated plates for easy cleaning and maintenance
- Stands upright for compact storage
- Neon indicator
- Cord winder at the base
- Buckle clip on handle
- Also available in SWX 4 DLX
   with grill plates





#### **GRILL ULTRA**

- 4 slice sandwich press
- Adjustable temperature control
- Attractive Bakelite body with SS trim
- Adjustable floating hinge system
- Stands upright for compact storage
- 180° open grill
- Drip oil collector
- Non-stick coated plate
- Neon indicator









#### AVENGERS POP-UP TOASTER

- Changeable Plates with Avengers' graphics
- 2 Slice Pop-up Toaster
- Illuminated function buttons
- Auto pop-up
- Cool-touch body
- Variable browning controls (7 levels)
- Mid-cycle cancel function
- Reheating
- Defrosting
- Easy slide out crumb tray
- Extra wide slots for thick slice of bread
- Cord storage







#### JUVEL POP-UP TOASTER (2 Slice)

- Prism design body
- 6 levels of browning controls
- Cool touch body
- Illuminated function buttons
- Auto pop-up
- Mid-cycle cancel function
- Reheating
- Defrosting
- Extra wide slot
- Cord storage





#### ATX 3 (2 Slice)

- SS finish metal body housing
  6 levels of browning control
  Mid-cycle cancel function
  Dust cover

- Cord winder



#### ATX 4 (2 Slice)

- 6 levels of browning control
  Mid-cycle cancel function
  Easy slide out crumb tray
  Extra wide slot
  Cord winder

- Dust cover







## KETTLES





#### **GLIMMER 1L KETTLE**

- Dry boil safe
- ABS Body
- 2 years warranty Cordless Kettle
- Single Touch soft lid opening







#### TRAVEL **KETTLE KTX 2**

- SS body with black PP enclosure
- 2 utility cupsDry boil safe
- Auto shut off with neon indicator





#### 1.2L SS CORDLESS **KETTLE**

- SS body with black PP enclosureHinged lid for safety
- 360° connector detachable
- power base
- Neon indicator for heater ON
- Cord winder
- Dry boil safe
- Ergonomically designed
- comfortable handle • Convenient On/Off switch



1.7L CAPACITY

2 YEARS WARRANTY ON PRODUCT

**1500 WATTS** 

CONCEALED HEATING ELEMENT

#### **KTX 15 SS**

- SS body with black PP enclosure
- Single function for boiling water
- Dry boil safe
- Neon indicator

TEA BAG DIPPER

- Cordless unit for convenient use Cord winder
- 360° connector
- Auto shut off







- SS body with black PP enclosure Multi-function for boiling water, eggs and cooking rice, noodles, pasta, tea, coffee, oats and corn
- Dry boil safe
- Neon indicator
- Auto shut off
- Cordless unit for convenient use
- 360° connector



#### **JUICE EXTRACTORS**



#### **JEX 16 FULL APPLE JUICER**

- SS juicing mesh
- 2 speed control
- Elegant backlit LED control panel • Juice collector - 1L capacity
- Easily removable &
- washable strainer
- Extra 75 mm feeding tube Dual lock for enhanced safety
- SS brushed finish





#### JUICER ONE

- 3 speed control
- Super fine mesh
- Transparent top cover



POWERFUL 2 YEARS 800 WATTS WARRANTY MOTOR ON PRODUCT

POWERFUI

2 YEAR

400 WATTS WARRANTY MOTOR ON PRODUCT

#### JUICE **EXTRACTOR**

• 2 speed control

5

0.7L PULP ISI CONTAINER APPROVED

- Online transparent pulp container
- Dual lock for enhanced safety



#### 5 ISI APPROVED POWERFUI 350 WATTS MOTOR WARRANTY ON PRODUCT

#### **JEX 20 JUICER**

- Compact in size
- Online juice collector



# COOKING ESSENTIALS



Daw

Trancia

#### OTGs

#### **1000 TSS**



- Stainless steel body
- Transparent glass door
- Cool Touch Handle
- Accessories available:
- Grill tray
- Baking tray
- Crumb tray
- Extra pizza tray
- Tongs for baking / grill tray





- Powder coated body
- Function selection switch
- Transparent glass door
- Cool Touch Handle
- Accessories available: - Grill tray
- Baking tray
- Skewer rods
- Crumb tray
- Tongs for baking / grill tray

10L CAPACITY 2 YEARS 60 MINUTES WARRANTY ON PRODUCT TIMER



#### 1603 TSS

- Stainless steel body
- Function selection switch
- Transparent glass door
- Cool Touch Handle
- Accessories available:
- Grill tray
- Baking tray
- Skewer rods - Crumb tray
- Tongs for baking / grill tray



#### **2200 TMSS**

- Stainless steel body
- Function selection switch
- Transparent glass door
- Motorised rotisserie
- Accessories available:
- Grill tray & Baking tray - Skewer rods
- Rotisserie attachment
- Tongs for rotisserie attachment and grill / baking trays - Crumb tray
- Also available in powder coat finish





#### **2800 TMCSS**

- Convection
- Stainless steel body
- Function selection switch
- Transparent glass door
- Motorised rotisserie
- Cool Touch Handle
- Accessories available:
- Grill tray
- Baking tray
- Rotisserie attachment
- Skewer rods
- Tongs for rotisserie attachment
- and grill / baking trays
- Crumb tray



#### **3500 TMCSS**

- Convection
- Stainless steel body
- Function selection switch
- Transparent glass door
- Motorised rotisserie
- Cool Touch Handle
- Accessories available:
- Grill tray & Baking tray - Skewer rods
- Rotisserie attachment
- Tongs for rotisserie attachment and grill / baking trays
- Crumb tray

60 MINUTES

TIMER





- Convection
- Stainless steel body
- Element selection switch
- Transparent glass door
- Motorised rotisserie
- Cool Touch Handle
- Accessories available:
- Grill tray & Baking tray
- Skewer rods
- Rotisserie attachment
- Tongs for rotisserie attachment and grill /baking trays
- Crumb tray





35L CAPACITY MOTORISED ROTISSERIE

CONVECTION

2 YEARS

WARRANTY ON PRODUCT



ON PRODUCT

- **50 DCRSS**
- Stainless steel body
- Digital display with feather touch control
- Convection
- Chamber illumination
- Motorised rotisserie
- Functions: convection, toast, bake, tandoor, rotisserie, defrost & pizza
- Cool Touch Handle
- Accessories available:
- 2 Cooking trays
- Food & crumb tray
- Tray & rotisserie handle
- Wire Grill cum Barbeque tray
- 4 Skewer rods
- Extra long rotisserie skewer rod with 2 forks
- Tong for cooking tray
- Tong for rotisserie
- Baking tray

#### MICROWAVES

#### 1701 MT DLX **MICROWAVE OVEN**



#### Solo type

- Mechanical controls
- Multi-power level
- Time defrost
- Cooking complete alarm
- 5 cooking levels



#### **2005 ETB MICROWAVE OVEN**

- Grill type
- Electronic controls
- Multi-power level
- 9 Auto cook menu
- Time & weight defrost
- Cooking complete alarm
- Child safety lock
- 5 cooking levels





#### 2310 ETC **MICROWAVE OVEN**

- Convection type
  - Electronic controls 5 cooking levels
  - Auto cook menu (46)
  - Express & combination cooking
  - Time & weight defrost
  - Deodorize & steam clean
  - Cooking complete alarm
  - Child safety lock





#### 2504 ETC **MICROWAVE OVEN**

- Convection type
- Electronic controls
- 5 cooking levels
- Express & combination cooking
- Time & weight defrost
- Steam clean
- Child safety lock
- 10 Auto cook menus
- Cooking complete alarm
- Deodorize & steam clean



### **RICE COOKERS**





#### RCX 21 DLX



- Closed lid (Cook & Carry)
- Keep warm function
- Accessories:
   Non-stick coated cooking bowl
- Measuring cup
- Spatula
- Steamer



#### **RCX 28**

- SS lid
- Keep warm function
- Accessories:
- Aluminium cooking bowl - Aluminium trivet
- Measuring cup
- Spatula





#### RCX 28 DLX

- Closed lid (Cook & Carry)
- Keep warm function
- Accessories:
- Non-stick coated cooking bowl
- Measuring cup
- Spatula
- Steamer



Onn

## INDUCTION COOKERS

NEW



#### ICX 130

- 6 pre-set menus
- Variable temperature, time
   & power selection
- LED display
- Semi-polished crystal glass



8 PRESET

MODES

1 YEAR WARRANTY ON PRODUCT

1400 WATTS

#### POPULAR ULTRA INDUCTION COOKER

- LED display
- Tact push buttons
- Semi-polished crystal glass
  Variable temperature
- & time selection





#### ICX NEO INDUCTION COOKER

- Digital LED display
- Tact push buttons
- Semi-polished crystal glassVariable temperature, time
- & power selection



#### ICX PEARL INDUCTION COOKER

- Digital LED display
- Tact push buttons
- Semi-polished crystal glass
  Variable temperature, time
- & power selection







#### MAGNIFIQUE INDUCTION COOKER

- Attractive dual-tone, black & gold body colour
- Full-polished glass
- Feather touch controlsVariable time, temperature
- variable time, temperature & power selection
- Pre-set timer present



#### SLIM INDUCTION COOKER

- Slim design
- Full-polished glass
- Feather touch controls
- Variable time, temperature & power selection
- Pre-set timer present







601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022.

Free Home Service<sup>≈</sup> : 022 4128 0000 consumercare@bajajelectricals.com | shop.bajajelectricals.com | **f** | **v** | **@** | **□** 

+91 70399 20000


<sup>##^^\*</sup>T&C apply. For more details on Antibacterial & Antiviral coating, Anti-Stain coating, Easy-to-clean coating, Nutri-Pro feature, Samosa Maker and Free home service, please visit www.bajajelectricals.com/terms-and-conditions/2020







**OPENANEW** WORLDOF CONVENIENT COOKING.



### INTRODUCTION

At Bajaj Electricals, we've been on a perpetual journey towards building the future and opening your world to new possibilities and new ways of living. Through innovation, technology and nuanced understanding of the consumers, our new-age appliances and products are playing a meaningful role in the everyday lives of Indian families.

Our advanced range of kitchen appliances is carefully crafted to perfection for giving you a seamless cooking experience. They effortlessly blend into your kitchen to give it an elegant yet contemporary look. Our Gas Stoves, Pressure Cookers, Cookware Range along with a new addition of Combination Sets are integrated with the latest technology and user-friendly design sense. This makes even the toughest and complex cooking tradition in your kitchen, feel as easy as a pie. Come, discover the joy of convenient and healthy cooking with us.

# **FEATURES**

YEAR

REMOVABLE DRIP TRAY

## **GAS STOVES**





TOUGHENED GLASS TOP



ANTIBACTERIAL<sup>^</sup> & ANTIVIRAL<sup>#</sup> COATING<sup>\*</sup>



E

5

CERTIFIED



PATENTED



∩∩∙

SS TRAY



HEAVY BRASS BURNERS



WIND-SHIELD PAN SUPPORT

## **PRESSURE COOKERS**



5 YEARS WARRANTY



COMPATIBLE WITH GAS STOVE & INDUCTION COOKTOP



CERTIFIED

### COOKWARE





\*Coating on the gas stove frame. ^Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801 : 2010. On the coated frame, the bacteria will be killed by 99% in 24 hours. <sup>a</sup> Tested against the virus MS2 Bacteriophage as per ISO 21702 : 2019. On the coated frame, the virus will be reduced by 99.9% in 24 hours.



# GAS STOVES



-min

### **GLASS TOP GAS STOVES**







\*Coating on the gas stove frame. ^Tested against Escherichia coli & Staphylococcus aureus as per JIS Z 2801 : 2010. On the coated frame, the bacteria will be killed by 99% in 24 hours. \* Tested against the virus MS2 Bacteriophage as per ISO 21702 : 2019. On the coated frame, the virus will be reduced by 99.9% in 24 hours.



#### 2BRGS7

- Square pan support with heavy duty cast iron look
- SS frame
- Integrated SS drip tray
- Straight nozzle
- 2 Burners: Big (175g) & Small (145g)
- Body dimensions (mm): 715 × 375 × 130





#### 3BJGS7

 Square pan support with heavy duty cast iron look

- SS frame
- Integrated SS drip tray
- Straight nozzle
- 3 Burners: Jumbo (280g), Big (175g) & Small (145g)
- Body dimensions (mm): 805 × 420 × 130











#### 2 BRGP6

- Powder coated frame with charcoal black finish
- Integrated SS drip tray
- 360° swivel nozzle
- 2 Burners: Big (175g) & Small (145g)
- Body dimensions (mm): 600 × 380 × 130





#### 3 BRGP6

- Powder coated frame with charcoal black finish
- Integrated SS drip tray
- 360° swivel nozzle
- 3 Burners: 2 Big (175g each) & 1 Small (145g)
- Body dimensions (mm): 720 × 435 × 130





#### CGX 2 SS ECO

- Matte finish magnetic Stainless Steel (430 Grade) body
- SS drip tray
- Straight nozzle
- 2 Burners: Big (175g) & Small (145g)
- Body dimensions (mm): 600 × 380 × 130



#### CGX 3 SS ECO

- Matte finish magnetic Stainless Steel (430 Grade) body
- SS drip tray
- 360° swivel nozzle
- 3 Burners: 2 Big (175g each) & 1 Small (145g)
- Body dimensions (mm): 720 × 435 × 130







#### CGX 4 SS

- SS body & drip tray
- 360° swivel nozzle
- 4 Burners: 2 Big (175g each) & 2 Small (145g each)
- Body dimensions (mm): 585 × 560 × 130



## STAINLESS STEEL GAS STOVES



#### 2BRSS6

- Stainless Steel body
- Unique SS Pan Support & drip tray (attached)
- Straight nozzle
- 2 Burners: Big (175g) & Small (145g)





- Stainless Steel body
- Removable drip tray
- Straight nozzle
- 1 Big Burner (175g)
- Body dimensions (mm): 300 × 350 × 145











#### **POPULAR ECO**

- SS body & drip trayStraight nozzle
- 2 Burners: Big (175g) & Small (145g)
- Body dimensions (mm): 620 × 325 × 140



#### CX8 SS

- SS body & drip tray
- Straight nozzle
- 2 Burners: Big (175g) & Small (145g)
- Body dimensions (mm): 690 × 355 × 180







#### CX9 SS

- •SS body & drip tray
- Straight nozzle
- 3 Burners: 2 Big (175g each) & 1 Small (145g)



• Body dimensions (mm): 765 x 395 x 140





# PRESSURE COOKERS

WHE D' OUT

N. S. M. L. S. M.



### **INNER LID PRESSURE COOKERS**



#### **PCX 65H** (HA INNER LID HANDI PC)

- Base thickness: 3.25 mm
- Sturdy Bakelite handles
- Food Grade Nitrile Rubber Gasket
- Anti-Bulging base
- Capacity: 5L
- Also available:
- PCX 63H: 3L



#### **PCX 65HD** (HA INNER LID HANDI PC WITH IB)

- Base thickness: 3.25 mm
- Sturdy Bakelite handles
- Food Grade Nitrile Rubber Gasket
- Capacity: 5L
- Also available:
- PCX 62HD: 2L
- PCX 63HD: 3L

**PCX 65D** 

PC WITH IB)

(AL INNER LID HANDI













#### **PCX 35H** (HA INNER LID **STRAIGHT WALL PC)**

- Base thickness: 3.25 mm
- Sturdy Bakelite handles
- Food Grade Nitrile Rubber Gasket
- Anti-Bulging base
- Capacity: 5L
- Also available:
- PCX 33H: 3L



5 YEARS WARRANTY



5 YEARS WARRANTY

MADE FROM HINDALCO ALUMINIUM



CERTIFIED

S

CERTIFIED





## **OUTER LID PRESSURE COOKERS**

#### PCX 7.5 (AL OUTER LID PC)

- Base thickness: 3.25mm to 3.65mm
- Sturdy Bakelite handles
- Food Grade Nitrile Rubber GasketTriple Safety System for safe
- cookingAnti-Bulging base
- Capacity: 7.5L
- Also available:
  - PCX 2: 2L
- PCX 3: 3L
- PCX 5: 5L



#### PCX 5IB (AL OUTER LID PC WITH IB)

- Base thickness: 3.25mm to 3.65mm
- Sturdy Bakelite handles
- Food Grade Nitrile Rubber Gasket
- Triple Safety System for safe cooking
- Capacity: 5L
- Also available:
- PCX 2IB: 2L
- PCX 3IB: 3L
- PCX 4IB: 4L

5 YEARS WARRANTY CERTIFIED





# COOKWARE



### COOKWARE



#### HARD ANODISED KADHAI 2.5L

- Hard Anodised body up to 40 microns
- Sturdy Bakelite handle
- Diameter: 240mm
- Thickness: 3.25mm
- Glass lid



#### HARD ANODISED FRYING PAN 240MM

- Hard Anodised body up to 40 microns
- Sturdy Bakelite handle
- Diameter: 240mm
- Thickness: 3.25mm





#### HARD ANODISED TAWA 260MM

- Hard Anodised body up to 40 microns
- SS Wire handle
- Diameter: 260mm
- Thickness: 4.88mm Also Available:
- Diameter & Thickness: 220mm & 4mm



#### 5 YEARS WARRANTY WITH GAS STOVE & INDUCTION

#### HARD ANODISED SAUCE PAN 1.5L

- Hard Anodised body up to
- 40 microns
- Sleeved/Insulated SS Wire handle
  Capacity: 1.5L
- Thickness: 3.25mm





#### **NON-STICK KADHAI 2.5L**

- Non-stick coating up to 30 microns
- Sturdy Bakelite handle Diameter: 240mm
- Thickness: 3mm
- Glass lid



#### **NON-STICK FRYING PAN** 240MM

- Non-stick coating up to 30 microns
- Sturdy Bakelite handle
- Diameter: 240mm
- Thickness: 3mm





#### **NON-STICK TAWA 280MM**

- Non-stick coating up to 30 microns
- Sturdy Bakelite handle
- Diameter: 280mm
- Thickness: 3mm Also available:
- Diameter & Thickness: 250 mm & 3 mm





#### **NON-STICK DUO SET - 3PC**

- Non-stick coating up to 30 microns
- Sturdy Bakelite handle Contents:
- Tawa with Diameter: 250mm & Thickness: 3mm
- Kadhai with Diameter: 240mm & Thickness: 3mm
- Frying Pan with Diameter: 240mm & Thickness: 3mm
- Glass lid
- (Common for Kadhai & Frying Pan)



# COMBI PACKS



Ser. 3

### **COMBI PACKS**







#### PCX 3IB + NON-STICK INDUCTION TAWA 250MM

• 3 Litre Outer Lid Aluminium PC with Induction Base

 250mm Non-stick Tawa with Induction Base



#### PCX 5IB + NON-STICK INDUCTION TAWA 280MM

• 5 Litre Outer Lid Aluminium PC with Induction Base

• 280mm Non-stick Tawa with Induction Base



#### **PCX 5 + PCX 3.5**

5 Litre Outer Lid Aluminium PC 3.5 Litre Outer Lid Aluminium PC

~Images are for representation purpose only, actual product may vary in colour/size.





601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022.

Free Home Service<sup>#</sup> : 022 4128 0000 consumercare@bajajelectricals.com | shop.bajajelectricals.com | f | | | @ | @ |

+91 70399 20000

#\*^ T&C apply. For more details on Antibacterial & Antiviral coating and Free home service, please visit www.bajajelectricals.com/terms-and-conditions/2020





# ROOM HEATER CATALOGUE

# INTRODUCTION

Winters come as a welcome respite from the scorching heat, however the biting chill can be unbearably harsh to some. Bajaj Room Heaters help you keep the chill at bay. Our wide variety of room heaters range from Oil-Filled Radiators (OFRs), Fans / Blowers to Radiant Heaters. What's more, these robust heaters are ISI approved and come with a host of safety measures to prevent any potential mishaps. They also feature a 2-year warranty and wattage up to 2,500W. So if you feel the need to turn up the heat this winter, bring home a Bajaj Room Heater.







# Majesty OFR RH 13F Plus

- 13 fins with three heat settings: 1,000W / 1,500W / 2,500W
- Power ON neon indicator
- With 400W PTC ceramic fan heater, for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- Castor wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
  - > Thermostat
  - > Manual thermal cutout
  - Auto thermal cutout
  - Safety tilt switch for proper installation





# Majesty OFR RH 11F Plus

- 11 fins with three heat settings: 1,000W / 1,500W / 2,500W
- With 400W PTC ceramic fan heater, for faster heating
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- Castor wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
  - > Thermostat
  - Manual thermal cutout
  - > Auto thermal cutout
  - Safety tilt switch for proper installation





# Majesty OFR RH 9F Plus

- 9 fins with three heat settings: 800W / 1,200W / 2,000W
- Power ON neon indicator
- With 400W PTC ceramic fan heater, for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- Castor wheels for easy mobility
- Quadra safety assurance
  - > Thermostat
  - > Safety tilt switch for proper installation
  - > Manually reset thermal cutout
  - > Auto-reset thermal cutout





# Majesty OFR RH 9 Plus

- Three heat settings: 800W / 1,200W / 2,000W
- Power ON neon indicator
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- Castor wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
  - > Thermostat
  - > Manual thermal cutout
  - > Auto thermal cutout
  - Safety tilt switch for proper installation







-

.



# FAN ROOM HEATERS





- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Adjustable grill
- Two way installation: Vertical / Horizontal
- Wall mounting option
- Cool-touch housing
- Triple safety assurance
  - > Thermostat
  - > Auto thermal cutout
  - > Thermal fuse





- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Adjustable grill
- Two way installation: Vertical / Horizontal
- Wall mounting option
- Cool-touch housing
- Triple safety assurance
  - > Thermostat
  - Auto thermal cutout
  - > Thermal fuse





- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Dual purpose: Acts as a heater in winter and personal fan in summer
- Cool-touch housing
- Triple safety assurance
  - > Thermostat
  - > Auto thermal cutout
  - > Thermal fuse





- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Two-way installation
  - > Vertical
  - Horizontal
- Triple safety assurance
  - > Thermostat
  - > Auto thermal cutout
  - > Thermal fuse





- Two heat settings: 1,000W / 2,000W
- Cool-touch handle for easy mobility
- Adjustable height
- Adjustable thermostat to set desired temperature
- Dual safety assurance
  - > Thermostat
  - Automatic thermal safety cutout







- Three heat settings: 600W / 1,200W / 2,000W
- Cool-touch handle for easy mobility
- Adjustable height
- Automatic thermal safety cutout







- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Cool-touch body
- Quadra safety assurance
  - > Thermostat
  - Safety tilt switch for proper installation
  - Manually reset thermal cutout
  - Auto-reset
     thermal cutout



HIGH

WATTAGE



2 YEAR

WARRANTY

ISI APPROVED





# **Blow Hot**

- Two heat settings: 1,000W / 2,000W
- Automatic thermal cutout for safety
- Easy mobility
- Compact design





# HALOGEN ROOM HEATERS

C.

Call-

0\_0



# New Majesty **RHX 3 Halogen**

- Three heat settings: 400W / 800W / 1,200W
- Noiseless operation
- Wide Angle Auto Oscillation
- Dual safety device
  - > Safety tip over switch against tilting
  - > Thermal fuse

WARRANTY



WATTAGE



(ST) ISI APPROVED



INDIA



# RHX 2 Halogen

- Two heat settings: 500W / 1,000W
- Noiseless operation
- Dual safety device
  - Safety tip over switch against tilting
  - > Thermal fuse





(MADE IA) MADE IN INDIA





# CHX Duo Plus Carbon

- Two heat settings: 500W / 1,000W
- Adjustable thermostat for desired temperature
- Lesser illumination during operation
- Superior technology









2 YEAR E WARRANTY

AR ISI ANTY APPROVED



# Deluxe

- Two heat settings: 1,000W / 2,000W
- Adjustable thermostat for desired temperature
- Tilting legs
- SS reflector





MADE IN

MADE IN INDIA



# Flashy

- Nickel chrome plated mesh grid
- Heat settings: 1,000W
- Compact and stylish design
- SS reflector








2 YEAR WARRANTY

ISI APPROVED





# Minor

- Nickel chrome
- I plated mesh grid
- Tilting legs
- SS reflector
- Bright nickel chrome | plated reflector





MADE IN

MADE IN INDIA



Free Home Service\*: **1800 102 5963** / **022 4128 0000** | shop.bajajelectricals.com | **F** | **V** | **O CIN**: L31500MH1938PLC009887 **Regd. Office**: 45 / 47, Veer Nariman Road, Mumbai - 400 001. Tel.: 022-2204 3841 \*T&C apply. Please visit: http://www.bajajelectricals.com/terms-and-conditions